



2020 Missouri Student Survey County Reports

2020

Adair County
Andrew County
Atchison County
Audrain County
Barry County
Barton County
Bates County
Benton County
Bollinger County
Boone County
Buchanan County
Butler County
Caldwell County
Callaway County
Camden County
Cape Girardeau County
Carroll County
Carter County
Cass County
Cedar County
Chariton County
Christian County
Clark County
Clay County
Clinton County
Cole County
Cooper County
Crawford County
Dade County
Dallas County

Grundy County
Harrison County
Henry County
Hickory County
Holt County
Howard County
Howell County
Iron County
Jackson County
Jasper County
Jefferson County
Johnson County
Knox County
Laclede County
Lafayette County
Lawrence County
Lewis County
Lincoln County
Linn County
Livingston County
Macon County
Madison County
Maries County
Marion County
McDonald County
Mercer County
Miller County
Mississippi County
Moniteau County
Monroe County

Pemiscot County
Perry County
Pettis County
Phelps County
Pike County
Platte County
Polk County
Pulaski County
Putnam County
Ralls County
Randolph County
Ray County
Reynolds County
Ripley County
Saline County
Schuyler County
Scotland County
Scott County
Shannon County
Shelby County
St. Charles County
St. Clair County
St. Francois County
St. Louis (City) County
St. Louis (City) County
St. Louis County
Ste. Genevieve County
Stoddard County
Stone County
Sullivan County

Daviess County
DeKalb County
Dent County
Douglas County
Dunklin County
Franklin County
Gasconade County
Gentry County
Greene County

Montgomery County
Morgan County
New Madrid County
Newton County
Nodaway County
Oregon County
**Osage County Ozark
County**

Taney County
Texas County
Vernon County
Warren County
Washington County
Wayne County
Webster County
Worth County
Wright County

2020 Missouri Student Survey Adair County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	36	*	83
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	37.1%	12.9%	11.9%
Grade level. 7th Grade	32.6%	11.5%	11.5%
Grade level. 8th Grade	27.3%	11.8%	2.9%
Grade level. 9th Grade	3.0%	13.6%	10.5%
Grade level. 10th Grade	0.0%	17.4%	21.3%
Grade level. 11th Grade	0.0%	17.8%	16.4%
Grade level. 12th Grade	0.0%	15.0%	25.5%
Male	47.7%	50.5%	44.3%
Hispanic or Latino	0.0%	1.5%	1.0%
Race: Black or African American	3.9%	13.3%	0.0%
Race: White	90.7%	79.5%	94.5%
Race: Multiracial	5.4%	5.3%	5.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	7.6%	5.3%	18.6%
Used electronic cigarettes	6.9%	15.5%	11.6%
Used hookahs or water pipes	0.0%	1.9%	3.4%
Used alcohol	6.2%	17.0%	13.4%
Used marijuana	0.0%	8.9%	9.5%
Used inhalants	0.0%	1.0%	0.3%
Used Rx not prescribed for you by a doctor	18.3%	6.3%	9.4%
Used `OTC` to get high	0.0%	2.0%	0.7%
Used synthetic drugs	0.0%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.0%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.0%
Used `club drugs` such as ecstasy	0.0%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	20.2%	30.1%	25.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.0%	5.9%	0.7%
Rode with someone who was drinking alcohol	13.3%	17.0%	17.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.6%	16.2%	36.6%
Posted something online or sent a text that might embarrass or hurt another student	7.6%	15.7%	19.3%
Made fun of other people	43.2%	47.2%	72.4%
Hit, shoved or pushed another student and was not just fooling around	19.4%	12.4%	14.9%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	16.7%	26.2%	32.8%
Was in a physical fight	12.9%	15.9%	21.6%
Been threatened or injured with a weapon on school property	6.9%	6.7%	0.0%
Seriously considered suicide	4.5%	11.1%	12.1%
Planned suicide	0.0%	8.6%	8.1%
Attempted suicide	3.0%	4.9%	7.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	21.4%	25.3%	20.6%
Was grouchy or irritable, or in a bad mood	31.8%	33.4%	36.6%
Felt hopeless about the future	9.1%	15.5%	16.5%
Felt like not eating or eating more than usual	19.5%	21.1%	12.7%
Felt like sleeping a lot more or a lot less than usual	18.2%	32.6%	24.3%
Had difficulty concentrating on school work	17.4%	32.1%	17.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.7%	91.8%	90.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.7%	93.4%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.7%	92.5%	95.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.4%	96.2%	97.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.2%	87.7%	62.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	87.1%	84.9%	73.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	95.3%	75.6%	78.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.4%	94.5%	93.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	24.0%	39.5%	51.8%
'Very' or 'sort of easy' to get alcohol	35.2%	52.3%	53.5%
'Very' or 'sort of easy' to get marijuana	12.5%	38.0%	33.7%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	7.8%	21.1%	28.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	3.8%	10.1%	7.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	9.1%	26.3%	10.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	10.6%	27.5%	22.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	6.1%	25.9%	7.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	14.4%	33.2%	41.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	13.3%	18.9%	23.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	28.8%	46.5%	36.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	31.3%	35.1%	32.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	8.3%	24.2%	26.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	12.9%	39.2%	38.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	3.0%	9.6%	5.0%
'No' or 'slight risk' if they use synthetic drugs	6.3%	13.2%	7.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.9%	23.4%	15.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.9%	14.2%	8.1%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Andrew County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	928	*	
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	20.6%	12.9%	
Grade level. 7th Grade	19.4%	11.5%	
Grade level. 8th Grade	14.6%	11.8%	
Grade level. 9th Grade	13.0%	13.6%	
Grade level. 10th Grade	12.1%	17.4%	
Grade level. 11th Grade	11.3%	17.8%	
Grade level. 12th Grade	8.9%	15.0%	
Male	49.0%	50.5%	
Hispanic or Latino	1.6%	1.5%	
Race: Black or African American	2.0%	13.3%	
Race: White	96.0%	79.5%	
Race: Multiracial	1.6%	5.3%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	4.8%	5.3%
Used electronic cigarettes	15.4%	15.5%
Used hookahs or water pipes	1.3%	1.9%
Used alcohol	14.9%	17.0%
Used marijuana	5.9%	8.9%
Used inhalants	0.9%	1.0%
Used Rx not prescribed for you by a doctor	7.0%	6.3%
Used `OTC` to get high	1.9%	2.0%
Used synthetic drugs	1.0%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.2%	
Used heroin or `smack`	0.5%	0.3%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.5%	2.2%	
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.7%	
Used `club drugs` such as ecstasy	1.0%	1.0%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.9%	30.1%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.0%	5.9%	
Rode with someone who was drinking alcohol	16.6%	17.0%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	18.5%	16.2%	
Posted something online or sent a text that might embarrass or hurt another student	14.8%	15.7%	
Made fun of other people	46.0%	47.2%	
Hit, shoved or pushed another student and was not just fooling around	12.0%	12.4%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	27.7%	26.2%	
Was in a physical fight	16.4%	15.9%	
Been threatened or injured with a weapon on school property	7.6%	6.7%	
Seriously considered suicide	9.3%	11.1%	
Planned suicide	8.5%	8.6%	
Attempted suicide	5.2%	4.9%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.7%	25.3%	
Was grouchy or irritable, or in a bad mood	36.5%	33.4%	
Felt hopeless about the future	18.1%	15.5%	
Felt like not eating or eating more than usual	26.5%	21.1%	
Felt like sleeping a lot more or a lot less than usual	35.1%	32.6%	
Had difficulty concentrating on school work	35.3%	32.1%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.9%	91.8%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.3%	93.4%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.9%	92.5%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.4%	96.2%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.5%	87.7%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.8%	84.9%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	75.8%	75.6%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.1%	94.5%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	37.2%	39.5%	
'Very' or 'sort of easy' to get alcohol	47.8%	52.3%	
'Very' or 'sort of easy' to get marijuana	30.8%	38.0%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.8%	21.1%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.9%	10.1%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	29.3%	26.3%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.2%	27.5%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.4%	25.9%	

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	27.4%	33.2%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	15.9%	18.9%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.2%	46.5%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	30.0%	35.1%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.7%	24.2%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.8%	39.2%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.2%	9.6%	
'No' or 'slight risk' if they use synthetic drugs	15.0%	13.2%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.9%	23.4%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.9%	14.2%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Atchison County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	86	*	255
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	31.0%	12.9%	14.4%
Grade level. 7th Grade	16.7%	11.5%	15.6%
Grade level. 8th Grade	21.4%	11.8%	14.4%
Grade level. 9th Grade	21.4%	13.6%	17.8%
Grade level. 10th Grade	2.4%	17.4%	13.3%
Grade level. 11th Grade	2.4%	17.8%	16.7%
Grade level. 12th Grade	4.8%	15.0%	7.8%
Male	45.2%	50.5%	48.9%
Hispanic or Latino	0.0%	1.5%	1.1%
Race: Black or African American	0.0%	13.3%	1.1%
Race: White	97.7%	79.5%	97.8%
Race: Multiracial	2.3%	5.3%	1.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	5.1%	5.3%	2.2%
Used electronic cigarettes	0.0%	15.5%	6.6%
Used hookahs or water pipes	0.0%	1.9%	2.2%
Used alcohol	2.7%	17.0%	7.8%
Used marijuana	0.0%	8.9%	3.3%
Used inhalants	0.0%	1.0%	1.1%
Used Rx not prescribed for you by a doctor	5.3%	6.3%	5.6%
Used `OTC` to get high	0.0%	2.0%	1.1%
Used synthetic drugs	0.0%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.0%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	1.1%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.0%
Used `club drugs` such as ecstasy	0.0%	1.0%	1.1%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.2%	30.1%	16.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.8%	5.9%	5.5%
Rode with someone who was drinking alcohol	13.5%	17.0%	13.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.9%	16.2%	22.2%
Posted something online or sent a text that might embarrass or hurt another student	11.9%	15.7%	15.4%
Made fun of other people	34.9%	47.2%	54.9%
Hit, shoved or pushed another student and was not just fooling around	14.3%	12.4%	11.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	38.1%	26.2%	32.2%
Was in a physical fight	23.8%	15.9%	12.1%
Been threatened or injured with a weapon on school property	9.5%	6.7%	4.4%
Seriously considered suicide	9.5%	11.1%	12.4%
Planned suicide	9.3%	8.6%	10.0%
Attempted suicide	7.1%	4.9%	2.2%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.6%	25.3%	23.1%
Was grouchy or irritable, or in a bad mood	38.1%	33.4%	30.0%
Felt hopeless about the future	12.2%	15.5%	13.2%
Felt like not eating or eating more than usual	20.9%	21.1%	18.9%
Felt like sleeping a lot more or a lot less than usual	27.9%	32.6%	26.7%
Had difficulty concentrating on school work	25.6%	32.1%	24.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	100.0%	91.8%	96.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	100.0%	93.4%	96.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	100.0%	92.5%	96.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	100.0%	96.2%	97.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.7%	87.7%	89.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	85.7%	84.9%	83.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	87.8%	75.6%	85.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.9%	94.5%	92.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	32.6%	39.5%	36.3%
'Very' or 'sort of easy' to get alcohol	37.2%	52.3%	44.4%
'Very' or 'sort of easy' to get marijuana	19.0%	38.0%	23.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.0%	21.1%	22.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	4.8%	10.1%	5.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	16.3%	26.3%	12.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	11.6%	27.5%	14.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	11.6%	25.9%	13.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	19.5%	33.2%	36.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	7.3%	18.9%	12.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.6%	46.5%	34.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.0%	35.1%	33.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	17.5%	24.2%	21.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	15.0%	39.2%	23.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.8%	9.6%	5.6%
'No' or 'slight risk' if they use synthetic drugs	12.5%	13.2%	9.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	17.9%	23.4%	16.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	7.5%	14.2%	9.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey

Audrain County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	46	*	309
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	0.0%	12.9%	37.4%
Grade level. 7th Grade	0.0%	11.5%	5.3%
Grade level. 8th Grade	0.0%	11.8%	3.1%
Grade level. 9th Grade	46.5%	13.6%	8.7%
Grade level. 10th Grade	2.1%	17.4%	12.2%
Grade level. 11th Grade	49.2%	17.8%	23.4%
Grade level. 12th Grade	2.3%	15.0%	9.8%
Male	46.3%	50.5%	45.4%
Hispanic or Latino	3.1%	1.5%	1.8%
Race: Black or African American	0.0%	13.3%	3.6%
Race: White	94.9%	79.5%	92.8%
Race: Multiracial	2.7%	5.3%	2.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	22.1%	5.3%	13.2%
Used electronic cigarettes	34.6%	15.5%	12.4%
Used hookahs or water pipes	0.0%	1.9%	1.2%
Used alcohol	46.1%	17.0%	27.1%
Used marijuana	6.5%	8.9%	3.3%
Used inhalants	4.3%	1.0%	0.0%
Used Rx not prescribed for you by a doctor	6.5%	6.3%	6.4%
Used `OTC` to get high	2.2%	2.0%	1.2%
Used synthetic drugs	0.0%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	4.8%	1.2%	1.6%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	5.0%	2.2%	0.8%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.8%
Used `club drugs` such as ecstasy	2.2%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.3%	30.1%	25.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.0%	5.9%	7.1%
Rode with someone who was drinking alcohol	26.6%	17.0%	19.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	36.0%	16.2%	24.0%
Posted something online or sent a text that might embarrass or hurt another student	41.4%	15.7%	21.2%
Made fun of other people	73.8%	47.2%	55.8%
Hit, shoved or pushed another student and was not just fooling around	16.4%	12.4%	19.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	19.1%	26.2%	32.6%
Was in a physical fight	25.0%	15.9%	18.1%
Been threatened or injured with a weapon on school property	15.1%	6.7%	5.5%
Seriously considered suicide	12.4%	11.1%	9.8%
Planned suicide	12.5%	8.6%	8.1%
Attempted suicide	8.2%	4.9%	4.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	33.0%	25.3%	17.9%
Was grouchy or irritable, or in a bad mood	49.6%	33.4%	28.5%
Felt hopeless about the future	16.6%	15.5%	10.9%
Felt like not eating or eating more than usual	33.5%	21.1%	19.6%
Felt like sleeping a lot more or a lot less than usual	49.2%	32.6%	29.1%
Had difficulty concentrating on school work	42.9%	32.1%	27.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	86.9%	91.8%	91.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.0%	93.4%	87.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.4%	92.5%	95.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.0%	96.2%	95.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	53.7%	87.7%	69.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	40.2%	84.9%	68.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.2%	75.6%	76.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.1%	94.5%	90.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	69.7%	39.5%	50.8%
'Very' or 'sort of easy' to get alcohol	80.9%	52.3%	50.6%
'Very' or 'sort of easy' to get marijuana	32.7%	38.0%	29.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	10.2%	21.1%	16.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	17.4%	10.1%	20.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	46.5%	26.3%	12.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	56.5%	27.5%	35.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.1%	25.9%	17.2%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	42.0%	33.2%	47.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	20.7%	18.9%	20.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	59.6%	46.5%	50.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	51.6%	35.1%	40.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	40.4%	24.2%	31.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	39.5%	39.2%	25.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.2%	9.6%	11.6%
'No' or 'slight risk' if they use synthetic drugs	9.2%	13.2%	14.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	17.7%	23.4%	23.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.3%	14.2%	11.8%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Barry County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	493	*	1634
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	26.8%	12.9%	17.2%
Grade level. 7th Grade	15.9%	11.5%	12.7%
Grade level. 8th Grade	17.9%	11.8%	12.5%
Grade level. 9th Grade	14.6%	13.6%	15.9%
Grade level. 10th Grade	9.3%	17.4%	15.4%
Grade level. 11th Grade	8.1%	17.8%	14.9%
Grade level. 12th Grade	7.3%	15.0%	11.5%
Male	49.9%	50.5%	49.9%
Hispanic or Latino	6.6%	1.5%	4.8%
Race: Black or African American	0.3%	13.3%	0.1%
Race: White	93.5%	79.5%	95.5%
Race: Multiracial	3.8%	5.3%	2.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	7.9%	5.3%	6.8%
Used electronic cigarettes	11.7%	15.5%	10.3%
Used hookahs or water pipes	0.8%	1.9%	1.6%
Used alcohol	10.9%	17.0%	10.4%
Used marijuana	5.2%	8.9%	4.7%
Used inhalants	1.6%	1.0%	1.1%
Used Rx not prescribed for you by a doctor	6.8%	6.3%	8.4%
Used `OTC` to get high	2.6%	2.0%	1.8%
Used synthetic drugs	0.8%	0.5%	0.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.6%
Used heroin or `smack`	0.3%	0.3%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.1%	2.2%	1.7%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.7%	0.4%
Used `club drugs` such as ecstasy	0.5%	1.0%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	37.1%	30.1%	33.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.2%	5.9%	9.1%
Rode with someone who was drinking alcohol	14.9%	17.0%	16.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.1%	16.2%	19.2%
Posted something online or sent a text that might embarrass or hurt another student	10.9%	15.7%	13.9%
Made fun of other people	39.1%	47.2%	43.9%
Hit, shoved or pushed another student and was not just fooling around	17.9%	12.4%	12.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	24.9%	26.2%	30.2%
Was in a physical fight	22.0%	15.9%	16.7%
Been threatened or injured with a weapon on school property	7.7%	6.7%	7.6%
Seriously considered suicide	9.8%	11.1%	13.2%
Planned suicide	10.5%	8.6%	9.9%
Attempted suicide	7.9%	4.9%	6.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.6%	25.3%	24.1%
Was grouchy or irritable, or in a bad mood	33.8%	33.4%	32.5%
Felt hopeless about the future	13.3%	15.5%	14.9%
Felt like not eating or eating more than usual	23.7%	21.1%	24.5%
Felt like sleeping a lot more or a lot less than usual	30.3%	32.6%	31.3%
Had difficulty concentrating on school work	23.6%	32.1%	28.2%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.9%	91.8%	93.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.9%	93.4%	93.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.5%	92.5%	93.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.5%	96.2%	95.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	82.5%	87.7%	80.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.4%	84.9%	75.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.4%	75.6%	74.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.1%	94.5%	86.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	35.0%	39.5%	41.8%
'Very' or 'sort of easy' to get alcohol	38.5%	52.3%	45.1%
'Very' or 'sort of easy' to get marijuana	26.6%	38.0%	34.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.4%	21.1%	24.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.2%	10.1%	10.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.9%	26.3%	22.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.4%	27.5%	22.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	15.7%	25.9%	21.8%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	32.1%	33.2%	38.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	20.9%	18.9%	17.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.0%	46.5%	35.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.8%	35.1%	34.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.0%	24.2%	23.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	34.9%	39.2%	31.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	13.9%	9.6%	9.2%
'No' or 'slight risk' if they use synthetic drugs	16.5%	13.2%	11.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.4%	23.4%	21.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.2%	14.2%	13.2%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Barton County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	63	*	222
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	48.1%	12.9%	18.6%
Grade level. 7th Grade	27.9%	11.5%	8.6%
Grade level. 8th Grade	24.0%	11.8%	17.1%
Grade level. 9th Grade	0.0%	13.6%	14.5%
Grade level. 10th Grade	0.0%	17.4%	12.3%
Grade level. 11th Grade	0.0%	17.8%	10.8%
Grade level. 12th Grade	0.0%	15.0%	18.2%
Male	48.5%	50.5%	49.6%
Hispanic or Latino	1.9%	1.5%	1.5%
Race: Black or African American	0.0%	13.3%	0.0%
Race: White	94.3%	79.5%	95.1%
Race: Multiracial	2.9%	5.3%	3.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	5.2%	5.3%	8.7%
Used electronic cigarettes	4.0%	15.5%	5.3%
Used hookahs or water pipes	0.0%	1.9%	0.4%
Used alcohol	3.0%	17.0%	12.5%
Used marijuana	5.9%	8.9%	2.3%
Used inhalants	4.0%	1.0%	1.1%
Used Rx not prescribed for you by a doctor	11.0%	6.3%	9.2%
Used `OTC` to get high	4.0%	2.0%	1.9%
Used synthetic drugs	0.0%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.8%
Used heroin or `smack`	0.0%	0.3%	0.4%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	0.8%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.4%
Used `club drugs` such as ecstasy	0.0%	1.0%	1.1%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	36.2%	30.1%	20.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.9%	5.9%	3.4%
Rode with someone who was drinking alcohol	14.7%	17.0%	15.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	29.5%	16.2%	25.9%
Posted something online or sent a text that might embarrass or hurt another student	13.3%	15.7%	15.9%
Made fun of other people	54.9%	47.2%	54.2%
Hit, shoved or pushed another student and was not just fooling around	21.9%	12.4%	15.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	40.8%	26.2%	31.1%
Was in a physical fight	21.2%	15.9%	16.1%
Been threatened or injured with a weapon on school property	13.5%	6.7%	7.9%
Seriously considered suicide	17.1%	11.1%	10.6%
Planned suicide	16.5%	8.6%	6.0%
Attempted suicide	6.9%	4.9%	2.6%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	33.0%	25.3%	21.1%
Was grouchy or irritable, or in a bad mood	37.9%	33.4%	28.8%
Felt hopeless about the future	18.4%	15.5%	10.0%
Felt like not eating or eating more than usual	29.1%	21.1%	21.3%
Felt like sleeping a lot more or a lot less than usual	36.9%	32.6%	24.9%
Had difficulty concentrating on school work	32.0%	32.1%	20.2%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	98.0%	91.8%	97.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.9%	93.4%	94.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.9%	92.5%	95.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.9%	96.2%	97.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	86.7%	87.7%	87.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	81.0%	84.9%	78.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	87.6%	75.6%	86.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.4%	94.5%	90.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	29.7%	39.5%	40.6%
'Very' or 'sort of easy' to get alcohol	29.4%	52.3%	48.7%
'Very' or 'sort of easy' to get marijuana	15.0%	38.0%	21.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	31.3%	21.1%	21.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	3.8%	10.1%	7.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	5.7%	26.3%	13.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	12.4%	27.5%	17.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	6.7%	25.9%	12.2%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	19.6%	33.2%	32.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	13.9%	18.9%	16.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.6%	46.5%	31.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	26.7%	35.1%	33.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.8%	24.2%	19.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	21.8%	39.2%	25.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.9%	9.6%	7.3%
'No' or 'slight risk' if they use synthetic drugs	7.9%	13.2%	9.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	27.7%	23.4%	19.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.9%	14.2%	10.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Bates County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	54	*	228
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	24.5%	12.9%	14.6%
Grade level. 7th Grade	17.6%	11.5%	18.8%
Grade level. 8th Grade	23.4%	11.8%	14.6%
Grade level. 9th Grade	0.0%	13.6%	14.6%
Grade level. 10th Grade	18.6%	17.4%	11.3%
Grade level. 11th Grade	16.0%	17.8%	11.3%
Grade level. 12th Grade	0.0%	15.0%	14.6%
Male	49.7%	50.5%	46.1%
Hispanic or Latino	1.1%	1.5%	1.2%
Race: Black or African American	1.1%	13.3%	1.2%
Race: White	96.3%	79.5%	95.8%
Race: Multiracial	1.6%	5.3%	1.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	15.4%	5.3%	9.8%
Used electronic cigarettes	18.6%	15.5%	11.3%
Used hookahs or water pipes	2.4%	1.9%	1.2%
Used alcohol	23.3%	17.0%	13.8%
Used marijuana	11.6%	8.9%	3.1%
Used inhalants	0.0%	1.0%	0.3%
Used Rx not prescribed for you by a doctor	7.2%	6.3%	6.6%
Used `OTC` to get high	2.8%	2.0%	0.0%
Used synthetic drugs	0.0%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.6%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	0.6%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.0%
Used `club drugs` such as ecstasy	0.0%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	19.3%	30.1%	30.8%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.1%	5.9%	4.8%
Rode with someone who was drinking alcohol	22.2%	17.0%	13.6%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.3%	16.2%	16.6%
Posted something online or sent a text that might embarrass or hurt another student	10.4%	15.7%	17.5%
Made fun of other people	40.6%	47.2%	45.9%
Hit, shoved or pushed another student and was not just fooling around	16.1%	12.4%	20.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	30.2%	26.2%	33.9%
Was in a physical fight	26.6%	15.9%	18.6%
Been threatened or injured with a weapon on school property	8.3%	6.7%	7.6%
Seriously considered suicide	12.0%	11.1%	13.9%
Planned suicide	9.9%	8.6%	7.5%
Attempted suicide	2.1%	4.9%	7.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	19.7%	25.3%	22.0%
Was grouchy or irritable, or in a bad mood	35.9%	33.4%	35.3%
Felt hopeless about the future	8.6%	15.5%	10.9%
Felt like not eating or eating more than usual	21.9%	21.1%	22.0%
Felt like sleeping a lot more or a lot less than usual	30.2%	32.6%	26.8%
Had difficulty concentrating on school work	17.8%	32.1%	26.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.7%	91.8%	93.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	87.3%	93.4%	94.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.8%	92.5%	93.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.8%	96.2%	97.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.5%	87.7%	72.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	81.3%	84.9%	68.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.7%	75.6%	74.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.6%	94.5%	87.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	46.4%	39.5%	46.2%
'Very' or 'sort of easy' to get alcohol	55.5%	52.3%	46.4%
'Very' or 'sort of easy' to get marijuana	31.4%	38.0%	32.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	25.0%	21.1%	20.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.3%	10.1%	10.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.1%	26.3%	20.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.5%	27.5%	23.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	20.2%	25.9%	23.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.0%	33.2%	37.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	25.6%	18.9%	19.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	50.6%	46.5%	41.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	43.2%	35.1%	40.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	37.5%	24.2%	27.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	35.0%	39.2%	37.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	13.6%	9.6%	9.1%
'No' or 'slight risk' if they use synthetic drugs	19.7%	13.2%	13.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	45.7%	23.4%	19.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	17.4%	14.2%	11.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Benton County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	371	*	238
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	12.2%	12.9%	14.2%
Grade level. 7th Grade	8.9%	11.5%	18.2%
Grade level. 8th Grade	5.6%	11.8%	14.5%
Grade level. 9th Grade	25.7%	13.6%	14.5%
Grade level. 10th Grade	20.5%	17.4%	13.2%
Grade level. 11th Grade	14.9%	17.8%	10.9%
Grade level. 12th Grade	12.2%	15.0%	14.5%
Male	48.0%	50.5%	48.7%
Hispanic or Latino	1.3%	1.5%	1.0%
Race: Black or African American	0.3%	13.3%	0.3%
Race: White	96.7%	79.5%	97.7%
Race: Multiracial	2.3%	5.3%	1.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	13.4%	5.3%	14.3%
Used electronic cigarettes	18.8%	15.5%	13.9%
Used hookahs or water pipes	1.7%	1.9%	5.1%
Used alcohol	16.7%	17.0%	23.2%
Used marijuana	8.2%	8.9%	7.8%
Used inhalants	1.7%	1.0%	1.7%
Used Rx not prescribed for you by a doctor	7.3%	6.3%	4.1%
Used `OTC` to get high	1.0%	2.0%	1.4%
Used synthetic drugs	0.3%	0.5%	0.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.4%	1.2%	3.1%
Used heroin or `smack`	0.0%	0.3%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.8%	2.2%	5.1%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.7%	0.3%
Used `club drugs` such as ecstasy	1.4%	1.0%	3.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	33.6%	30.1%	22.8%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.9%	5.9%	6.0%
Rode with someone who was drinking alcohol	18.8%	17.0%	19.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	12.2%	16.2%	17.8%
Posted something online or sent a text that might embarrass or hurt another student	13.4%	15.7%	17.5%
Made fun of other people	48.4%	47.2%	54.3%
Hit, shoved or pushed another student and was not just fooling around	12.2%	12.4%	14.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	30.2%	26.2%	34.6%
Was in a physical fight	19.7%	15.9%	19.5%
Been threatened or injured with a weapon on school property	8.9%	6.7%	7.7%
Seriously considered suicide	18.9%	11.1%	14.1%
Planned suicide	14.4%	8.6%	12.3%
Attempted suicide	11.6%	4.9%	7.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	38.2%	25.3%	25.7%
Was grouchy or irritable, or in a bad mood	39.5%	33.4%	31.0%
Felt hopeless about the future	19.5%	15.5%	15.3%
Felt like not eating or eating more than usual	29.2%	21.1%	23.7%
Felt like sleeping a lot more or a lot less than usual	38.9%	32.6%	28.1%
Had difficulty concentrating on school work	37.1%	32.1%	28.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.8%	91.8%	92.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.8%	93.4%	94.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	88.6%	92.5%	91.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.0%	96.2%	95.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	77.6%	87.7%	77.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	71.7%	84.9%	69.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	68.4%	75.6%	75.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.0%	94.5%	89.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	46.5%	39.5%	50.3%
'Very' or 'sort of easy' to get alcohol	54.3%	52.3%	59.0%
'Very' or 'sort of easy' to get marijuana	39.2%	38.0%	34.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	25.3%	21.1%	28.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.5%	10.1%	9.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	23.0%	26.3%	10.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	26.1%	27.5%	25.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	22.0%	25.9%	16.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	32.2%	33.2%	44.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	19.3%	18.9%	17.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.4%	46.5%	38.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.9%	35.1%	38.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.9%	24.2%	29.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	40.8%	39.2%	33.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.1%	9.6%	6.4%
'No' or 'slight risk' if they use synthetic drugs	14.5%	13.2%	9.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	25.7%	23.4%	22.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.2%	14.2%	12.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Bollinger County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	300	*	563
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	15.5%	12.9%	14.8%
Grade level. 7th Grade	5.7%	11.5%	15.3%
Grade level. 8th Grade	8.3%	11.8%	14.8%
Grade level. 9th Grade	15.5%	13.6%	15.7%
Grade level. 10th Grade	25.8%	17.4%	14.0%
Grade level. 11th Grade	15.9%	17.8%	11.8%
Grade level. 12th Grade	13.3%	15.0%	13.5%
Male	48.9%	50.5%	49.1%
Hispanic or Latino	0.8%	1.5%	0.9%
Race: Black or African American	0.8%	13.3%	0.4%
Race: White	97.7%	79.5%	97.8%
Race: Multiracial	1.1%	5.3%	1.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	16.4%	5.3%	14.6%
Used electronic cigarettes	19.6%	15.5%	16.1%
Used hookahs or water pipes	1.6%	1.9%	1.4%
Used alcohol	19.8%	17.0%	18.9%
Used marijuana	4.3%	8.9%	4.1%
Used inhalants	1.2%	1.0%	1.8%
Used Rx not prescribed for you by a doctor	9.5%	6.3%	6.9%
Used `OTC` to get high	3.9%	2.0%	2.8%
Used synthetic drugs	0.0%	0.5%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.5%
Used heroin or `smack`	0.4%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.8%	2.2%	1.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.5%
Used `club drugs` such as ecstasy	0.4%	1.0%	0.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	42.0%	30.1%	35.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.1%	5.9%	6.2%
Rode with someone who was drinking alcohol	18.1%	17.0%	18.6%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.9%	16.2%	26.1%
Posted something online or sent a text that might embarrass or hurt another student	23.7%	15.7%	15.9%
Made fun of other people	56.7%	47.2%	54.7%
Hit, shoved or pushed another student and was not just fooling around	24.2%	12.4%	19.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.9%	26.2%	38.1%
Was in a physical fight	23.0%	15.9%	20.5%
Been threatened or injured with a weapon on school property	8.3%	6.7%	5.8%
Seriously considered suicide	9.1%	11.1%	15.2%
Planned suicide	9.3%	8.6%	10.9%
Attempted suicide	5.7%	4.9%	5.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.5%	25.3%	28.6%
Was grouchy or irritable, or in a bad mood	40.3%	33.4%	37.7%
Felt hopeless about the future	18.0%	15.5%	16.6%
Felt like not eating or eating more than usual	24.9%	21.1%	26.9%
Felt like sleeping a lot more or a lot less than usual	34.6%	32.6%	31.7%
Had difficulty concentrating on school work	30.6%	32.1%	31.2%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	81.8%	91.8%	87.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	83.0%	93.4%	87.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	89.5%	92.5%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.3%	96.2%	95.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	69.7%	87.7%	68.9%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	58.7%	84.9%	63.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	73.1%	75.6%	78.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.4%	94.5%	88.4%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	54.5%	39.5%	50.2%
'Very' or 'sort of easy' to get alcohol	60.2%	52.3%	52.6%
'Very' or 'sort of easy' to get marijuana	38.6%	38.0%	30.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	29.8%	21.1%	23.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	13.4%	10.1%	13.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.1%	26.3%	21.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	31.7%	27.5%	27.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	22.4%	25.9%	14.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.5%	33.2%	43.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	28.2%	18.9%	22.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	47.5%	46.5%	43.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	48.6%	35.1%	45.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	35.8%	24.2%	37.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	34.9%	39.2%	30.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	13.5%	9.6%	12.0%
'No' or 'slight risk' if they use synthetic drugs	15.5%	13.2%	14.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.8%	23.4%	22.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	18.0%	14.2%	13.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Boone County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	911	*	2773
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	29.5%	12.9%	12.3%
Grade level. 7th Grade	32.2%	11.5%	12.4%
Grade level. 8th Grade	27.7%	11.8%	13.1%
Grade level. 9th Grade	4.3%	13.6%	13.3%
Grade level. 10th Grade	4.1%	17.4%	15.3%
Grade level. 11th Grade	1.4%	17.8%	18.2%
Grade level. 12th Grade	0.9%	15.0%	15.5%
Male	49.7%	50.5%	49.1%
Hispanic or Latino	1.9%	1.5%	2.2%
Race: Black or African American	8.9%	13.3%	7.1%
Race: White	82.6%	79.5%	84.2%
Race: Multiracial	4.4%	5.3%	4.8%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	1.9%	5.3%	4.9%
Used electronic cigarettes	3.6%	15.5%	9.6%
Used hookahs or water pipes	1.1%	1.9%	1.6%
Used alcohol	5.2%	17.0%	14.2%
Used marijuana	5.4%	8.9%	5.8%
Used inhalants	1.3%	1.0%	0.6%
Used Rx not prescribed for you by a doctor	8.1%	6.3%	6.2%
Used `OTC` to get high	2.2%	2.0%	1.4%
Used synthetic drugs	0.7%	0.5%	0.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.3%	1.2%	1.0%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.7%	2.2%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.1%	0.7%	0.1%
Used `club drugs` such as ecstasy	0.6%	1.0%	1.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	25.4%	30.1%	22.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.0%	5.9%	5.6%
Rode with someone who was drinking alcohol	16.6%	17.0%	11.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.0%	16.2%	15.4%
Posted something online or sent a text that might embarrass or hurt another student	13.7%	15.7%	11.3%
Made fun of other people	39.9%	47.2%	38.4%
Hit, shoved or pushed another student and was not just fooling around	13.1%	12.4%	7.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	28.9%	26.2%	19.8%
Was in a physical fight	17.2%	15.9%	11.6%
Been threatened or injured with a weapon on school property	7.6%	6.7%	4.9%
Seriously considered suicide	11.0%	11.1%	9.9%
Planned suicide	8.0%	8.6%	7.3%
Attempted suicide	6.6%	4.9%	4.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.9%	25.3%	16.7%
Was grouchy or irritable, or in a bad mood	30.3%	33.4%	21.2%
Felt hopeless about the future	12.5%	15.5%	10.6%
Felt like not eating or eating more than usual	21.2%	21.1%	17.7%
Felt like sleeping a lot more or a lot less than usual	31.2%	32.6%	24.1%
Had difficulty concentrating on school work	28.8%	32.1%	23.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.1%	91.8%	95.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.8%	93.4%	95.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.0%	92.5%	94.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.3%	96.2%	96.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.5%	87.7%	84.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	83.8%	84.9%	81.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.1%	75.6%	68.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.4%	94.5%	88.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	23.3%	39.5%	41.0%
'Very' or 'sort of easy' to get alcohol	36.0%	52.3%	50.6%
'Very' or 'sort of easy' to get marijuana	23.2%	38.0%	39.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.2%	21.1%	22.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.9%	10.1%	9.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	17.6%	26.3%	21.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	15.8%	27.5%	24.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.1%	25.9%	27.2%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	26.5%	33.2%	40.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	14.3%	18.9%	13.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.8%	46.5%	40.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	26.2%	35.1%	26.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	17.5%	24.2%	18.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.0%	39.2%	40.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.0%	9.6%	9.0%
'No' or 'slight risk' if they use synthetic drugs	17.6%	13.2%	11.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.6%	23.4%	21.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.7%	14.2%	12.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Buchanan County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	1026	*	1954
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	26.8%	12.9%	23.8%
Grade level. 7th Grade	15.7%	11.5%	8.6%
Grade level. 8th Grade	19.0%	11.8%	11.9%
Grade level. 9th Grade	13.6%	13.6%	14.0%
Grade level. 10th Grade	9.0%	17.4%	17.4%
Grade level. 11th Grade	8.9%	17.8%	14.7%
Grade level. 12th Grade	6.8%	15.0%	9.6%
Male	50.4%	50.5%	50.1%
Hispanic or Latino	4.3%	1.5%	3.6%
Race: Black or African American	5.5%	13.3%	4.3%
Race: White	88.4%	79.5%	91.1%
Race: Multiracial	3.5%	5.3%	2.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	4.3%	5.3%	7.1%
Used electronic cigarettes	12.6%	15.5%	12.1%
Used hookahs or water pipes	0.4%	1.9%	1.9%
Used alcohol	8.9%	17.0%	13.3%
Used marijuana	5.1%	8.9%	7.7%
Used inhalants	1.4%	1.0%	0.6%
Used Rx not prescribed for you by a doctor	7.8%	6.3%	8.3%
Used `OTC` to get high	2.5%	2.0%	1.4%
Used synthetic drugs	1.1%	0.5%	0.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.2%	1.2%	0.4%
Used heroin or `smack`	0.2%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.7%	2.2%	1.7%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.5%
Used `club drugs` such as ecstasy	0.4%	1.0%	0.3%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.9%	30.1%	28.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.5%	5.9%	6.3%
Rode with someone who was drinking alcohol	12.9%	17.0%	13.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.1%	16.2%	19.0%
Posted something online or sent a text that might embarrass or hurt another student	14.4%	15.7%	16.9%
Made fun of other people	38.0%	47.2%	44.0%
Hit, shoved or pushed another student and was not just fooling around	14.5%	12.4%	12.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	26.9%	26.2%	29.5%
Was in a physical fight	22.2%	15.9%	16.7%
Been threatened or injured with a weapon on school property	7.4%	6.7%	6.3%
Seriously considered suicide	13.1%	11.1%	13.8%
Planned suicide	11.2%	8.6%	10.4%
Attempted suicide	7.3%	4.9%	6.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	30.3%	25.3%	24.7%
Was grouchy or irritable, or in a bad mood	35.3%	33.4%	35.3%
Felt hopeless about the future	15.5%	15.5%	16.0%
Felt like not eating or eating more than usual	24.0%	21.1%	21.8%
Felt like sleeping a lot more or a lot less than usual	31.5%	32.6%	30.4%
Had difficulty concentrating on school work	32.5%	32.1%	28.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.8%	91.8%	95.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.2%	93.4%	95.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.3%	92.5%	92.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.8%	96.2%	96.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	86.8%	87.7%	84.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	81.5%	84.9%	79.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.4%	75.6%	72.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.5%	94.5%	89.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	34.0%	39.5%	43.3%
'Very' or 'sort of easy' to get alcohol	38.0%	52.3%	46.8%
'Very' or 'sort of easy' to get marijuana	30.7%	38.0%	36.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.7%	21.1%	23.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.6%	10.1%	10.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	25.8%	26.3%	19.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.8%	27.5%	25.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.2%	25.9%	25.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	27.7%	33.2%	38.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.7%	18.9%	15.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.0%	46.5%	34.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.5%	35.1%	33.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.0%	24.2%	21.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.7%	39.2%	37.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	14.7%	9.6%	7.9%
'No' or 'slight risk' if they use synthetic drugs	19.0%	13.2%	11.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.8%	23.4%	20.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	18.5%	14.2%	11.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Butler County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	474	*	619
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	0.1%	12.9%	19.4%
Grade level. 7th Grade	0.0%	11.5%	9.0%
Grade level. 8th Grade	0.0%	11.8%	7.2%
Grade level. 9th Grade	42.2%	13.6%	22.6%
Grade level. 10th Grade	26.3%	17.4%	17.4%
Grade level. 11th Grade	27.5%	17.8%	15.6%
Grade level. 12th Grade	4.0%	15.0%	8.8%
Male	48.5%	50.5%	48.5%
Hispanic or Latino	1.5%	1.5%	1.9%
Race: Black or African American	5.7%	13.3%	5.5%
Race: White	91.0%	79.5%	91.0%
Race: Multiracial	2.6%	5.3%	2.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	9.4%	5.3%	9.2%
Used electronic cigarettes	22.9%	15.5%	16.6%
Used hookahs or water pipes	3.7%	1.9%	1.4%
Used alcohol	19.1%	17.0%	12.7%
Used marijuana	11.1%	8.9%	7.5%
Used inhalants	1.0%	1.0%	1.3%
Used Rx not prescribed for you by a doctor	9.8%	6.3%	10.0%
Used `OTC` to get high	4.1%	2.0%	2.1%
Used synthetic drugs	0.8%	0.5%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.4%	1.2%	0.3%
Used heroin or `smack`	0.6%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.8%	2.2%	0.8%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.7%	0.4%
Used `club drugs` such as ecstasy	0.6%	1.0%	0.3%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.0%	30.1%	30.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.7%	5.9%	7.5%
Rode with someone who was drinking alcohol	15.8%	17.0%	14.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	14.2%	16.2%	17.5%
Posted something online or sent a text that might embarrass or hurt another student	14.4%	15.7%	12.2%
Made fun of other people	47.3%	47.2%	47.5%
Hit, shoved or pushed another student and was not just fooling around	11.5%	12.4%	12.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	24.2%	26.2%	35.8%
Was in a physical fight	15.8%	15.9%	18.3%
Been threatened or injured with a weapon on school property	9.0%	6.7%	8.2%
Seriously considered suicide	12.1%	11.1%	15.6%
Planned suicide	9.1%	8.6%	14.0%
Attempted suicide	4.9%	4.9%	7.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	31.1%	25.3%	28.6%
Was grouchy or irritable, or in a bad mood	37.1%	33.4%	36.8%
Felt hopeless about the future	20.1%	15.5%	20.6%
Felt like not eating or eating more than usual	25.7%	21.1%	28.3%
Felt like sleeping a lot more or a lot less than usual	32.7%	32.6%	35.2%
Had difficulty concentrating on school work	34.3%	32.1%	35.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.9%	91.8%	93.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	90.6%	93.4%	95.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	88.8%	92.5%	91.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.8%	96.2%	96.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	77.1%	87.7%	74.9%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	66.0%	84.9%	73.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	57.9%	75.6%	67.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.5%	94.5%	85.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	46.5%	39.5%	49.8%
'Very' or 'sort of easy' to get alcohol	56.1%	52.3%	47.8%
'Very' or 'sort of easy' to get marijuana	49.9%	38.0%	36.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.7%	21.1%	27.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.3%	10.1%	12.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	30.7%	26.3%	19.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	33.5%	27.5%	22.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	34.0%	25.9%	26.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.6%	33.2%	45.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	19.8%	18.9%	18.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	48.4%	46.5%	37.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.0%	35.1%	35.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	27.7%	24.2%	25.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	46.6%	39.2%	38.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.2%	9.6%	7.6%
'No' or 'slight risk' if they use synthetic drugs	9.6%	13.2%	11.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.4%	23.4%	21.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.1%	14.2%	15.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Caldwell County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	360	*	563
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	9.7%	12.9%	15.1%
Grade level. 7th Grade	14.6%	11.5%	13.4%
Grade level. 8th Grade	14.6%	11.8%	13.4%
Grade level. 9th Grade	16.7%	13.6%	14.5%
Grade level. 10th Grade	12.5%	17.4%	16.3%
Grade level. 11th Grade	16.7%	17.8%	15.7%
Grade level. 12th Grade	15.3%	15.0%	11.6%
Male	51.0%	50.5%	51.2%
Hispanic or Latino	1.4%	1.5%	1.2%
Race: Black or African American	0.7%	13.3%	0.6%
Race: White	95.9%	79.5%	97.1%
Race: Multiracial	2.1%	5.3%	1.8%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.5%	5.3%	11.2%
Used electronic cigarettes	7.8%	15.5%	12.3%
Used hookahs or water pipes	1.4%	1.9%	1.2%
Used alcohol	11.4%	17.0%	18.8%
Used marijuana	3.6%	8.9%	4.1%
Used inhalants	0.7%	1.0%	0.6%
Used Rx not prescribed for you by a doctor	5.1%	6.3%	7.1%
Used `OTC` to get high	2.2%	2.0%	2.3%
Used synthetic drugs	0.7%	0.5%	0.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.7%	1.2%	1.2%
Used heroin or `smack`	0.0%	0.3%	0.6%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.6%
Used `club drugs` such as ecstasy	0.0%	1.0%	1.2%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	23.1%	30.1%	19.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.8%	5.9%	3.5%
Rode with someone who was drinking alcohol	15.0%	17.0%	17.8%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.5%	16.2%	20.3%
Posted something online or sent a text that might embarrass or hurt another student	15.1%	15.7%	14.5%
Made fun of other people	51.4%	47.2%	51.7%
Hit, shoved or pushed another student and was not just fooling around	13.8%	12.4%	11.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	24.7%	26.2%	21.6%
Was in a physical fight	15.0%	15.9%	14.0%
Been threatened or injured with a weapon on school property	8.2%	6.7%	6.4%
Seriously considered suicide	14.5%	11.1%	13.0%
Planned suicide	11.0%	8.6%	10.0%
Attempted suicide	6.2%	4.9%	7.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.1%	25.3%	23.8%
Was grouchy or irritable, or in a bad mood	32.6%	33.4%	28.7%
Felt hopeless about the future	15.1%	15.5%	12.4%
Felt like not eating or eating more than usual	24.0%	21.1%	18.9%
Felt like sleeping a lot more or a lot less than usual	31.7%	32.6%	28.7%
Had difficulty concentrating on school work	34.2%	32.1%	24.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.6%	91.8%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.3%	93.4%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.1%	92.5%	95.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.8%	96.2%	94.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	82.1%	87.7%	78.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.8%	84.9%	73.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.9%	75.6%	77.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.9%	94.5%	87.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	45.2%	39.5%	47.3%
'Very' or 'sort of easy' to get alcohol	47.3%	52.3%	51.5%
'Very' or 'sort of easy' to get marijuana	26.0%	38.0%	31.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.8%	21.1%	23.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.0%	10.1%	8.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.7%	26.3%	19.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.4%	27.5%	27.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.7%	25.9%	18.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	27.8%	33.2%	42.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	20.1%	18.9%	16.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.4%	46.5%	40.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	40.6%	35.1%	36.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.0%	24.2%	26.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	27.1%	39.2%	30.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.2%	9.6%	9.5%
'No' or 'slight risk' if they use synthetic drugs	16.1%	13.2%	13.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.7%	23.4%	22.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.7%	14.2%	15.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Callaway County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	1092	*	1465
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	20.7%	12.9%	11.3%
Grade level. 7th Grade	16.9%	11.5%	13.9%
Grade level. 8th Grade	17.1%	11.8%	13.3%
Grade level. 9th Grade	13.7%	13.6%	17.0%
Grade level. 10th Grade	13.5%	17.4%	18.7%
Grade level. 11th Grade	10.4%	17.8%	17.3%
Grade level. 12th Grade	7.8%	15.0%	8.5%
Male	51.7%	50.5%	50.1%
Hispanic or Latino	1.2%	1.5%	1.5%
Race: Black or African American	4.2%	13.3%	3.8%
Race: White	92.1%	79.5%	92.4%
Race: Multiracial	2.4%	5.3%	2.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	5.1%	5.3%	11.4%
Used electronic cigarettes	9.0%	15.5%	11.1%
Used hookahs or water pipes	0.9%	1.9%	2.8%
Used alcohol	10.0%	17.0%	14.0%
Used marijuana	4.3%	8.9%	7.2%
Used inhalants	1.1%	1.0%	1.2%
Used Rx not prescribed for you by a doctor	6.7%	6.3%	7.8%
Used `OTC` to get high	1.4%	2.0%	2.1%
Used synthetic drugs	0.7%	0.5%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.9%	1.2%	1.0%
Used heroin or `smack`	0.2%	0.3%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.9%	2.2%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.7%	0.2%
Used `club drugs` such as ecstasy	0.5%	1.0%	1.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.6%	30.1%	29.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.6%	5.9%	5.9%
Rode with someone who was drinking alcohol	13.8%	17.0%	13.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.1%	16.2%	17.2%
Posted something online or sent a text that might embarrass or hurt another student	13.3%	15.7%	16.1%
Made fun of other people	41.5%	47.2%	46.9%
Hit, shoved or pushed another student and was not just fooling around	14.7%	12.4%	11.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	28.0%	26.2%	29.5%
Was in a physical fight	17.3%	15.9%	16.4%
Been threatened or injured with a weapon on school property	7.5%	6.7%	7.1%
Seriously considered suicide	11.3%	11.1%	14.1%
Planned suicide	10.3%	8.6%	9.0%
Attempted suicide	6.2%	4.9%	7.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.3%	25.3%	23.2%
Was grouchy or irritable, or in a bad mood	31.3%	33.4%	32.3%
Felt hopeless about the future	15.9%	15.5%	13.7%
Felt like not eating or eating more than usual	22.4%	21.1%	20.5%
Felt like sleeping a lot more or a lot less than usual	28.9%	32.6%	29.1%
Had difficulty concentrating on school work	30.0%	32.1%	26.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.8%	91.8%	93.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.9%	93.4%	92.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.3%	92.5%	91.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.9%	96.2%	96.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	84.9%	87.7%	80.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.7%	84.9%	75.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	75.7%	75.6%	72.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.6%	94.5%	88.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	30.9%	39.5%	42.3%
'Very' or 'sort of easy' to get alcohol	42.4%	52.3%	48.3%
'Very' or 'sort of easy' to get marijuana	26.6%	38.0%	34.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.0%	21.1%	24.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.6%	10.1%	8.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.0%	26.3%	19.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	20.6%	27.5%	25.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	20.3%	25.9%	23.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	29.0%	33.2%	43.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	16.8%	18.9%	18.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.1%	46.5%	41.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.0%	35.1%	35.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.6%	24.2%	26.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.0%	39.2%	37.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.0%	9.6%	10.0%
'No' or 'slight risk' if they use synthetic drugs	16.5%	13.2%	12.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.6%	23.4%	24.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.5%	14.2%	14.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Cape Girardeau County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	357	*	240
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	6.3%	12.9%	11.9%
Grade level. 7th Grade	12.8%	11.5%	17.8%
Grade level. 8th Grade	16.1%	11.8%	12.5%
Grade level. 9th Grade	22.0%	13.6%	18.4%
Grade level. 10th Grade	13.7%	17.4%	16.9%
Grade level. 11th Grade	16.4%	17.8%	2.2%
Grade level. 12th Grade	12.6%	15.0%	20.4%
Male	44.5%	50.5%	49.3%
Hispanic or Latino	2.0%	1.5%	1.6%
Race: Black or African American	8.0%	13.3%	6.7%
Race: White	87.4%	79.5%	89.6%
Race: Multiracial	2.2%	5.3%	2.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	2.7%	5.3%	16.9%
Used electronic cigarettes	19.9%	15.5%	18.2%
Used hookahs or water pipes	0.8%	1.9%	2.9%
Used alcohol	18.9%	17.0%	17.3%
Used marijuana	3.3%	8.9%	7.2%
Used inhalants	1.0%	1.0%	2.5%
Used Rx not prescribed for you by a doctor	6.4%	6.3%	12.1%
Used `OTC` to get high	1.3%	2.0%	3.6%
Used synthetic drugs	0.3%	0.5%	0.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.3%	1.2%	1.6%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.7%	2.2%	1.2%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.7%	1.5%
Used `club drugs` such as ecstasy	0.3%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	22.3%	30.1%	30.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.6%	5.9%	4.4%
Rode with someone who was drinking alcohol	30.7%	17.0%	18.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	39.2%	16.2%	26.2%
Posted something online or sent a text that might embarrass or hurt another student	19.4%	15.7%	19.7%
Made fun of other people	63.4%	47.2%	55.9%
Hit, shoved or pushed another student and was not just fooling around	11.9%	12.4%	18.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	20.3%	26.2%	33.7%
Was in a physical fight	13.8%	15.9%	15.1%
Been threatened or injured with a weapon on school property	3.1%	6.7%	9.9%
Seriously considered suicide	7.5%	11.1%	21.7%
Planned suicide	6.1%	8.6%	17.4%
Attempted suicide	2.1%	4.9%	10.6%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.1%	25.3%	26.6%
Was grouchy or irritable, or in a bad mood	37.8%	33.4%	35.0%
Felt hopeless about the future	14.9%	15.5%	15.2%
Felt like not eating or eating more than usual	21.4%	21.1%	20.8%
Felt like sleeping a lot more or a lot less than usual	30.0%	32.6%	31.0%
Had difficulty concentrating on school work	27.8%	32.1%	27.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.8%	91.8%	90.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.1%	93.4%	91.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.3%	92.5%	93.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.3%	96.2%	92.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.4%	87.7%	73.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.4%	84.9%	66.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	73.6%	75.6%	71.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.2%	94.5%	85.4%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	42.2%	39.5%	56.7%
'Very' or 'sort of easy' to get alcohol	55.0%	52.3%	58.2%
'Very' or 'sort of easy' to get marijuana	26.7%	38.0%	35.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	16.6%	21.1%	23.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.9%	10.1%	14.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.2%	26.3%	22.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	28.8%	27.5%	23.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.3%	25.9%	19.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	35.0%	33.2%	44.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	21.8%	18.9%	16.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	53.1%	46.5%	43.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	43.2%	35.1%	45.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.3%	24.2%	31.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.5%	39.2%	36.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	6.6%	9.6%	7.2%
'No' or 'slight risk' if they use synthetic drugs	13.2%	13.2%	10.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.1%	23.4%	19.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.6%	14.2%	12.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Carroll County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	229	*	453
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	1.9%	12.9%	14.7%
Grade level. 7th Grade	6.5%	11.5%	11.3%
Grade level. 8th Grade	1.9%	11.8%	18.6%
Grade level. 9th Grade	19.1%	13.6%	15.8%
Grade level. 10th Grade	28.5%	17.4%	17.5%
Grade level. 11th Grade	28.0%	17.8%	11.3%
Grade level. 12th Grade	14.2%	15.0%	10.7%
Male	48.1%	50.5%	47.8%
Hispanic or Latino	0.8%	1.5%	1.1%
Race: Black or African American	2.4%	13.3%	1.1%
Race: White	96.0%	79.5%	96.1%
Race: Multiracial	1.3%	5.3%	2.2%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	12.5%	5.3%	10.6%
Used electronic cigarettes	19.6%	15.5%	6.4%
Used hookahs or water pipes	1.9%	1.9%	0.6%
Used alcohol	23.4%	17.0%	18.8%
Used marijuana	6.3%	8.9%	2.4%
Used inhalants	0.0%	1.0%	1.2%
Used Rx not prescribed for you by a doctor	1.9%	6.3%	6.7%
Used `OTC` to get high	0.5%	2.0%	2.4%
Used synthetic drugs	0.5%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.9%	1.2%	0.6%
Used heroin or `smack`	0.8%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	3.0%	2.2%	0.6%
Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.7%	0.6%
Used `club drugs` such as ecstasy	0.5%	1.0%	0.6%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.8%	30.1%	23.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.4%	5.9%	4.5%
Rode with someone who was drinking alcohol	18.3%	17.0%	17.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	12.8%	16.2%	23.6%
Posted something online or sent a text that might embarrass or hurt another student	15.3%	15.7%	17.5%
Made fun of other people	51.5%	47.2%	51.4%
Hit, shoved or pushed another student and was not just fooling around	10.4%	12.4%	11.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	26.5%	26.2%	32.8%
Was in a physical fight	13.9%	15.9%	15.7%
Been threatened or injured with a weapon on school property	6.9%	6.7%	6.7%
Seriously considered suicide	8.9%	11.1%	13.1%
Planned suicide	10.3%	8.6%	9.1%
Attempted suicide	4.0%	4.9%	2.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.5%	25.3%	23.3%
Was grouchy or irritable, or in a bad mood	38.4%	33.4%	34.3%
Felt hopeless about the future	14.8%	15.5%	11.9%
Felt like not eating or eating more than usual	27.6%	21.1%	20.5%
Felt like sleeping a lot more or a lot less than usual	34.0%	32.6%	30.7%
Had difficulty concentrating on school work	38.9%	32.1%	30.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.2%	91.8%	93.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	89.3%	93.4%	92.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.1%	92.5%	95.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.7%	96.2%	97.5%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	69.6%	87.7%	78.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	67.8%	84.9%	71.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	70.1%	75.6%	84.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.5%	94.5%	92.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	58.1%	39.5%	47.4%
'Very' or 'sort of easy' to get alcohol	70.9%	52.3%	55.7%
'Very' or 'sort of easy' to get marijuana	35.3%	38.0%	26.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.8%	21.1%	21.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	14.5%	10.1%	8.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	30.6%	26.3%	13.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	39.9%	27.5%	26.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.3%	25.9%	14.8%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.5%	33.2%	38.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	25.2%	18.9%	21.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	51.1%	46.5%	40.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.0%	35.1%	39.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.0%	24.2%	28.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	41.7%	39.2%	23.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.8%	9.6%	5.8%
'No' or 'slight risk' if they use synthetic drugs	8.7%	13.2%	7.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.6%	23.4%	17.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.4%	14.2%	8.1%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Carter County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	295	*	
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	12.1%	12.9%	
Grade level. 7th Grade	21.2%	11.5%	
Grade level. 8th Grade	20.2%	11.8%	
Grade level. 9th Grade	5.1%	13.6%	
Grade level. 10th Grade	10.1%	17.4%	
Grade level. 11th Grade	18.2%	17.8%	
Grade level. 12th Grade	13.1%	15.0%	
Male	48.5%	50.5%	
Hispanic or Latino	1.0%	1.5%	
Race: Black or African American	0.0%	13.3%	
Race: White	96.9%	79.5%	
Race: Multiracial	3.1%	5.3%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	10.6%	5.3%
Used electronic cigarettes	18.3%	15.5%
Used hookahs or water pipes	2.2%	1.9%
Used alcohol	13.2%	17.0%
Used marijuana	5.5%	8.9%
Used inhalants	2.2%	1.0%
Used Rx not prescribed for you by a doctor	8.8%	6.3%
Used `OTC` to get high	3.3%	2.0%
Used synthetic drugs	0.0%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	
Used heroin or `smack`	0.0%	0.3%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.1%	2.2%	
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	
Used `club drugs` such as ecstasy	1.1%	1.0%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	33.3%	30.1%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.2%	5.9%	
Rode with someone who was drinking alcohol	14.3%	17.0%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.2%	16.2%	
Posted something online or sent a text that might embarrass or hurt another student	13.1%	15.7%	
Made fun of other people	41.2%	47.2%	
Hit, shoved or pushed another student and was not just fooling around	15.2%	12.4%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	26.5%	26.2%	
Was in a physical fight	22.2%	15.9%	
Been threatened or injured with a weapon on school property	7.1%	6.7%	
Seriously considered suicide	10.2%	11.1%	
Planned suicide	7.2%	8.6%	
Attempted suicide	5.1%	4.9%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	33.3%	25.3%	
Was grouchy or irritable, or in a bad mood	39.8%	33.4%	
Felt hopeless about the future	18.4%	15.5%	
Felt like not eating or eating more than usual	24.5%	21.1%	
Felt like sleeping a lot more or a lot less than usual	32.3%	32.6%	
Had difficulty concentrating on school work	29.3%	32.1%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.8%	91.8%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.2%	93.4%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.3%	92.5%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.5%	96.2%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	76.5%	87.7%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	66.7%	84.9%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	75.8%	75.6%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	84.7%	94.5%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	45.5%	39.5%	
'Very' or 'sort of easy' to get alcohol	49.0%	52.3%	
'Very' or 'sort of easy' to get marijuana	30.9%	38.0%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.5%	21.1%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.4%	10.1%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.6%	26.3%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.7%	27.5%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.6%	25.9%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	25.5%	33.2%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	16.8%	18.9%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	34.4%	46.5%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.9%	35.1%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.0%	24.2%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	24.2%	39.2%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.3%	9.6%	
'No' or 'slight risk' if they use synthetic drugs	9.5%	13.2%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	16.7%	23.4%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.6%	14.2%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Cass County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	999	*	3032
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	21.8%	12.9%	15.5%
Grade level. 7th Grade	15.7%	11.5%	13.6%
Grade level. 8th Grade	12.2%	11.8%	14.7%
Grade level. 9th Grade	13.7%	13.6%	17.2%
Grade level. 10th Grade	14.6%	17.4%	16.8%
Grade level. 11th Grade	12.4%	17.8%	13.0%
Grade level. 12th Grade	9.6%	15.0%	9.2%
Male	49.4%	50.5%	48.2%
Hispanic or Latino	2.9%	1.5%	2.5%
Race: Black or African American	3.7%	13.3%	3.4%
Race: White	92.2%	79.5%	93.0%
Race: Multiracial	2.6%	5.3%	2.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	3.0%	5.3%	6.8%
Used electronic cigarettes	10.3%	15.5%	12.2%
Used hookahs or water pipes	1.3%	1.9%	1.4%
Used alcohol	11.9%	17.0%	11.1%
Used marijuana	5.4%	8.9%	6.5%
Used inhalants	0.8%	1.0%	0.9%
Used Rx not prescribed for you by a doctor	7.2%	6.3%	7.8%
Used `OTC` to get high	1.6%	2.0%	1.5%
Used synthetic drugs	0.5%	0.5%	0.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.2%	0.8%
Used heroin or `smack`	0.2%	0.3%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.9%	2.2%	1.7%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.7%	0.4%
Used `club drugs` such as ecstasy	0.8%	1.0%	0.6%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	22.2%	30.1%	29.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.7%	5.9%	8.6%
Rode with someone who was drinking alcohol	13.4%	17.0%	14.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.0%	16.2%	18.6%
Posted something online or sent a text that might embarrass or hurt another student	12.6%	15.7%	13.1%
Made fun of other people	39.4%	47.2%	41.5%
Hit, shoved or pushed another student and was not just fooling around	10.5%	12.4%	12.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	23.8%	26.2%	29.1%
Was in a physical fight	12.9%	15.9%	16.0%
Been threatened or injured with a weapon on school property	6.8%	6.7%	7.5%
Seriously considered suicide	9.5%	11.1%	14.1%
Planned suicide	7.3%	8.6%	9.9%
Attempted suicide	4.4%	4.9%	6.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.1%	25.3%	26.5%
Was grouchy or irritable, or in a bad mood	29.5%	33.4%	36.1%
Felt hopeless about the future	13.2%	15.5%	15.9%
Felt like not eating or eating more than usual	20.7%	21.1%	22.2%
Felt like sleeping a lot more or a lot less than usual	32.8%	32.6%	34.3%
Had difficulty concentrating on school work	27.2%	32.1%	32.8%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.9%	91.8%	94.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.4%	93.4%	94.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.1%	92.5%	93.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.9%	96.2%	95.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.3%	87.7%	81.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.4%	84.9%	77.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.3%	75.6%	71.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.9%	94.5%	85.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	36.6%	39.5%	42.8%
'Very' or 'sort of easy' to get alcohol	44.2%	52.3%	48.4%
'Very' or 'sort of easy' to get marijuana	30.6%	38.0%	35.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.0%	21.1%	25.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.2%	10.1%	11.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.1%	26.3%	26.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	21.8%	27.5%	25.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	21.9%	25.9%	27.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	30.5%	33.2%	45.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.7%	18.9%	18.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.6%	46.5%	39.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.8%	35.1%	33.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.9%	24.2%	24.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.8%	39.2%	38.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.8%	9.6%	11.6%
'No' or 'slight risk' if they use synthetic drugs	20.3%	13.2%	15.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	31.0%	23.4%	26.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	18.5%	14.2%	16.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Christian County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	1351	*	1153
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	6.5%	12.9%	8.3%
Grade level. 7th Grade	27.8%	11.5%	22.7%
Grade level. 8th Grade	31.8%	11.8%	18.6%
Grade level. 9th Grade	10.9%	13.6%	11.3%
Grade level. 10th Grade	9.1%	17.4%	11.7%
Grade level. 11th Grade	6.8%	17.8%	16.2%
Grade level. 12th Grade	7.2%	15.0%	11.3%
Male	49.4%	50.5%	47.8%
Hispanic or Latino	1.6%	1.5%	1.7%
Race: Black or African American	0.8%	13.3%	0.5%
Race: White	96.0%	79.5%	96.3%
Race: Multiracial	1.9%	5.3%	2.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	3.4%	5.3%	7.0%
Used electronic cigarettes	8.7%	15.5%	15.7%
Used hookahs or water pipes	0.4%	1.9%	2.7%
Used alcohol	8.0%	17.0%	12.3%
Used marijuana	2.7%	8.9%	6.3%
Used inhalants	0.7%	1.0%	1.3%
Used Rx not prescribed for you by a doctor	6.5%	6.3%	5.1%
Used `OTC` to get high	1.9%	2.0%	1.9%
Used synthetic drugs	0.1%	0.5%	0.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.6%	1.2%	1.2%
Used heroin or `smack`	0.0%	0.3%	0.1%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.0%	2.2%	2.4%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.3%
Used `club drugs` such as ecstasy	0.5%	1.0%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	31.4%	30.1%	24.8%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.3%	5.9%	5.5%
Rode with someone who was drinking alcohol	11.0%	17.0%	12.6%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.7%	16.2%	20.9%
Posted something online or sent a text that might embarrass or hurt another student	11.5%	15.7%	15.4%
Made fun of other people	44.7%	47.2%	47.4%
Hit, shoved or pushed another student and was not just fooling around	12.4%	12.4%	11.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	26.3%	26.2%	30.8%
Was in a physical fight	15.1%	15.9%	14.8%
Been threatened or injured with a weapon on school property	7.1%	6.7%	7.7%
Seriously considered suicide	10.1%	11.1%	12.9%
Planned suicide	8.1%	8.6%	9.5%
Attempted suicide	4.0%	4.9%	5.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.3%	25.3%	25.8%
Was grouchy or irritable, or in a bad mood	30.1%	33.4%	30.4%
Felt hopeless about the future	14.5%	15.5%	15.9%
Felt like not eating or eating more than usual	21.5%	21.1%	22.3%
Felt like sleeping a lot more or a lot less than usual	28.8%	32.6%	31.5%
Had difficulty concentrating on school work	30.7%	32.1%	32.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.5%	91.8%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.1%	93.4%	97.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	97.0%	92.5%	93.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.0%	96.2%	96.8%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.1%	87.7%	81.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	84.8%	84.9%	81.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	83.5%	75.6%	77.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.6%	94.5%	90.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	29.3%	39.5%	40.8%
'Very' or 'sort of easy' to get alcohol	40.3%	52.3%	47.6%
'Very' or 'sort of easy' to get marijuana	20.3%	38.0%	33.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.2%	21.1%	24.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.2%	10.1%	10.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.8%	26.3%	27.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.5%	27.5%	25.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.2%	25.9%	25.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	26.4%	33.2%	38.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	12.6%	18.9%	15.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.0%	46.5%	37.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	29.8%	35.1%	28.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.4%	24.2%	21.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	24.8%	39.2%	34.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.2%	9.6%	8.6%
'No' or 'slight risk' if they use synthetic drugs	9.3%	13.2%	9.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.3%	23.4%	20.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.8%	14.2%	11.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Clay County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	10383	*	12540
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	17.9%	12.9%	14.2%
Grade level. 7th Grade	18.8%	11.5%	16.5%
Grade level. 8th Grade	17.3%	11.8%	16.2%
Grade level. 9th Grade	12.6%	13.6%	17.4%
Grade level. 10th Grade	14.5%	17.4%	15.3%
Grade level. 11th Grade	11.2%	17.8%	12.6%
Grade level. 12th Grade	7.7%	15.0%	7.8%
Male	49.1%	50.5%	49.1%
Hispanic or Latino	4.8%	1.5%	4.8%
Race: Black or African American	6.1%	13.3%	5.8%
Race: White	86.4%	79.5%	87.1%
Race: Multiracial	4.2%	5.3%	4.2%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	2.1%	5.3%	4.1%
Used electronic cigarettes	7.9%	15.5%	11.1%
Used hookahs or water pipes	0.7%	1.9%	1.6%
Used alcohol	7.7%	17.0%	9.8%
Used marijuana	4.9%	8.9%	6.1%
Used inhalants	0.9%	1.0%	0.9%
Used Rx not prescribed for you by a doctor	6.8%	6.3%	8.5%
Used `OTC` to get high	1.3%	2.0%	1.6%
Used synthetic drugs	0.7%	0.5%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.2%	0.8%
Used heroin or `smack`	0.1%	0.3%	0.1%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.2%	2.2%	1.5%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.7%	0.3%
Used `club drugs` such as ecstasy	0.7%	1.0%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.5%	30.1%	28.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.4%	5.9%	8.1%
Rode with someone who was drinking alcohol	12.3%	17.0%	13.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.0%	16.2%	17.7%
Posted something online or sent a text that might embarrass or hurt another student	12.5%	15.7%	13.9%
Made fun of other people	39.9%	47.2%	44.7%
Hit, shoved or pushed another student and was not just fooling around	9.7%	12.4%	10.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	21.9%	26.2%	27.1%
Was in a physical fight	13.6%	15.9%	15.1%
Been threatened or injured with a weapon on school property	6.1%	6.7%	6.5%
Seriously considered suicide	9.6%	11.1%	12.6%
Planned suicide	7.3%	8.6%	8.7%
Attempted suicide	3.9%	4.9%	5.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.8%	25.3%	23.7%
Was grouchy or irritable, or in a bad mood	30.3%	33.4%	32.0%
Felt hopeless about the future	14.9%	15.5%	14.5%
Felt like not eating or eating more than usual	20.7%	21.1%	20.3%
Felt like sleeping a lot more or a lot less than usual	31.7%	32.6%	30.7%
Had difficulty concentrating on school work	31.4%	32.1%	30.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.8%	91.8%	96.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.9%	93.4%	96.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.4%	92.5%	94.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.7%	96.2%	96.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.6%	87.7%	85.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	84.1%	84.9%	80.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.9%	75.6%	72.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.1%	94.5%	88.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	31.3%	39.5%	38.7%
'Very' or 'sort of easy' to get alcohol	45.0%	52.3%	49.2%
'Very' or 'sort of easy' to get marijuana	29.5%	38.0%	34.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.4%	21.1%	27.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.3%	10.1%	8.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.8%	26.3%	24.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.7%	27.5%	23.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	21.0%	25.9%	25.3%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	27.2%	33.2%	38.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	15.6%	18.9%	15.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.7%	46.5%	39.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	27.7%	35.1%	27.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	19.0%	24.2%	19.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.8%	39.2%	34.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.8%	9.6%	9.3%
'No' or 'slight risk' if they use synthetic drugs	16.3%	13.2%	13.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.0%	23.4%	22.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.4%	14.2%	13.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Cole County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	184	*	334
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	24.3%	12.9%	16.9%
Grade level. 7th Grade	19.7%	11.5%	14.9%
Grade level. 8th Grade	8.5%	11.8%	16.4%
Grade level. 9th Grade	11.1%	13.6%	17.7%
Grade level. 10th Grade	20.9%	17.4%	12.3%
Grade level. 11th Grade	13.6%	17.8%	10.4%
Grade level. 12th Grade	2.0%	15.0%	11.4%
Male	45.5%	50.5%	53.5%
Hispanic or Latino	0.7%	1.5%	1.8%
Race: Black or African American	11.6%	13.3%	13.1%
Race: White	85.0%	79.5%	82.8%
Race: Multiracial	2.5%	5.3%	2.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	4.1%	5.3%	11.6%
Used electronic cigarettes	18.8%	15.5%	15.5%
Used hookahs or water pipes	0.0%	1.9%	2.4%
Used alcohol	10.9%	17.0%	18.0%
Used marijuana	10.8%	8.9%	8.7%
Used inhalants	1.3%	1.0%	0.9%
Used Rx not prescribed for you by a doctor	8.1%	6.3%	6.5%
Used `OTC` to get high	3.1%	2.0%	0.3%
Used synthetic drugs	1.0%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	1.5%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.3%	2.2%	1.3%
Used methamphetamine (meth, crank, crystal, ice)	0.9%	0.7%	0.0%
Used `club drugs` such as ecstasy	1.8%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.2%	30.1%	27.8%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	10.0%	5.9%	9.7%
Rode with someone who was drinking alcohol	16.8%	17.0%	21.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.5%	16.2%	20.3%
Posted something online or sent a text that might embarrass or hurt another student	11.9%	15.7%	16.9%
Made fun of other people	52.5%	47.2%	52.9%
Hit, shoved or pushed another student and was not just fooling around	16.0%	12.4%	12.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	39.8%	26.2%	33.9%
Was in a physical fight	18.7%	15.9%	18.4%
Been threatened or injured with a weapon on school property	11.5%	6.7%	4.5%
Seriously considered suicide	17.7%	11.1%	15.2%
Planned suicide	13.7%	8.6%	12.5%
Attempted suicide	5.0%	4.9%	5.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	32.0%	25.3%	26.0%
Was grouchy or irritable, or in a bad mood	32.9%	33.4%	33.3%
Felt hopeless about the future	18.7%	15.5%	15.5%
Felt like not eating or eating more than usual	20.8%	21.1%	24.5%
Felt like sleeping a lot more or a lot less than usual	34.8%	32.6%	31.8%
Had difficulty concentrating on school work	41.1%	32.1%	31.8%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.0%	91.8%	95.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.6%	93.4%	97.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.6%	92.5%	95.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.2%	96.2%	95.8%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	86.5%	87.7%	83.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.6%	84.9%	76.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	68.5%	75.6%	70.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.7%	94.5%	90.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	35.4%	39.5%	43.4%
'Very' or 'sort of easy' to get alcohol	49.9%	52.3%	53.7%
'Very' or 'sort of easy' to get marijuana	35.9%	38.0%	33.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.9%	21.1%	27.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.4%	10.1%	5.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.7%	26.3%	18.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	21.7%	27.5%	18.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	31.1%	25.9%	26.4%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	30.2%	33.2%	39.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	13.5%	18.9%	15.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.7%	46.5%	38.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	30.9%	35.1%	29.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	14.3%	24.2%	20.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	33.1%	39.2%	31.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.4%	9.6%	7.4%
'No' or 'slight risk' if they use synthetic drugs	12.0%	13.2%	10.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.4%	23.4%	24.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.2%	14.2%	9.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Cooper County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	125	*	208
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	3.3%	12.9%	23.1%
Grade level. 7th Grade	71.3%	11.5%	10.8%
Grade level. 8th Grade	4.7%	11.8%	13.9%
Grade level. 9th Grade	9.3%	13.6%	8.6%
Grade level. 10th Grade	8.0%	17.4%	16.4%
Grade level. 11th Grade	3.3%	17.8%	16.7%
Grade level. 12th Grade	0.0%	15.0%	10.5%
Male	54.3%	50.5%	52.0%
Hispanic or Latino	0.7%	1.5%	1.3%
Race: Black or African American	6.0%	13.3%	7.7%
Race: White	90.0%	79.5%	88.0%
Race: Multiracial	2.7%	5.3%	1.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	4.7%	5.3%	12.3%
Used electronic cigarettes	5.4%	15.5%	11.4%
Used hookahs or water pipes	0.7%	1.9%	2.5%
Used alcohol	10.3%	17.0%	20.9%
Used marijuana	0.7%	8.9%	3.5%
Used inhalants	1.4%	1.0%	1.9%
Used Rx not prescribed for you by a doctor	9.0%	6.3%	7.8%
Used `OTC` to get high	4.2%	2.0%	3.9%
Used synthetic drugs	0.0%	0.5%	0.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	1.7%
Used heroin or `smack`	0.0%	0.3%	1.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	2.7%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.3%
Used `club drugs` such as ecstasy	0.7%	1.0%	1.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.7%	30.1%	39.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	11.3%	5.9%	7.7%
Rode with someone who was drinking alcohol	17.0%	17.0%	21.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	25.8%	16.2%	22.3%
Posted something online or sent a text that might embarrass or hurt another student	16.0%	15.7%	12.2%
Made fun of other people	45.0%	47.2%	43.3%
Hit, shoved or pushed another student and was not just fooling around	25.2%	12.4%	15.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	33.1%	26.2%	23.0%
Was in a physical fight	30.0%	15.9%	31.8%
Been threatened or injured with a weapon on school property	23.8%	6.7%	8.9%
Seriously considered suicide	19.7%	11.1%	9.7%
Planned suicide	22.1%	8.6%	8.1%
Attempted suicide	10.1%	4.9%	4.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	40.4%	25.3%	20.6%
Was grouchy or irritable, or in a bad mood	36.9%	33.4%	33.2%
Felt hopeless about the future	23.0%	15.5%	10.2%
Felt like not eating or eating more than usual	31.5%	21.1%	20.2%
Felt like sleeping a lot more or a lot less than usual	35.3%	32.6%	29.5%
Had difficulty concentrating on school work	47.3%	32.1%	30.2%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.9%	91.8%	93.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.3%	93.4%	91.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.6%	92.5%	93.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.6%	96.2%	96.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.3%	87.7%	75.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	82.7%	84.9%	68.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	85.4%	75.6%	72.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.1%	94.5%	89.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	30.4%	39.5%	51.6%
'Very' or 'sort of easy' to get alcohol	54.8%	52.3%	58.5%
'Very' or 'sort of easy' to get marijuana	22.1%	38.0%	28.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.8%	21.1%	23.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.3%	10.1%	4.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.0%	26.3%	11.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.7%	27.5%	24.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.6%	25.9%	12.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	35.6%	33.2%	38.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	26.4%	18.9%	20.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	49.3%	46.5%	34.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.9%	35.1%	34.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.3%	24.2%	30.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.8%	39.2%	36.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	22.6%	9.6%	13.5%
'No' or 'slight risk' if they use synthetic drugs	25.7%	13.2%	14.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	34.9%	23.4%	26.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	21.9%	14.2%	16.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Dallas County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	267	*	
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	13.9%	12.9%	
Grade level. 7th Grade	16.5%	11.5%	
Grade level. 8th Grade	12.8%	11.8%	
Grade level. 9th Grade	13.2%	13.6%	
Grade level. 10th Grade	12.8%	17.4%	
Grade level. 11th Grade	17.2%	17.8%	
Grade level. 12th Grade	13.6%	15.0%	
Male	49.3%	50.5%	
Hispanic or Latino	1.5%	1.5%	
Race: Black or African American	0.0%	13.3%	
Race: White	96.7%	79.5%	
Race: Multiracial	1.9%	5.3%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	6.7%	5.3%
Used electronic cigarettes	10.4%	15.5%
Used hookahs or water pipes	1.5%	1.9%
Used alcohol	11.7%	17.0%
Used marijuana	3.7%	8.9%
Used inhalants	0.4%	1.0%
Used Rx not prescribed for you by a doctor	7.5%	6.3%
Used `OTC` to get high	1.9%	2.0%
Used synthetic drugs	0.4%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.4%	1.2%	
Used heroin or `smack`	0.0%	0.3%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.2%	2.2%	
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.7%	
Used `club drugs` such as ecstasy	1.5%	1.0%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	34.4%	30.1%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.4%	5.9%	
Rode with someone who was drinking alcohol	10.6%	17.0%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	4.2%	16.2%	
Posted something online or sent a text that might embarrass or hurt another student	5.7%	15.7%	
Made fun of other people	22.6%	47.2%	
Hit, shoved or pushed another student and was not just fooling around	4.6%	12.4%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	22.0%	26.2%	
Was in a physical fight	17.6%	15.9%	
Been threatened or injured with a weapon on school property	7.0%	6.7%	
Seriously considered suicide	5.3%	11.1%	
Planned suicide	7.4%	8.6%	
Attempted suicide	4.4%	4.9%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.3%	25.3%	
Was grouchy or irritable, or in a bad mood	34.6%	33.4%	
Felt hopeless about the future	11.8%	15.5%	
Felt like not eating or eating more than usual	22.3%	21.1%	
Felt like sleeping a lot more or a lot less than usual	31.8%	32.6%	
Had difficulty concentrating on school work	28.1%	32.1%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.2%	91.8%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.8%	93.4%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.4%	92.5%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.4%	96.2%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	83.9%	87.7%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.6%	84.9%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.6%	75.6%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.0%	94.5%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	28.6%	39.5%	
'Very' or 'sort of easy' to get alcohol	26.9%	52.3%	
'Very' or 'sort of easy' to get marijuana	23.5%	38.0%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.2%	21.1%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.4%	10.1%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.4%	26.3%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.0%	27.5%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.4%	25.9%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	28.0%	33.2%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	19.6%	18.9%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	32.3%	46.5%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.7%	35.1%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.1%	24.2%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.7%	39.2%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.5%	9.6%	
'No' or 'slight risk' if they use synthetic drugs	12.5%	13.2%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.3%	23.4%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.9%	14.2%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Grundy County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	347	*	430
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	14.4%	12.9%	14.6%
Grade level. 7th Grade	17.4%	11.5%	15.5%
Grade level. 8th Grade	13.6%	11.8%	13.6%
Grade level. 9th Grade	18.2%	13.6%	13.6%
Grade level. 10th Grade	15.2%	17.4%	17.0%
Grade level. 11th Grade	18.2%	17.8%	16.0%
Grade level. 12th Grade	3.0%	15.0%	9.7%
Male	47.3%	50.5%	48.3%
Hispanic or Latino	1.5%	1.5%	1.0%
Race: Black or African American	0.8%	13.3%	0.5%
Race: White	96.2%	79.5%	98.0%
Race: Multiracial	1.5%	5.3%	1.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	12.4%	5.3%	11.9%
Used electronic cigarettes	18.8%	15.5%	11.9%
Used hookahs or water pipes	2.3%	1.9%	1.0%
Used alcohol	15.7%	17.0%	15.4%
Used marijuana	6.3%	8.9%	5.0%
Used inhalants	1.6%	1.0%	0.5%
Used Rx not prescribed for you by a doctor	8.0%	6.3%	8.1%
Used `OTC` to get high	2.4%	2.0%	1.0%
Used synthetic drugs	1.6%	0.5%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.8%	1.2%	0.5%
Used heroin or `smack`	0.0%	0.3%	0.5%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.6%	2.2%	1.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.0%
Used `club drugs` such as ecstasy	0.8%	1.0%	0.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.0%	30.1%	28.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.7%	5.9%	5.4%
Rode with someone who was drinking alcohol	14.1%	17.0%	15.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.6%	16.2%	21.3%
Posted something online or sent a text that might embarrass or hurt another student	15.2%	15.7%	14.1%
Made fun of other people	46.2%	47.2%	48.5%
Hit, shoved or pushed another student and was not just fooling around	16.7%	12.4%	11.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	34.4%	26.2%	31.7%
Was in a physical fight	23.5%	15.9%	17.9%
Been threatened or injured with a weapon on school property	10.7%	6.7%	4.9%
Seriously considered suicide	10.8%	11.1%	10.8%
Planned suicide	7.6%	8.6%	7.4%
Attempted suicide	4.5%	4.9%	3.9%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	29.0%	25.3%	22.3%
Was grouchy or irritable, or in a bad mood	37.9%	33.4%	38.3%
Felt hopeless about the future	16.7%	15.5%	12.2%
Felt like not eating or eating more than usual	24.4%	21.1%	19.0%
Felt like sleeping a lot more or a lot less than usual	33.6%	32.6%	32.2%
Had difficulty concentrating on school work	28.0%	32.1%	30.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.6%	91.8%	94.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.2%	93.4%	95.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.2%	92.5%	95.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.2%	96.2%	96.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	81.7%	87.7%	81.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.0%	84.9%	78.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	74.8%	75.6%	79.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.0%	94.5%	91.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	43.5%	39.5%	48.8%
'Very' or 'sort of easy' to get alcohol	52.3%	52.3%	50.5%
'Very' or 'sort of easy' to get marijuana	30.3%	38.0%	32.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	30.3%	21.1%	29.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.1%	10.1%	7.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	28.2%	26.3%	15.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	29.5%	27.5%	22.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.7%	25.9%	14.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	30.0%	33.2%	35.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	21.4%	18.9%	11.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.2%	46.5%	32.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.6%	35.1%	28.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	29.0%	24.2%	19.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.1%	39.2%	27.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.5%	9.6%	3.0%
'No' or 'slight risk' if they use synthetic drugs	16.9%	13.2%	8.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.4%	23.4%	16.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.8%	14.2%	8.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Harrison County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	68	*	76
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	16.8%	12.9%	27.3%
Grade level. 7th Grade	35.5%	11.5%	16.2%
Grade level. 8th Grade	8.4%	11.8%	7.8%
Grade level. 9th Grade	9.3%	13.6%	12.3%
Grade level. 10th Grade	3.7%	17.4%	14.9%
Grade level. 11th Grade	25.2%	17.8%	11.0%
Grade level. 12th Grade	0.9%	15.0%	10.4%
Male	49.1%	50.5%	49.7%
Hispanic or Latino	1.0%	1.5%	0.0%
Race: Black or African American	0.0%	13.3%	0.7%
Race: White	98.1%	79.5%	96.7%
Race: Multiracial	1.9%	5.3%	1.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	12.4%	5.3%	14.5%
Used electronic cigarettes	12.6%	15.5%	9.1%
Used hookahs or water pipes	5.8%	1.9%	0.0%
Used alcohol	14.4%	17.0%	14.9%
Used marijuana	5.8%	8.9%	3.9%
Used inhalants	0.0%	1.0%	0.0%
Used Rx not prescribed for you by a doctor	5.8%	6.3%	5.8%
Used `OTC` to get high	0.0%	2.0%	0.0%
Used synthetic drugs	3.9%	0.5%	0.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	5.8%	1.2%	0.0%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	5.0%	2.2%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	1.0%	0.7%	0.0%
Used `club drugs` such as ecstasy	3.8%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	21.7%	30.1%	27.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.0%	5.9%	2.0%
Rode with someone who was drinking alcohol	18.6%	17.0%	6.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	6.7%	16.2%	8.4%
Posted something online or sent a text that might embarrass or hurt another student	12.4%	15.7%	12.3%
Made fun of other people	47.6%	47.2%	45.2%
Hit, shoved or pushed another student and was not just fooling around	14.3%	12.4%	11.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	26.4%	26.2%	25.7%
Was in a physical fight	18.9%	15.9%	23.4%
Been threatened or injured with a weapon on school property	4.7%	6.7%	2.6%
Seriously considered suicide	14.6%	11.1%	5.2%
Planned suicide	19.4%	8.6%	5.3%
Attempted suicide	7.7%	4.9%	0.6%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.9%	25.3%	13.0%
Was grouchy or irritable, or in a bad mood	26.9%	33.4%	27.2%
Felt hopeless about the future	12.5%	15.5%	8.4%
Felt like not eating or eating more than usual	22.3%	21.1%	14.9%
Felt like sleeping a lot more or a lot less than usual	38.5%	32.6%	23.4%
Had difficulty concentrating on school work	31.1%	32.1%	22.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.1%	91.8%	90.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.1%	93.4%	94.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.1%	92.5%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.0%	96.2%	97.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	71.4%	87.7%	76.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	61.0%	84.9%	73.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.6%	75.6%	82.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	79.2%	94.5%	93.4%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	34.6%	39.5%	41.6%
'Very' or 'sort of easy' to get alcohol	44.8%	52.3%	36.4%
'Very' or 'sort of easy' to get marijuana	21.0%	38.0%	20.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	31.4%	21.1%	13.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.6%	10.1%	4.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	7.6%	26.3%	8.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.5%	27.5%	11.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	8.5%	25.9%	4.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	30.8%	33.2%	35.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	21.0%	18.9%	15.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	42.5%	46.5%	31.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.1%	35.1%	27.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	32.1%	24.2%	16.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.4%	39.2%	24.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.5%	9.6%	3.3%
'No' or 'slight risk' if they use synthetic drugs	9.4%	13.2%	7.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	13.2%	23.4%	7.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	8.5%	14.2%	6.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey

Henry County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	445	*	232
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	28.3%	12.9%	29.3%
Grade level. 7th Grade	26.3%	11.5%	14.4%
Grade level. 8th Grade	10.4%	11.8%	9.7%
Grade level. 9th Grade	22.9%	13.6%	4.0%
Grade level. 10th Grade	5.4%	17.4%	5.7%
Grade level. 11th Grade	3.3%	17.8%	22.2%
Grade level. 12th Grade	3.3%	15.0%	14.7%
Male	50.4%	50.5%	50.1%
Hispanic or Latino	1.3%	1.5%	1.4%
Race: Black or African American	1.3%	13.3%	1.2%
Race: White	96.2%	79.5%	96.7%
Race: Multiracial	1.7%	5.3%	1.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	6.0%	5.3%	7.3%
Used electronic cigarettes	8.5%	15.5%	12.8%
Used hookahs or water pipes	0.9%	1.9%	2.3%
Used alcohol	10.0%	17.0%	12.6%
Used marijuana	5.2%	8.9%	6.3%
Used inhalants	1.7%	1.0%	0.5%
Used Rx not prescribed for you by a doctor	7.8%	6.3%	4.3%
Used `OTC` to get high	2.6%	2.0%	0.3%
Used synthetic drugs	0.4%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	1.3%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.5%	2.2%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.7%	0.0%
Used `club drugs` such as ecstasy	0.4%	1.0%	0.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	32.1%	30.1%	32.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.0%	5.9%	9.5%
Rode with someone who was drinking alcohol	15.2%	17.0%	14.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	22.0%	16.2%	22.1%
Posted something online or sent a text that might embarrass or hurt another student	15.8%	15.7%	15.2%
Made fun of other people	52.5%	47.2%	49.6%
Hit, shoved or pushed another student and was not just fooling around	19.2%	12.4%	14.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	36.3%	26.2%	36.2%
Was in a physical fight	21.2%	15.9%	23.9%
Been threatened or injured with a weapon on school property	8.3%	6.7%	8.9%
Seriously considered suicide	8.4%	11.1%	19.5%
Planned suicide	8.0%	8.6%	14.0%
Attempted suicide	4.2%	4.9%	6.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	21.2%	25.3%	28.4%
Was grouchy or irritable, or in a bad mood	30.1%	33.4%	36.4%
Felt hopeless about the future	12.9%	15.5%	17.6%
Felt like not eating or eating more than usual	22.4%	21.1%	26.7%
Felt like sleeping a lot more or a lot less than usual	27.8%	32.6%	34.4%
Had difficulty concentrating on school work	29.0%	32.1%	30.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.3%	91.8%	90.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.7%	93.4%	93.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.2%	92.5%	92.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.7%	96.2%	95.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.9%	87.7%	79.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	85.0%	84.9%	70.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	83.3%	75.6%	72.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.1%	94.5%	86.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	35.6%	39.5%	43.1%
'Very' or 'sort of easy' to get alcohol	43.8%	52.3%	48.2%
'Very' or 'sort of easy' to get marijuana	24.3%	38.0%	35.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	15.2%	21.1%	28.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.4%	10.1%	9.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.9%	26.3%	21.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	20.1%	27.5%	22.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.4%	25.9%	19.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	32.3%	33.2%	40.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	16.5%	18.9%	16.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.6%	46.5%	38.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.5%	35.1%	35.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.2%	24.2%	22.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.3%	39.2%	26.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.8%	9.6%	8.8%
'No' or 'slight risk' if they use synthetic drugs	15.7%	13.2%	10.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.6%	23.4%	18.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.4%	14.2%	12.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey

Howard County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	154	*	229
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	12.0%	12.9%	14.0%
Grade level. 7th Grade	9.3%	11.5%	11.9%
Grade level. 8th Grade	14.2%	11.8%	15.3%
Grade level. 9th Grade	20.8%	13.6%	11.9%
Grade level. 10th Grade	16.9%	17.4%	6.4%
Grade level. 11th Grade	15.8%	17.8%	19.1%
Grade level. 12th Grade	10.9%	15.0%	21.6%
Male	49.7%	50.5%	48.3%
Hispanic or Latino	1.8%	1.5%	0.9%
Race: Black or African American	5.4%	13.3%	5.1%
Race: White	91.3%	79.5%	92.3%
Race: Multiracial	1.6%	5.3%	0.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	10.1%	5.3%	16.2%
Used electronic cigarettes	15.6%	15.5%	8.5%
Used hookahs or water pipes	0.6%	1.9%	0.9%
Used alcohol	16.9%	17.0%	27.0%
Used marijuana	4.5%	8.9%	3.1%
Used inhalants	0.0%	1.0%	0.9%
Used Rx not prescribed for you by a doctor	10.3%	6.3%	8.7%
Used `OTC` to get high	3.3%	2.0%	1.7%
Used synthetic drugs	0.6%	0.5%	0.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.1%	1.2%	0.9%
Used heroin or `smack`	0.0%	0.3%	0.9%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.3%	2.2%	0.9%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.7%	1.4%
Used `club drugs` such as ecstasy	0.6%	1.0%	0.9%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.7%	30.1%	25.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.6%	5.9%	1.7%
Rode with someone who was drinking alcohol	17.4%	17.0%	29.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.9%	16.2%	21.0%
Posted something online or sent a text that might embarrass or hurt another student	8.7%	15.7%	15.0%
Made fun of other people	42.2%	47.2%	47.6%
Hit, shoved or pushed another student and was not just fooling around	9.9%	12.4%	7.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	17.0%	26.2%	29.1%
Was in a physical fight	17.9%	15.9%	14.5%
Been threatened or injured with a weapon on school property	3.3%	6.7%	4.7%
Seriously considered suicide	8.5%	11.1%	9.8%
Planned suicide	7.2%	8.6%	3.9%
Attempted suicide	3.4%	4.9%	3.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.7%	25.3%	17.5%
Was grouchy or irritable, or in a bad mood	34.8%	33.4%	27.9%
Felt hopeless about the future	10.6%	15.5%	9.6%
Felt like not eating or eating more than usual	18.7%	21.1%	13.2%
Felt like sleeping a lot more or a lot less than usual	27.5%	32.6%	22.2%
Had difficulty concentrating on school work	30.8%	32.1%	29.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	88.1%	91.8%	90.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.6%	93.4%	90.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.0%	92.5%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	99.4%	96.2%	98.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	81.5%	87.7%	70.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	71.9%	84.9%	69.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	81.5%	75.6%	68.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.8%	94.5%	93.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	42.5%	39.5%	50.9%
'Very' or 'sort of easy' to get alcohol	51.1%	52.3%	49.4%
'Very' or 'sort of easy' to get marijuana	27.8%	38.0%	26.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	15.5%	21.1%	21.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.4%	10.1%	17.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.9%	26.3%	11.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.5%	27.5%	27.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	13.3%	25.9%	17.7%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	29.9%	33.2%	41.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	16.8%	18.9%	19.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	47.2%	46.5%	45.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.0%	35.1%	42.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.3%	24.2%	32.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.6%	39.2%	35.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.1%	9.6%	6.1%
'No' or 'slight risk' if they use synthetic drugs	15.2%	13.2%	11.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.2%	23.4%	18.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.9%	14.2%	9.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Howell County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	1190	*	326
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	10.3%	12.9%	16.5%
Grade level. 7th Grade	6.5%	11.5%	21.7%
Grade level. 8th Grade	8.7%	11.8%	13.3%
Grade level. 9th Grade	26.1%	13.6%	25.5%
Grade level. 10th Grade	21.8%	17.4%	8.5%
Grade level. 11th Grade	15.8%	17.8%	3.7%
Grade level. 12th Grade	10.8%	15.0%	10.9%
Male	47.1%	50.5%	49.4%
Hispanic or Latino	1.3%	1.5%	1.0%
Race: Black or African American	0.4%	13.3%	0.5%
Race: White	96.8%	79.5%	96.3%
Race: Multiracial	1.9%	5.3%	2.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	12.5%	5.3%	10.2%
Used electronic cigarettes	21.7%	15.5%	5.7%
Used hookahs or water pipes	2.8%	1.9%	1.2%
Used alcohol	18.1%	17.0%	7.5%
Used marijuana	7.2%	8.9%	1.4%
Used inhalants	1.7%	1.0%	1.0%
Used Rx not prescribed for you by a doctor	10.8%	6.3%	8.6%
Used `OTC` to get high	3.0%	2.0%	1.7%
Used synthetic drugs	0.6%	0.5%	0.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.6%	1.2%	0.0%
Used heroin or `smack`	0.2%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	3.0%	2.2%	1.3%
Used methamphetamine (meth, crank, crystal, ice)	1.0%	0.7%	0.0%
Used `club drugs` such as ecstasy	2.0%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	36.4%	30.1%	39.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.8%	5.9%	11.6%
Rode with someone who was drinking alcohol	14.5%	17.0%	14.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.0%	16.2%	20.2%
Posted something online or sent a text that might embarrass or hurt another student	15.9%	15.7%	12.7%
Made fun of other people	49.7%	47.2%	50.6%
Hit, shoved or pushed another student and was not just fooling around	12.0%	12.4%	18.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.9%	26.2%	39.6%
Was in a physical fight	18.5%	15.9%	28.1%
Been threatened or injured with a weapon on school property	8.5%	6.7%	9.5%
Seriously considered suicide	16.1%	11.1%	12.6%
Planned suicide	12.7%	8.6%	10.6%
Attempted suicide	8.6%	4.9%	8.1%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	35.2%	25.3%	24.5%
Was grouchy or irritable, or in a bad mood	41.6%	33.4%	30.1%
Felt hopeless about the future	20.4%	15.5%	13.0%
Felt like not eating or eating more than usual	27.9%	21.1%	18.4%
Felt like sleeping a lot more or a lot less than usual	36.8%	32.6%	31.8%
Had difficulty concentrating on school work	37.9%	32.1%	26.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.2%	91.8%	90.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.2%	93.4%	88.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.6%	92.5%	91.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.2%	96.2%	95.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	77.4%	87.7%	84.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	71.4%	84.9%	78.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	69.9%	75.6%	81.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.7%	94.5%	90.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	46.0%	39.5%	45.5%
'Very' or 'sort of easy' to get alcohol	51.1%	52.3%	50.4%
'Very' or 'sort of easy' to get marijuana	37.9%	38.0%	26.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	27.8%	21.1%	31.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.4%	10.1%	4.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	31.3%	26.3%	12.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	33.3%	27.5%	14.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	29.6%	25.9%	12.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	30.2%	33.2%	30.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	19.1%	18.9%	19.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.0%	46.5%	37.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.6%	35.1%	41.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.9%	24.2%	30.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	36.2%	39.2%	32.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.8%	9.6%	10.6%
'No' or 'slight risk' if they use synthetic drugs	14.4%	13.2%	13.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.0%	23.4%	24.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.1%	14.2%	15.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Iron County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	93	*	357
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	23.7%	12.9%	11.4%
Grade level. 7th Grade	57.9%	11.5%	13.4%
Grade level. 8th Grade	18.4%	11.8%	9.4%
Grade level. 9th Grade	0.0%	13.6%	24.3%
Grade level. 10th Grade	0.0%	17.4%	15.8%
Grade level. 11th Grade	0.0%	17.8%	15.3%
Grade level. 12th Grade	0.0%	15.0%	10.4%
Male	45.5%	50.5%	47.8%
Hispanic or Latino	1.3%	1.5%	1.5%
Race: Black or African American	1.3%	13.3%	2.5%
Race: White	97.4%	79.5%	95.1%
Race: Multiracial	1.3%	5.3%	2.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	2.6%	5.3%	8.8%
Used electronic cigarettes	9.2%	15.5%	13.8%
Used hookahs or water pipes	0.0%	1.9%	0.5%
Used alcohol	5.3%	17.0%	12.3%
Used marijuana	0.0%	8.9%	6.2%
Used inhalants	1.3%	1.0%	1.0%
Used Rx not prescribed for you by a doctor	10.7%	6.3%	5.7%
Used `OTC` to get high	2.7%	2.0%	1.6%
Used synthetic drugs	1.4%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.0%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	1.1%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	1.1%
Used `club drugs` such as ecstasy	0.0%	1.0%	0.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	41.6%	30.1%	25.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.1%	5.9%	4.0%
Rode with someone who was drinking alcohol	12.2%	17.0%	10.8%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.9%	16.2%	16.9%
Posted something online or sent a text that might embarrass or hurt another student	6.5%	15.7%	7.0%
Made fun of other people	36.4%	47.2%	42.0%
Hit, shoved or pushed another student and was not just fooling around	16.9%	12.4%	7.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	39.5%	26.2%	36.5%
Was in a physical fight	27.3%	15.9%	15.4%
Been threatened or injured with a weapon on school property	7.7%	6.7%	6.4%
Seriously considered suicide	11.8%	11.1%	14.1%
Planned suicide	10.5%	8.6%	10.1%
Attempted suicide	5.2%	4.9%	5.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.0%	25.3%	24.7%
Was grouchy or irritable, or in a bad mood	29.9%	33.4%	32.3%
Felt hopeless about the future	13.2%	15.5%	13.6%
Felt like not eating or eating more than usual	25.6%	21.1%	19.1%
Felt like sleeping a lot more or a lot less than usual	38.2%	32.6%	32.8%
Had difficulty concentrating on school work	21.8%	32.1%	29.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	98.6%	91.8%	92.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.3%	93.4%	94.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	97.2%	92.5%	92.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.2%	96.2%	96.8%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.2%	87.7%	76.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	85.7%	84.9%	73.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	87.0%	75.6%	76.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.2%	94.5%	90.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	27.6%	39.5%	46.7%
'Very' or 'sort of easy' to get alcohol	35.5%	52.3%	43.1%
'Very' or 'sort of easy' to get marijuana	9.2%	38.0%	29.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	14.3%	21.1%	22.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.4%	10.1%	15.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.1%	26.3%	20.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.9%	27.5%	24.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	9.1%	25.9%	22.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	31.2%	33.2%	40.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	20.8%	18.9%	16.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.7%	46.5%	27.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	45.5%	35.1%	35.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.6%	24.2%	23.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	20.8%	39.2%	30.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.8%	9.6%	7.1%
'No' or 'slight risk' if they use synthetic drugs	21.1%	13.2%	12.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.4%	23.4%	16.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.9%	14.2%	10.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Jackson County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	4239	*	2814
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	29.3%	12.9%	17.0%
Grade level. 7th Grade	8.6%	11.5%	13.0%
Grade level. 8th Grade	19.6%	11.8%	22.1%
Grade level. 9th Grade	10.1%	13.6%	0.8%
Grade level. 10th Grade	14.9%	17.4%	39.2%
Grade level. 11th Grade	7.3%	17.8%	0.7%
Grade level. 12th Grade	10.2%	15.0%	7.3%
Male	48.7%	50.5%	47.6%
Hispanic or Latino	6.4%	1.5%	6.5%
Race: Black or African American	24.0%	13.3%	26.0%
Race: White	67.0%	79.5%	65.1%
Race: Multiracial	5.5%	5.3%	5.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	1.7%	5.3%	3.6%
Used electronic cigarettes	5.6%	15.5%	11.8%
Used hookahs or water pipes	0.7%	1.9%	3.0%
Used alcohol	7.2%	17.0%	8.4%
Used marijuana	5.0%	8.9%	7.8%
Used inhalants	1.6%	1.0%	1.2%
Used Rx not prescribed for you by a doctor	8.1%	6.3%	8.5%
Used `OTC` to get high	2.1%	2.0%	1.6%
Used synthetic drugs	0.9%	0.5%	0.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.2%	1.1%
Used heroin or `smack`	0.1%	0.3%	0.4%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.0%	2.2%	2.0%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.7%	0.5%
Used `club drugs` such as ecstasy	0.7%	1.0%	0.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	31.8%	30.1%	28.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.3%	5.9%	7.0%
Rode with someone who was drinking alcohol	15.8%	17.0%	15.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.7%	16.2%	19.1%
Posted something online or sent a text that might embarrass or hurt another student	13.5%	15.7%	15.6%
Made fun of other people	44.7%	47.2%	46.5%
Hit, shoved or pushed another student and was not just fooling around	12.8%	12.4%	14.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	21.3%	26.2%	28.7%
Was in a physical fight	17.5%	15.9%	19.1%
Been threatened or injured with a weapon on school property	6.3%	6.7%	7.9%
Seriously considered suicide	9.9%	11.1%	12.4%
Planned suicide	7.9%	8.6%	10.4%
Attempted suicide	4.9%	4.9%	5.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.9%	25.3%	23.1%
Was grouchy or irritable, or in a bad mood	30.2%	33.4%	29.8%
Felt hopeless about the future	13.2%	15.5%	14.2%
Felt like not eating or eating more than usual	20.2%	21.1%	20.8%
Felt like sleeping a lot more or a lot less than usual	30.1%	32.6%	31.3%
Had difficulty concentrating on school work	29.8%	32.1%	28.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.7%	91.8%	97.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.0%	93.4%	97.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.3%	92.5%	93.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.6%	96.2%	96.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	88.8%	87.7%	88.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	83.3%	84.9%	82.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	74.7%	75.6%	69.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.9%	94.5%	88.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	26.9%	39.5%	37.5%
'Very' or 'sort of easy' to get alcohol	40.4%	52.3%	48.7%
'Very' or 'sort of easy' to get marijuana	27.2%	38.0%	39.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.4%	21.1%	28.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.2%	10.1%	9.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	17.3%	26.3%	29.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.4%	27.5%	23.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	22.0%	25.9%	31.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	26.8%	33.2%	41.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	17.3%	18.9%	17.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.2%	46.5%	38.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	29.3%	35.1%	27.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.3%	24.2%	18.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.7%	39.2%	38.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.3%	9.6%	11.2%
'No' or 'slight risk' if they use synthetic drugs	19.2%	13.2%	15.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.5%	23.4%	23.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.0%	14.2%	15.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Jasper County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	1441	*	2126
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	24.8%	12.9%	17.3%
Grade level. 7th Grade	8.0%	11.5%	13.9%
Grade level. 8th Grade	10.3%	11.8%	16.7%
Grade level. 9th Grade	17.6%	13.6%	11.8%
Grade level. 10th Grade	21.6%	17.4%	19.1%
Grade level. 11th Grade	17.6%	17.8%	17.6%
Grade level. 12th Grade	0.0%	15.0%	3.7%
Male	46.0%	50.5%	47.1%
Hispanic or Latino	3.4%	1.5%	3.3%
Race: Black or African American	1.4%	13.3%	1.6%
Race: White	95.3%	79.5%	94.0%
Race: Multiracial	1.7%	5.3%	2.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	6.6%	5.3%	10.4%
Used electronic cigarettes	13.1%	15.5%	13.9%
Used hookahs or water pipes	2.2%	1.9%	2.1%
Used alcohol	12.3%	17.0%	11.1%
Used marijuana	6.1%	8.9%	5.9%
Used inhalants	0.3%	1.0%	1.2%
Used Rx not prescribed for you by a doctor	5.3%	6.3%	8.4%
Used `OTC` to get high	1.1%	2.0%	2.0%
Used synthetic drugs	0.3%	0.5%	0.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.6%	1.2%	0.8%
Used heroin or `smack`	0.0%	0.3%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.2%	2.2%	1.2%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.7%	0.1%
Used `club drugs` such as ecstasy	0.4%	1.0%	0.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	21.1%	30.1%	21.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.5%	5.9%	6.4%
Rode with someone who was drinking alcohol	12.1%	17.0%	12.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.2%	16.2%	19.4%
Posted something online or sent a text that might embarrass or hurt another student	10.7%	15.7%	14.7%
Made fun of other people	36.7%	47.2%	44.0%
Hit, shoved or pushed another student and was not just fooling around	13.9%	12.4%	15.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	24.6%	26.2%	33.9%
Was in a physical fight	16.7%	15.9%	20.1%
Been threatened or injured with a weapon on school property	6.0%	6.7%	7.1%
Seriously considered suicide	10.4%	11.1%	15.8%
Planned suicide	8.1%	8.6%	10.5%
Attempted suicide	6.3%	4.9%	6.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	29.2%	25.3%	28.4%
Was grouchy or irritable, or in a bad mood	33.5%	33.4%	35.6%
Felt hopeless about the future	15.6%	15.5%	17.1%
Felt like not eating or eating more than usual	25.6%	21.1%	23.5%
Felt like sleeping a lot more or a lot less than usual	32.4%	32.6%	32.7%
Had difficulty concentrating on school work	29.7%	32.1%	32.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.1%	91.8%	94.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.8%	93.4%	94.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.0%	92.5%	93.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.2%	96.2%	96.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	84.0%	87.7%	80.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.1%	84.9%	78.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.4%	75.6%	76.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.5%	94.5%	88.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	37.8%	39.5%	44.7%
'Very' or 'sort of easy' to get alcohol	46.4%	52.3%	47.2%
'Very' or 'sort of easy' to get marijuana	31.4%	38.0%	33.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.2%	21.1%	28.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.0%	10.1%	11.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.7%	26.3%	22.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.3%	27.5%	22.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	22.7%	25.9%	23.3%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	27.7%	33.2%	38.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	15.3%	18.9%	15.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	34.2%	46.5%	36.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	31.5%	35.1%	34.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.6%	24.2%	22.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	27.0%	39.2%	31.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.4%	9.6%	7.4%
'No' or 'slight risk' if they use synthetic drugs	10.3%	13.2%	11.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	16.5%	23.4%	20.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.0%	14.2%	12.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Jefferson County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	1209	*	2323
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	25.7%	12.9%	16.5%
Grade level. 7th Grade	26.8%	11.5%	14.8%
Grade level. 8th Grade	25.4%	11.8%	16.0%
Grade level. 9th Grade	3.9%	13.6%	15.5%
Grade level. 10th Grade	9.8%	17.4%	18.8%
Grade level. 11th Grade	4.4%	17.8%	12.0%
Grade level. 12th Grade	3.9%	15.0%	6.5%
Male	48.8%	50.5%	50.6%
Hispanic or Latino	1.0%	1.5%	1.1%
Race: Black or African American	0.8%	13.3%	0.9%
Race: White	96.5%	79.5%	96.9%
Race: Multiracial	1.8%	5.3%	1.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	2.9%	5.3%	7.4%
Used electronic cigarettes	13.9%	15.5%	23.6%
Used hookahs or water pipes	0.8%	1.9%	2.4%
Used alcohol	10.1%	17.0%	14.0%
Used marijuana	5.7%	8.9%	7.4%
Used inhalants	1.5%	1.0%	0.8%
Used Rx not prescribed for you by a doctor	9.3%	6.3%	9.0%
Used `OTC` to get high	2.5%	2.0%	2.9%
Used synthetic drugs	0.8%	0.5%	0.8%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.2%	1.7%
Used heroin or `smack`	0.2%	0.3%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.2%	2.2%	2.3%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.7%	0.3%
Used `club drugs` such as ecstasy	0.8%	1.0%	1.1%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	38.5%	30.1%	31.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.1%	5.9%	8.8%
Rode with someone who was drinking alcohol	15.6%	17.0%	15.4%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.2%	16.2%	21.4%
Posted something online or sent a text that might embarrass or hurt another student	15.9%	15.7%	17.5%
Made fun of other people	42.5%	47.2%	47.4%
Hit, shoved or pushed another student and was not just fooling around	16.2%	12.4%	15.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	33.7%	26.2%	31.7%
Was in a physical fight	21.7%	15.9%	19.8%
Been threatened or injured with a weapon on school property	9.4%	6.7%	6.9%
Seriously considered suicide	14.4%	11.1%	14.8%
Planned suicide	10.8%	8.6%	9.9%
Attempted suicide	7.6%	4.9%	6.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	29.9%	25.3%	26.8%
Was grouchy or irritable, or in a bad mood	36.2%	33.4%	36.2%
Felt hopeless about the future	18.4%	15.5%	15.9%
Felt like not eating or eating more than usual	25.1%	21.1%	22.1%
Felt like sleeping a lot more or a lot less than usual	35.0%	32.6%	31.6%
Had difficulty concentrating on school work	36.2%	32.1%	31.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.8%	91.8%	94.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.1%	93.4%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.7%	92.5%	92.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.3%	96.2%	96.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.9%	87.7%	80.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	81.4%	84.9%	76.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.7%	75.6%	70.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.4%	94.5%	88.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	28.1%	39.5%	42.0%
'Very' or 'sort of easy' to get alcohol	41.7%	52.3%	50.8%
'Very' or 'sort of easy' to get marijuana	25.8%	38.0%	38.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.3%	21.1%	24.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.1%	10.1%	9.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	26.1%	26.3%	34.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	20.9%	27.5%	27.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	21.4%	25.9%	28.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	25.7%	33.2%	47.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	14.8%	18.9%	15.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.8%	46.5%	38.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	31.3%	35.1%	31.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.0%	24.2%	20.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	27.9%	39.2%	38.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.3%	9.6%	8.6%
'No' or 'slight risk' if they use synthetic drugs	12.3%	13.2%	13.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.4%	23.4%	20.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.4%	14.2%	12.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Johnson County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	624	*	1276
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	26.9%	12.9%	8.7%
Grade level. 7th Grade	18.8%	11.5%	8.4%
Grade level. 8th Grade	20.2%	11.8%	21.9%
Grade level. 9th Grade	9.4%	13.6%	15.3%
Grade level. 10th Grade	9.4%	17.4%	19.8%
Grade level. 11th Grade	9.6%	17.8%	15.4%
Grade level. 12th Grade	5.7%	15.0%	10.5%
Male	51.1%	50.5%	51.6%
Hispanic or Latino	3.0%	1.5%	2.4%
Race: Black or African American	3.7%	13.3%	4.1%
Race: White	90.6%	79.5%	90.5%
Race: Multiracial	3.5%	5.3%	3.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	5.0%	5.3%	10.4%
Used electronic cigarettes	8.7%	15.5%	14.4%
Used hookahs or water pipes	1.6%	1.9%	2.0%
Used alcohol	9.0%	17.0%	15.6%
Used marijuana	3.4%	8.9%	6.7%
Used inhalants	1.8%	1.0%	0.6%
Used Rx not prescribed for you by a doctor	8.8%	6.3%	9.7%
Used `OTC` to get high	2.0%	2.0%	1.4%
Used synthetic drugs	1.2%	0.5%	0.2%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.4%	1.2%	1.2%
Used heroin or `smack`	0.2%	0.3%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.8%	2.2%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.7%	0.6%
Used `club drugs` such as ecstasy	0.8%	1.0%	0.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.3%	30.1%	27.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.3%	5.9%	10.2%
Rode with someone who was drinking alcohol	12.4%	17.0%	15.6%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.4%	16.2%	20.5%
Posted something online or sent a text that might embarrass or hurt another student	13.8%	15.7%	16.1%
Made fun of other people	49.0%	47.2%	55.5%
Hit, shoved or pushed another student and was not just fooling around	13.3%	12.4%	13.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	29.6%	26.2%	32.8%
Was in a physical fight	19.6%	15.9%	18.8%
Been threatened or injured with a weapon on school property	7.8%	6.7%	9.8%
Seriously considered suicide	11.2%	11.1%	16.8%
Planned suicide	6.9%	8.6%	11.2%
Attempted suicide	3.9%	4.9%	5.2%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	22.2%	25.3%	26.0%
Was grouchy or irritable, or in a bad mood	29.4%	33.4%	35.4%
Felt hopeless about the future	10.2%	15.5%	16.1%
Felt like not eating or eating more than usual	19.0%	21.1%	21.5%
Felt like sleeping a lot more or a lot less than usual	29.3%	32.6%	34.4%
Had difficulty concentrating on school work	28.9%	32.1%	32.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.9%	91.8%	92.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.4%	93.4%	93.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.1%	92.5%	93.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.5%	96.2%	95.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	87.8%	87.7%	78.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.7%	84.9%	73.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	83.6%	75.6%	74.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.8%	94.5%	91.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	29.5%	39.5%	42.9%
'Very' or 'sort of easy' to get alcohol	40.0%	52.3%	51.4%
'Very' or 'sort of easy' to get marijuana	20.6%	38.0%	34.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.1%	21.1%	25.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.6%	10.1%	9.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.4%	26.3%	25.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.3%	27.5%	28.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.3%	25.9%	24.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	26.2%	33.2%	43.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	15.4%	18.9%	17.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.5%	46.5%	43.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.0%	35.1%	33.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.4%	24.2%	24.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	25.9%	39.2%	37.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.0%	9.6%	7.7%
'No' or 'slight risk' if they use synthetic drugs	15.1%	13.2%	11.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.8%	23.4%	21.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.9%	14.2%	11.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Knox County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	168	*	
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	21.4%	12.9%	
Grade level. 7th Grade	14.3%	11.5%	
Grade level. 8th Grade	19.0%	11.8%	
Grade level. 9th Grade	19.0%	13.6%	
Grade level. 10th Grade	9.5%	17.4%	
Grade level. 11th Grade	11.9%	17.8%	
Grade level. 12th Grade	4.8%	15.0%	
Male	50.0%	50.5%	
Hispanic or Latino	0.0%	1.5%	
Race: Black or African American	0.0%	13.3%	
Race: White	100.0%	79.5%	
Race: Multiracial	0.0%	5.3%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	4.8%	5.3%
Used electronic cigarettes	7.1%	15.5%
Used hookahs or water pipes	0.0%	1.9%
Used alcohol	7.3%	17.0%
Used marijuana	2.4%	8.9%
Used inhalants	0.0%	1.0%
Used Rx not prescribed for you by a doctor	9.8%	6.3%
Used `OTC` to get high	0.0%	2.0%
Used synthetic drugs	0.0%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	
Used heroin or `smack`	0.0%	0.3%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	
Used `club drugs` such as ecstasy	0.0%	1.0%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	23.8%	30.1%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.1%	5.9%	
Rode with someone who was drinking alcohol	17.1%	17.0%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	24.4%	16.2%	
Posted something online or sent a text that might embarrass or hurt another student	9.8%	15.7%	
Made fun of other people	52.4%	47.2%	
Hit, shoved or pushed another student and was not just fooling around	19.0%	12.4%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	39.0%	26.2%	
Was in a physical fight	22.0%	15.9%	
Been threatened or injured with a weapon on school property	9.8%	6.7%	
Seriously considered suicide	9.8%	11.1%	
Planned suicide	7.3%	8.6%	
Attempted suicide	4.8%	4.9%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.2%	25.3%	
Was grouchy or irritable, or in a bad mood	33.3%	33.4%	
Felt hopeless about the future	12.2%	15.5%	
Felt like not eating or eating more than usual	23.8%	21.1%	
Felt like sleeping a lot more or a lot less than usual	31.0%	32.6%	
Had difficulty concentrating on school work	39.0%	32.1%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.9%	91.8%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.5%	93.4%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	97.4%	92.5%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.4%	96.2%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.2%	87.7%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	82.9%	84.9%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	90.2%	75.6%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.5%	94.5%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	39.0%	39.5%	
'Very' or 'sort of easy' to get alcohol	48.8%	52.3%	
'Very' or 'sort of easy' to get marijuana	22.5%	38.0%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	29.3%	21.1%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.1%	10.1%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	11.9%	26.3%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.1%	27.5%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	9.5%	25.9%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	22.0%	33.2%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	16.7%	18.9%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.5%	46.5%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	39.0%	35.1%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	29.3%	24.2%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	14.6%	39.2%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	4.9%	9.6%	
'No' or 'slight risk' if they use synthetic drugs	7.1%	13.2%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	14.6%	23.4%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	7.3%	14.2%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Laclede County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	85	*	437
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	0.0%	12.9%	35.3%
Grade level. 7th Grade	43.4%	11.5%	5.0%
Grade level. 8th Grade	55.3%	11.8%	9.7%
Grade level. 9th Grade	0.0%	13.6%	13.0%
Grade level. 10th Grade	0.0%	17.4%	2.6%
Grade level. 11th Grade	0.0%	17.8%	22.4%
Grade level. 12th Grade	1.3%	15.0%	11.9%
Male	48.7%	50.5%	49.5%
Hispanic or Latino	2.1%	1.5%	1.5%
Race: Black or African American	0.6%	13.3%	0.3%
Race: White	95.5%	79.5%	96.5%
Race: Multiracial	1.6%	5.3%	2.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.4%	5.3%	12.6%
Used electronic cigarettes	13.4%	15.5%	20.5%
Used hookahs or water pipes	0.3%	1.9%	2.2%
Used alcohol	18.5%	17.0%	14.5%
Used marijuana	3.6%	8.9%	6.1%
Used inhalants	4.4%	1.0%	0.3%
Used Rx not prescribed for you by a doctor	14.1%	6.3%	8.0%
Used `OTC` to get high	2.6%	2.0%	3.3%
Used synthetic drugs	0.0%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	1.1%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	4.1%	2.2%	2.6%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.6%
Used `club drugs` such as ecstasy	1.7%	1.0%	1.3%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	35.7%	30.1%	37.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.3%	5.9%	5.9%
Rode with someone who was drinking alcohol	16.3%	17.0%	16.4%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	24.1%	16.2%	14.8%
Posted something online or sent a text that might embarrass or hurt another student	30.9%	15.7%	15.0%
Made fun of other people	48.6%	47.2%	47.8%
Hit, shoved or pushed another student and was not just fooling around	17.0%	12.4%	14.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	39.7%	26.2%	44.7%
Was in a physical fight	37.9%	15.9%	21.0%
Been threatened or injured with a weapon on school property	10.0%	6.7%	8.6%
Seriously considered suicide	14.4%	11.1%	17.8%
Planned suicide	15.8%	8.6%	10.8%
Attempted suicide	9.9%	4.9%	7.6%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	34.3%	25.3%	34.4%
Was grouchy or irritable, or in a bad mood	46.9%	33.4%	39.5%
Felt hopeless about the future	20.8%	15.5%	23.4%
Felt like not eating or eating more than usual	29.3%	21.1%	26.9%
Felt like sleeping a lot more or a lot less than usual	40.1%	32.6%	39.9%
Had difficulty concentrating on school work	35.6%	32.1%	32.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.7%	91.8%	90.0%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.9%	93.4%	92.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.4%	92.5%	93.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.9%	96.2%	95.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	83.4%	87.7%	74.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.6%	84.9%	73.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.1%	75.6%	78.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.9%	94.5%	86.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	33.4%	39.5%	42.1%
'Very' or 'sort of easy' to get alcohol	51.0%	52.3%	45.5%
'Very' or 'sort of easy' to get marijuana	19.3%	38.0%	30.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.8%	21.1%	28.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	4.5%	10.1%	14.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.6%	26.3%	27.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.8%	27.5%	29.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	11.5%	25.9%	24.7%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	25.4%	33.2%	40.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	12.5%	18.9%	21.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	44.7%	46.5%	38.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.6%	35.1%	39.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	33.3%	24.2%	28.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	35.4%	39.2%	38.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.7%	9.6%	9.4%
'No' or 'slight risk' if they use synthetic drugs	24.7%	13.2%	13.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	30.9%	23.4%	25.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.3%	14.2%	12.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Lafayette County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	540	*	679
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	20.3%	12.9%	11.3%
Grade level. 7th Grade	14.3%	11.5%	15.7%
Grade level. 8th Grade	16.6%	11.8%	15.9%
Grade level. 9th Grade	12.4%	13.6%	15.9%
Grade level. 10th Grade	14.7%	17.4%	16.4%
Grade level. 11th Grade	12.6%	17.8%	13.3%
Grade level. 12th Grade	9.1%	15.0%	11.6%
Male	48.6%	50.5%	48.0%
Hispanic or Latino	1.9%	1.5%	2.0%
Race: Black or African American	2.1%	13.3%	2.0%
Race: White	94.3%	79.5%	94.5%
Race: Multiracial	2.4%	5.3%	2.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	8.9%	5.3%	11.7%
Used electronic cigarettes	16.0%	15.5%	10.3%
Used hookahs or water pipes	1.7%	1.9%	3.2%
Used alcohol	15.1%	17.0%	20.1%
Used marijuana	5.6%	8.9%	7.6%
Used inhalants	1.4%	1.0%	1.3%
Used Rx not prescribed for you by a doctor	8.3%	6.3%	7.9%
Used `OTC` to get high	2.7%	2.0%	2.3%
Used synthetic drugs	0.5%	0.5%	0.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.0%	1.2%	0.7%
Used heroin or `smack`	0.0%	0.3%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.0%	2.2%	0.7%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.7%	0.3%
Used `club drugs` such as ecstasy	1.0%	1.0%	0.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.3%	30.1%	29.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.2%	5.9%	8.0%
Rode with someone who was drinking alcohol	14.3%	17.0%	18.4%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.7%	16.2%	24.3%
Posted something online or sent a text that might embarrass or hurt another student	14.8%	15.7%	20.1%
Made fun of other people	47.2%	47.2%	49.8%
Hit, shoved or pushed another student and was not just fooling around	13.6%	12.4%	13.6%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	30.0%	26.2%	36.5%
Was in a physical fight	17.4%	15.9%	21.4%
Been threatened or injured with a weapon on school property	7.3%	6.7%	6.0%
Seriously considered suicide	9.7%	11.1%	15.1%
Planned suicide	7.1%	8.6%	10.2%
Attempted suicide	4.2%	4.9%	6.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.1%	25.3%	26.0%
Was grouchy or irritable, or in a bad mood	36.2%	33.4%	35.7%
Felt hopeless about the future	16.0%	15.5%	14.5%
Felt like not eating or eating more than usual	22.8%	21.1%	21.1%
Felt like sleeping a lot more or a lot less than usual	31.5%	32.6%	32.0%
Had difficulty concentrating on school work	29.8%	32.1%	28.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.1%	91.8%	90.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.4%	93.4%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.2%	92.5%	91.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.2%	96.2%	95.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.1%	87.7%	75.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.8%	84.9%	70.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.3%	75.6%	71.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.8%	94.5%	87.3%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	38.8%	39.5%	47.3%
'Very' or 'sort of easy' to get alcohol	46.9%	52.3%	49.1%
'Very' or 'sort of easy' to get marijuana	34.1%	38.0%	32.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.9%	21.1%	22.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.5%	10.1%	8.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.9%	26.3%	14.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	25.2%	27.5%	24.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.6%	25.9%	19.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	36.4%	33.2%	47.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	23.3%	18.9%	22.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	47.7%	46.5%	43.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.5%	35.1%	38.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	31.3%	24.2%	30.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	38.9%	39.2%	40.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	13.3%	9.6%	12.1%
'No' or 'slight risk' if they use synthetic drugs	18.3%	13.2%	15.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	27.4%	23.4%	26.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.3%	14.2%	16.2%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Lincoln County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	109	*	366
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	18.6%	12.9%	16.7%
Grade level. 7th Grade	34.6%	11.5%	14.2%
Grade level. 8th Grade	32.7%	11.8%	10.7%
Grade level. 9th Grade	1.0%	13.6%	20.7%
Grade level. 10th Grade	1.0%	17.4%	15.2%
Grade level. 11th Grade	0.0%	17.8%	12.7%
Grade level. 12th Grade	12.0%	15.0%	9.7%
Male	49.5%	50.5%	48.0%
Hispanic or Latino	1.3%	1.5%	1.9%
Race: Black or African American	0.0%	13.3%	1.8%
Race: White	96.5%	79.5%	94.9%
Race: Multiracial	2.7%	5.3%	2.2%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	3.0%	5.3%	16.5%
Used electronic cigarettes	9.1%	15.5%	15.4%
Used hookahs or water pipes	0.0%	1.9%	1.8%
Used alcohol	15.1%	17.0%	25.2%
Used marijuana	2.0%	8.9%	6.0%
Used inhalants	1.1%	1.0%	0.3%
Used Rx not prescribed for you by a doctor	7.6%	6.3%	6.7%
Used `OTC` to get high	1.1%	2.0%	2.0%
Used synthetic drugs	0.4%	0.5%	0.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.1%	1.2%	1.7%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.0%
Used `club drugs` such as ecstasy	0.0%	1.0%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	27.7%	30.1%	24.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.9%	5.9%	8.2%
Rode with someone who was drinking alcohol	23.5%	17.0%	28.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.0%	16.2%	21.0%
Posted something online or sent a text that might embarrass or hurt another student	6.4%	15.7%	16.1%
Made fun of other people	35.4%	47.2%	52.8%
Hit, shoved or pushed another student and was not just fooling around	14.1%	12.4%	19.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.0%	26.2%	34.4%
Was in a physical fight	16.4%	15.9%	23.2%
Been threatened or injured with a weapon on school property	10.0%	6.7%	4.8%
Seriously considered suicide	13.6%	11.1%	10.6%
Planned suicide	7.3%	8.6%	7.3%
Attempted suicide	5.3%	4.9%	5.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.3%	25.3%	23.8%
Was grouchy or irritable, or in a bad mood	30.9%	33.4%	34.1%
Felt hopeless about the future	15.6%	15.5%	14.8%
Felt like not eating or eating more than usual	22.6%	21.1%	22.5%
Felt like sleeping a lot more or a lot less than usual	32.0%	32.6%	30.5%
Had difficulty concentrating on school work	24.7%	32.1%	26.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.9%	91.8%	91.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.6%	93.4%	90.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.4%	92.5%	93.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.9%	96.2%	96.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.9%	87.7%	69.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	82.8%	84.9%	61.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	84.0%	75.6%	74.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.4%	94.5%	87.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	37.1%	39.5%	48.1%
'Very' or 'sort of easy' to get alcohol	42.1%	52.3%	57.2%
'Very' or 'sort of easy' to get marijuana	27.6%	38.0%	34.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.9%	21.1%	26.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.9%	10.1%	15.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.2%	26.3%	24.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.3%	27.5%	32.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	20.3%	25.9%	22.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	23.2%	33.2%	43.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	13.1%	18.9%	16.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	27.8%	46.5%	38.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	29.1%	35.1%	43.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.2%	24.2%	30.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	21.2%	39.2%	33.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	3.3%	9.6%	7.7%
'No' or 'slight risk' if they use synthetic drugs	9.0%	13.2%	10.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.9%	23.4%	17.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	6.4%	14.2%	11.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Linn County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	480	*	315
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	12.1%	12.9%	3.9%
Grade level. 7th Grade	22.3%	11.5%	12.9%
Grade level. 8th Grade	29.3%	11.8%	28.9%
Grade level. 9th Grade	5.7%	13.6%	10.2%
Grade level. 10th Grade	14.0%	17.4%	18.4%
Grade level. 11th Grade	5.1%	17.8%	8.2%
Grade level. 12th Grade	11.5%	15.0%	17.6%
Male	48.4%	50.5%	46.3%
Hispanic or Latino	2.6%	1.5%	1.2%
Race: Black or African American	0.6%	13.3%	0.4%
Race: White	96.8%	79.5%	96.1%
Race: Multiracial	1.9%	5.3%	1.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	9.0%	5.3%	13.0%
Used electronic cigarettes	20.1%	15.5%	9.5%
Used hookahs or water pipes	1.3%	1.9%	0.8%
Used alcohol	20.3%	17.0%	24.2%
Used marijuana	3.9%	8.9%	4.3%
Used inhalants	2.6%	1.0%	0.8%
Used Rx not prescribed for you by a doctor	4.6%	6.3%	5.2%
Used `OTC` to get high	2.6%	2.0%	1.2%
Used synthetic drugs	1.3%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.3%	1.2%	1.2%
Used heroin or `smack`	0.0%	0.3%	0.4%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.0%	2.2%	1.2%
Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.7%	0.8%
Used `club drugs` such as ecstasy	1.3%	1.0%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.3%	30.1%	19.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.5%	5.9%	5.9%
Rode with someone who was drinking alcohol	21.4%	17.0%	22.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	26.1%	16.2%	24.1%
Posted something online or sent a text that might embarrass or hurt another student	17.3%	15.7%	21.1%
Made fun of other people	60.3%	47.2%	57.2%
Hit, shoved or pushed another student and was not just fooling around	19.1%	12.4%	14.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	34.6%	26.2%	31.9%
Was in a physical fight	19.7%	15.9%	19.5%
Been threatened or injured with a weapon on school property	5.1%	6.7%	7.0%
Seriously considered suicide	16.1%	11.1%	13.3%
Planned suicide	14.2%	8.6%	10.2%
Attempted suicide	6.4%	4.9%	5.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	32.5%	25.3%	23.8%
Was grouchy or irritable, or in a bad mood	37.2%	33.4%	31.9%
Felt hopeless about the future	20.4%	15.5%	13.2%
Felt like not eating or eating more than usual	28.8%	21.1%	16.4%
Felt like sleeping a lot more or a lot less than usual	35.9%	32.6%	23.4%
Had difficulty concentrating on school work	33.8%	32.1%	21.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.8%	91.8%	91.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.2%	93.4%	91.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.1%	92.5%	95.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.1%	96.2%	93.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	78.6%	87.7%	77.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	76.1%	84.9%	67.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.6%	75.6%	82.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.0%	94.5%	90.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	36.9%	39.5%	55.3%
'Very' or 'sort of easy' to get alcohol	49.4%	52.3%	60.3%
'Very' or 'sort of easy' to get marijuana	21.8%	38.0%	24.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.4%	21.1%	32.3%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.2%	10.1%	9.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	29.5%	26.3%	19.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	28.8%	27.5%	33.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.6%	25.9%	15.2%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	28.8%	33.2%	36.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	15.9%	18.9%	14.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.9%	46.5%	39.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.6%	35.1%	37.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.1%	24.2%	31.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	23.9%	39.2%	26.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	6.4%	9.6%	7.8%
'No' or 'slight risk' if they use synthetic drugs	10.3%	13.2%	9.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	16.0%	23.4%	15.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.7%	14.2%	9.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Macon County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	352	*	613
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	11.4%	12.9%	15.3%
Grade level. 7th Grade	23.9%	11.5%	13.6%
Grade level. 8th Grade	19.9%	11.8%	13.6%
Grade level. 9th Grade	5.7%	13.6%	18.1%
Grade level. 10th Grade	6.3%	17.4%	15.7%
Grade level. 11th Grade	22.2%	17.8%	12.2%
Grade level. 12th Grade	10.8%	15.0%	11.5%
Male	48.6%	50.5%	47.2%
Hispanic or Latino	1.2%	1.5%	1.1%
Race: Black or African American	1.7%	13.3%	2.1%
Race: White	95.4%	79.5%	95.1%
Race: Multiracial	1.7%	5.3%	2.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	9.1%	5.3%	11.5%
Used electronic cigarettes	15.9%	15.5%	9.7%
Used hookahs or water pipes	0.6%	1.9%	1.4%
Used alcohol	16.1%	17.0%	17.2%
Used marijuana	2.3%	8.9%	4.0%
Used inhalants	2.3%	1.0%	0.7%
Used Rx not prescribed for you by a doctor	6.9%	6.3%	9.8%
Used `OTC` to get high	1.7%	2.0%	1.8%
Used synthetic drugs	1.1%	0.5%	0.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.6%	1.2%	0.7%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.8%	2.2%	0.7%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.4%
Used `club drugs` such as ecstasy	0.6%	1.0%	0.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.4%	30.1%	33.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.2%	5.9%	9.5%
Rode with someone who was drinking alcohol	16.9%	17.0%	15.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	14.8%	16.2%	25.6%
Posted something online or sent a text that might embarrass or hurt another student	13.6%	15.7%	16.8%
Made fun of other people	42.6%	47.2%	54.1%
Hit, shoved or pushed another student and was not just fooling around	12.0%	12.4%	15.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	25.9%	26.2%	35.1%
Was in a physical fight	18.3%	15.9%	18.6%
Been threatened or injured with a weapon on school property	6.3%	6.7%	6.0%
Seriously considered suicide	14.0%	11.1%	12.5%
Planned suicide	11.0%	8.6%	11.5%
Attempted suicide	7.5%	4.9%	5.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	29.0%	25.3%	28.6%
Was grouchy or irritable, or in a bad mood	31.3%	33.4%	40.3%
Felt hopeless about the future	17.7%	15.5%	16.0%
Felt like not eating or eating more than usual	24.3%	21.1%	21.9%
Felt like sleeping a lot more or a lot less than usual	32.4%	32.6%	30.9%
Had difficulty concentrating on school work	33.0%	32.1%	29.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.9%	91.8%	94.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.9%	93.4%	95.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.3%	92.5%	96.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.1%	96.2%	97.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	81.8%	87.7%	78.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.4%	84.9%	73.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	81.0%	75.6%	79.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.2%	94.5%	87.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	36.2%	39.5%	47.1%
'Very' or 'sort of easy' to get alcohol	47.2%	52.3%	51.6%
'Very' or 'sort of easy' to get marijuana	18.3%	38.0%	27.7%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.4%	21.1%	23.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.2%	10.1%	10.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.7%	26.3%	18.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.6%	27.5%	30.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.5%	25.9%	20.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	27.7%	33.2%	37.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	14.9%	18.9%	16.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.4%	46.5%	37.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.0%	35.1%	36.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.6%	24.2%	28.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	27.0%	39.2%	29.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.0%	9.6%	10.5%
'No' or 'slight risk' if they use synthetic drugs	10.9%	13.2%	12.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.0%	23.4%	22.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.1%	14.2%	13.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Madison County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	456	*	671
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	35.6%	12.9%	11.6%
Grade level. 7th Grade	33.3%	11.5%	17.6%
Grade level. 8th Grade	26.7%	11.8%	17.1%
Grade level. 9th Grade	0.0%	13.6%	14.8%
Grade level. 10th Grade	2.2%	17.4%	13.9%
Grade level. 11th Grade	2.2%	17.8%	14.8%
Grade level. 12th Grade	0.0%	15.0%	10.2%
Male	50.6%	50.5%	47.7%
Hispanic or Latino	1.1%	1.5%	0.5%
Race: Black or African American	1.1%	13.3%	1.4%
Race: White	97.8%	79.5%	96.7%
Race: Multiracial	1.1%	5.3%	1.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	6.9%	5.3%	16.3%
Used electronic cigarettes	11.5%	15.5%	19.7%
Used hookahs or water pipes	1.1%	1.9%	2.4%
Used alcohol	8.0%	17.0%	18.9%
Used marijuana	4.7%	8.9%	6.9%
Used inhalants	2.4%	1.0%	1.5%
Used Rx not prescribed for you by a doctor	8.2%	6.3%	7.9%
Used `OTC` to get high	3.6%	2.0%	2.5%
Used synthetic drugs	1.2%	0.5%	1.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	1.0%
Used heroin or `smack`	0.0%	0.3%	0.5%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.2%	2.2%	3.1%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	1.0%
Used `club drugs` such as ecstasy	1.2%	1.0%	2.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	32.6%	30.1%	39.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.0%	5.9%	10.2%
Rode with someone who was drinking alcohol	16.1%	17.0%	18.4%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	23.3%	16.2%	22.7%
Posted something online or sent a text that might embarrass or hurt another student	12.2%	15.7%	18.5%
Made fun of other people	44.9%	47.2%	50.2%
Hit, shoved or pushed another student and was not just fooling around	18.0%	12.4%	16.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.1%	26.2%	39.1%
Was in a physical fight	18.9%	15.9%	17.6%
Been threatened or injured with a weapon on school property	8.9%	6.7%	10.2%
Seriously considered suicide	14.4%	11.1%	14.7%
Planned suicide	10.2%	8.6%	11.9%
Attempted suicide	6.7%	4.9%	6.6%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.8%	25.3%	30.4%
Was grouchy or irritable, or in a bad mood	34.8%	33.4%	37.1%
Felt hopeless about the future	13.6%	15.5%	16.9%
Felt like not eating or eating more than usual	24.4%	21.1%	21.2%
Felt like sleeping a lot more or a lot less than usual	34.4%	32.6%	32.9%
Had difficulty concentrating on school work	24.4%	32.1%	27.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.3%	91.8%	93.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.0%	93.4%	91.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.3%	92.5%	91.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.0%	96.2%	94.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	83.0%	87.7%	73.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.5%	84.9%	70.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	82.0%	75.6%	76.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.8%	94.5%	87.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	35.6%	39.5%	52.1%
'Very' or 'sort of easy' to get alcohol	38.2%	52.3%	53.5%
'Very' or 'sort of easy' to get marijuana	22.2%	38.0%	36.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.2%	21.1%	30.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	15.6%	10.1%	16.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	32.2%	26.3%	33.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.4%	27.5%	33.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	26.7%	25.9%	25.5%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	29.5%	33.2%	50.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	19.1%	18.9%	20.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.0%	46.5%	38.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.2%	35.1%	42.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.5%	24.2%	27.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	23.6%	39.2%	35.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.1%	9.6%	7.6%
'No' or 'slight risk' if they use synthetic drugs	17.0%	13.2%	11.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.7%	23.4%	21.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.6%	14.2%	11.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Marion County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	126	*	
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	0.0%	12.9%	
Grade level. 7th Grade	0.0%	11.5%	
Grade level. 8th Grade	51.8%	11.8%	
Grade level. 9th Grade	0.7%	13.6%	
Grade level. 10th Grade	47.5%	17.4%	
Grade level. 11th Grade	0.0%	17.8%	
Grade level. 12th Grade	0.0%	15.0%	
Male	47.8%	50.5%	
Hispanic or Latino	1.8%	1.5%	
Race: Black or African American	4.1%	13.3%	
Race: White	91.6%	79.5%	
Race: Multiracial	3.0%	5.3%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	4.2%	5.3%
Used electronic cigarettes	18.4%	15.5%
Used hookahs or water pipes	2.3%	1.9%
Used alcohol	18.2%	17.0%
Used marijuana	6.1%	8.9%
Used inhalants	3.3%	1.0%
Used Rx not prescribed for you by a doctor	11.0%	6.3%
Used `OTC` to get high	2.9%	2.0%
Used synthetic drugs	4.3%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	
Used heroin or `smack`	0.0%	0.3%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.7%	2.2%	
Used methamphetamine (meth, crank, crystal, ice)	1.0%	0.7%	
Used `club drugs` such as ecstasy	0.0%	1.0%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	25.8%	30.1%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.5%	5.9%	
Rode with someone who was drinking alcohol	17.5%	17.0%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	27.9%	16.2%	
Posted something online or sent a text that might embarrass or hurt another student	20.5%	15.7%	
Made fun of other people	61.8%	47.2%	
Hit, shoved or pushed another student and was not just fooling around	11.2%	12.4%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.1%	26.2%	
Was in a physical fight	16.4%	15.9%	
Been threatened or injured with a weapon on school property	7.8%	6.7%	
Seriously considered suicide	16.5%	11.1%	
Planned suicide	14.6%	8.6%	
Attempted suicide	6.8%	4.9%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.7%	25.3%	
Was grouchy or irritable, or in a bad mood	37.1%	33.4%	
Felt hopeless about the future	16.2%	15.5%	
Felt like not eating or eating more than usual	23.3%	21.1%	
Felt like sleeping a lot more or a lot less than usual	26.7%	32.6%	
Had difficulty concentrating on school work	29.0%	32.1%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.0%	91.8%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.9%	93.4%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.0%	92.5%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.1%	96.2%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	88.1%	87.7%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.0%	84.9%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.8%	75.6%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.2%	94.5%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	45.9%	39.5%	
'Very' or 'sort of easy' to get alcohol	60.0%	52.3%	
'Very' or 'sort of easy' to get marijuana	32.6%	38.0%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.5%	21.1%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.6%	10.1%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	25.0%	26.3%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.6%	27.5%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	20.8%	25.9%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	40.5%	33.2%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	24.1%	18.9%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	49.1%	46.5%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.3%	35.1%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.3%	24.2%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	35.0%	39.2%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.4%	9.6%	
'No' or 'slight risk' if they use synthetic drugs	18.3%	13.2%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	31.0%	23.4%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.6%	14.2%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Miller County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	559	*	489
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	36.1%	12.9%	11.4%
Grade level. 7th Grade	24.2%	11.5%	14.9%
Grade level. 8th Grade	13.7%	11.8%	14.7%
Grade level. 9th Grade	10.6%	13.6%	17.5%
Grade level. 10th Grade	9.3%	17.4%	18.6%
Grade level. 11th Grade	3.1%	17.8%	12.1%
Grade level. 12th Grade	3.1%	15.0%	10.7%
Male	49.1%	50.5%	48.4%
Hispanic or Latino	1.3%	1.5%	1.3%
Race: Black or African American	0.4%	13.3%	0.4%
Race: White	96.5%	79.5%	96.9%
Race: Multiracial	2.2%	5.3%	2.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	7.2%	5.3%	12.8%
Used electronic cigarettes	13.5%	15.5%	16.4%
Used hookahs or water pipes	1.4%	1.9%	0.0%
Used alcohol	11.9%	17.0%	20.0%
Used marijuana	3.7%	8.9%	2.4%
Used inhalants	0.9%	1.0%	0.2%
Used Rx not prescribed for you by a doctor	6.0%	6.3%	9.2%
Used `OTC` to get high	2.3%	2.0%	1.1%
Used synthetic drugs	0.5%	0.5%	0.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.9%	1.2%	0.5%
Used heroin or `smack`	0.5%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.9%	2.2%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.7%	0.0%
Used `club drugs` such as ecstasy	0.9%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.0%	30.1%	30.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.2%	5.9%	4.8%
Rode with someone who was drinking alcohol	19.3%	17.0%	25.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.8%	16.2%	22.1%
Posted something online or sent a text that might embarrass or hurt another student	9.6%	15.7%	16.5%
Made fun of other people	39.5%	47.2%	48.9%
Hit, shoved or pushed another student and was not just fooling around	16.8%	12.4%	14.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.6%	26.2%	28.9%
Was in a physical fight	19.7%	15.9%	16.4%
Been threatened or injured with a weapon on school property	7.5%	6.7%	6.8%
Seriously considered suicide	11.5%	11.1%	8.8%
Planned suicide	8.9%	8.6%	6.7%
Attempted suicide	5.3%	4.9%	3.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.6%	25.3%	19.4%
Was grouchy or irritable, or in a bad mood	29.5%	33.4%	31.4%
Felt hopeless about the future	13.7%	15.5%	11.0%
Felt like not eating or eating more than usual	21.8%	21.1%	19.2%
Felt like sleeping a lot more or a lot less than usual	30.7%	32.6%	23.3%
Had difficulty concentrating on school work	30.7%	32.1%	30.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.0%	91.8%	93.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.3%	93.4%	93.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.8%	92.5%	96.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.1%	96.2%	96.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	83.7%	87.7%	79.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.0%	84.9%	70.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	83.2%	75.6%	85.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.2%	94.5%	90.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	28.2%	39.5%	42.2%
'Very' or 'sort of easy' to get alcohol	41.6%	52.3%	53.8%
'Very' or 'sort of easy' to get marijuana	19.0%	38.0%	18.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	16.9%	21.1%	14.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.1%	10.1%	9.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	16.8%	26.3%	16.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	15.5%	27.5%	24.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	8.8%	25.9%	9.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	27.2%	33.2%	33.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	12.9%	18.9%	15.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.7%	46.5%	36.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.7%	35.1%	37.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.1%	24.2%	24.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	22.4%	39.2%	27.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.0%	9.6%	6.2%
'No' or 'slight risk' if they use synthetic drugs	14.5%	13.2%	9.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.8%	23.4%	16.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.9%	14.2%	9.8%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Moniteau County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	567	*	528
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	17.1%	12.9%	20.2%
Grade level. 7th Grade	17.9%	11.5%	15.1%
Grade level. 8th Grade	16.7%	11.8%	17.2%
Grade level. 9th Grade	12.9%	13.6%	7.4%
Grade level. 10th Grade	12.9%	17.4%	14.5%
Grade level. 11th Grade	12.5%	17.8%	14.8%
Grade level. 12th Grade	10.0%	15.0%	10.7%
Male	52.1%	50.5%	50.0%
Hispanic or Latino	3.0%	1.5%	2.1%
Race: Black or African American	3.8%	13.3%	3.5%
Race: White	94.1%	79.5%	93.5%
Race: Multiracial	1.3%	5.3%	2.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	5.6%	5.3%	11.7%
Used electronic cigarettes	12.4%	15.5%	13.5%
Used hookahs or water pipes	1.3%	1.9%	0.6%
Used alcohol	12.5%	17.0%	19.4%
Used marijuana	4.3%	8.9%	4.2%
Used inhalants	0.9%	1.0%	0.9%
Used Rx not prescribed for you by a doctor	7.4%	6.3%	8.5%
Used `OTC` to get high	0.4%	2.0%	1.2%
Used synthetic drugs	0.4%	0.5%	0.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.3%
Used heroin or `smack`	0.0%	0.3%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.9%	2.2%	0.6%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.3%
Used `club drugs` such as ecstasy	0.4%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	20.0%	30.1%	20.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.2%	5.9%	5.6%
Rode with someone who was drinking alcohol	16.4%	17.0%	22.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.6%	16.2%	26.6%
Posted something online or sent a text that might embarrass or hurt another student	17.0%	15.7%	18.0%
Made fun of other people	40.8%	47.2%	58.6%
Hit, shoved or pushed another student and was not just fooling around	10.4%	12.4%	16.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	25.4%	26.2%	33.9%
Was in a physical fight	18.3%	15.9%	20.4%
Been threatened or injured with a weapon on school property	7.5%	6.7%	5.6%
Seriously considered suicide	7.1%	11.1%	14.0%
Planned suicide	5.5%	8.6%	11.9%
Attempted suicide	3.3%	4.9%	8.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	21.7%	25.3%	22.8%
Was grouchy or irritable, or in a bad mood	29.8%	33.4%	32.9%
Felt hopeless about the future	11.3%	15.5%	12.7%
Felt like not eating or eating more than usual	19.7%	21.1%	21.5%
Felt like sleeping a lot more or a lot less than usual	28.5%	32.6%	28.7%
Had difficulty concentrating on school work	22.1%	32.1%	26.2%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.1%	91.8%	92.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.0%	93.4%	91.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.6%	92.5%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.5%	96.2%	96.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	84.0%	87.7%	83.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.0%	84.9%	73.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	81.2%	75.6%	80.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.2%	94.5%	91.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	35.3%	39.5%	42.8%
'Very' or 'sort of easy' to get alcohol	46.4%	52.3%	47.3%
'Very' or 'sort of easy' to get marijuana	24.5%	38.0%	24.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	26.5%	21.1%	26.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.1%	10.1%	11.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.5%	26.3%	22.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.5%	27.5%	32.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.1%	25.9%	18.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	27.1%	33.2%	38.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	16.6%	18.9%	15.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.9%	46.5%	39.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	31.2%	35.1%	38.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.2%	24.2%	23.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	25.0%	39.2%	28.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.7%	9.6%	7.2%
'No' or 'slight risk' if they use synthetic drugs	11.9%	13.2%	10.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	16.5%	23.4%	17.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.6%	14.2%	12.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Monroe County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	196	*	523
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	35.1%	12.9%	15.8%
Grade level. 7th Grade	29.9%	11.5%	15.2%
Grade level. 8th Grade	28.6%	11.8%	13.0%
Grade level. 9th Grade	3.9%	13.6%	19.6%
Grade level. 10th Grade	0.0%	17.4%	14.7%
Grade level. 11th Grade	2.6%	17.8%	10.9%
Grade level. 12th Grade	0.0%	15.0%	10.9%
Male	51.3%	50.5%	48.9%
Hispanic or Latino	1.3%	1.5%	1.1%
Race: Black or African American	2.6%	13.3%	2.7%
Race: White	96.1%	79.5%	95.1%
Race: Multiracial	1.3%	5.3%	1.6%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	1.3%	5.3%	8.2%
Used electronic cigarettes	3.9%	15.5%	7.2%
Used hookahs or water pipes	0.0%	1.9%	0.5%
Used alcohol	5.4%	17.0%	15.5%
Used marijuana	1.4%	8.9%	2.7%
Used inhalants	0.0%	1.0%	1.1%
Used Rx not prescribed for you by a doctor	8.0%	6.3%	5.0%
Used `OTC` to get high	2.7%	2.0%	1.1%
Used synthetic drugs	2.7%	0.5%	0.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.6%
Used heroin or `smack`	0.0%	0.3%	0.6%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	0.6%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.6%
Used `club drugs` such as ecstasy	0.0%	1.0%	0.6%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	41.6%	30.1%	26.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.5%	5.9%	6.6%
Rode with someone who was drinking alcohol	16.0%	17.0%	13.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.8%	16.2%	23.9%
Posted something online or sent a text that might embarrass or hurt another student	10.4%	15.7%	13.0%
Made fun of other people	47.4%	47.2%	52.4%
Hit, shoved or pushed another student and was not just fooling around	19.5%	12.4%	12.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	34.6%	26.2%	30.3%
Was in a physical fight	21.8%	15.9%	20.7%
Been threatened or injured with a weapon on school property	9.2%	6.7%	7.1%
Seriously considered suicide	9.0%	11.1%	10.9%
Planned suicide	5.2%	8.6%	10.1%
Attempted suicide	7.7%	4.9%	6.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	19.5%	25.3%	21.3%
Was grouchy or irritable, or in a bad mood	23.1%	33.4%	26.8%
Felt hopeless about the future	7.9%	15.5%	10.9%
Felt like not eating or eating more than usual	16.7%	21.1%	18.0%
Felt like sleeping a lot more or a lot less than usual	29.5%	32.6%	21.2%
Had difficulty concentrating on school work	26.9%	32.1%	25.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	98.6%	91.8%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.3%	93.4%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	98.6%	92.5%	95.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.9%	96.2%	96.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.9%	87.7%	80.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	84.6%	84.9%	73.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	88.5%	75.6%	82.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.5%	94.5%	91.3%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	24.7%	39.5%	46.4%
'Very' or 'sort of easy' to get alcohol	32.1%	52.3%	54.1%
'Very' or 'sort of easy' to get marijuana	11.7%	38.0%	27.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	15.4%	21.1%	21.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	3.8%	10.1%	8.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	10.3%	26.3%	13.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	10.4%	27.5%	20.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	9.0%	25.9%	12.6%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	25.3%	33.2%	41.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.4%	18.9%	20.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.8%	46.5%	42.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.9%	35.1%	41.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.3%	24.2%	29.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	19.7%	39.2%	32.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.8%	9.6%	12.0%
'No' or 'slight risk' if they use synthetic drugs	22.4%	13.2%	15.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.5%	23.4%	23.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	18.2%	14.2%	13.1%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Pemiscot County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	104	*	544
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	12.4%	12.9%	18.5%
Grade level. 7th Grade	21.8%	11.5%	16.0%
Grade level. 8th Grade	20.5%	11.8%	15.3%
Grade level. 9th Grade	3.0%	13.6%	17.0%
Grade level. 10th Grade	14.9%	17.4%	18.5%
Grade level. 11th Grade	16.1%	17.8%	3.3%
Grade level. 12th Grade	11.3%	15.0%	11.5%
Male	41.2%	50.5%	46.9%
Hispanic or Latino	4.0%	1.5%	1.7%
Race: Black or African American	26.2%	13.3%	27.4%
Race: White	71.1%	79.5%	69.9%
Race: Multiracial	0.7%	5.3%	1.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	1.6%	5.3%	6.3%
Used electronic cigarettes	5.5%	15.5%	11.9%
Used hookahs or water pipes	0.5%	1.9%	0.3%
Used alcohol	7.1%	17.0%	14.5%
Used marijuana	9.0%	8.9%	4.5%
Used inhalants	1.4%	1.0%	2.1%
Used Rx not prescribed for you by a doctor	13.6%	6.3%	12.5%
Used `OTC` to get high	2.6%	2.0%	3.2%
Used synthetic drugs	0.0%	0.5%	0.8%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	1.4%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	0.3%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.7%	0.9%
Used `club drugs` such as ecstasy	0.0%	1.0%	0.5%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	50.6%	30.1%	39.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.4%	5.9%	8.3%
Rode with someone who was drinking alcohol	23.5%	17.0%	16.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.8%	16.2%	20.6%
Posted something online or sent a text that might embarrass or hurt another student	20.0%	15.7%	15.4%
Made fun of other people	59.3%	47.2%	55.7%
Hit, shoved or pushed another student and was not just fooling around	9.7%	12.4%	19.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	17.2%	26.2%	33.3%
Was in a physical fight	23.2%	15.9%	23.2%
Been threatened or injured with a weapon on school property	4.1%	6.7%	6.2%
Seriously considered suicide	14.7%	11.1%	9.5%
Planned suicide	7.5%	8.6%	6.0%
Attempted suicide	2.1%	4.9%	6.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	17.2%	25.3%	28.1%
Was grouchy or irritable, or in a bad mood	43.8%	33.4%	39.6%
Felt hopeless about the future	12.6%	15.5%	14.4%
Felt like not eating or eating more than usual	21.1%	21.1%	22.2%
Felt like sleeping a lot more or a lot less than usual	39.7%	32.6%	33.0%
Had difficulty concentrating on school work	28.7%	32.1%	30.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.3%	91.8%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.1%	93.4%	96.3%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.1%	92.5%	92.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.3%	96.2%	94.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.4%	87.7%	80.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.5%	84.9%	71.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	71.1%	75.6%	72.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	84.6%	94.5%	82.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	32.5%	39.5%	38.4%
'Very' or 'sort of easy' to get alcohol	42.2%	52.3%	39.4%
'Very' or 'sort of easy' to get marijuana	32.8%	38.0%	31.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.3%	21.1%	22.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	4.1%	10.1%	8.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	23.9%	26.3%	18.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	20.0%	27.5%	22.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	22.5%	25.9%	20.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	39.5%	33.2%	39.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	19.0%	18.9%	23.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.8%	46.5%	37.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.7%	35.1%	37.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	22.9%	24.2%	28.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	42.4%	39.2%	36.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.5%	9.6%	16.1%
'No' or 'slight risk' if they use synthetic drugs	14.7%	13.2%	18.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	27.8%	23.4%	25.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	19.5%	14.2%	20.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Pettis County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	216	*	323
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	5.1%	12.9%	26.5%
Grade level. 7th Grade	6.5%	11.5%	7.3%
Grade level. 8th Grade	4.7%	11.8%	14.2%
Grade level. 9th Grade	25.5%	13.6%	0.0%
Grade level. 10th Grade	28.4%	17.4%	1.2%
Grade level. 11th Grade	17.9%	17.8%	33.7%
Grade level. 12th Grade	12.0%	15.0%	17.0%
Male	48.1%	50.5%	47.7%
Hispanic or Latino	5.0%	1.5%	4.1%
Race: Black or African American	3.3%	13.3%	2.5%
Race: White	91.8%	79.5%	94.0%
Race: Multiracial	3.4%	5.3%	1.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	3.8%	5.3%	7.5%
Used electronic cigarettes	14.2%	15.5%	4.1%
Used hookahs or water pipes	0.8%	1.9%	1.6%
Used alcohol	17.0%	17.0%	17.6%
Used marijuana	10.0%	8.9%	14.3%
Used inhalants	0.7%	1.0%	0.6%
Used Rx not prescribed for you by a doctor	9.7%	6.3%	14.1%
Used `OTC` to get high	3.3%	2.0%	1.1%
Used synthetic drugs	1.4%	0.5%	0.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.4%	1.2%	1.4%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.3%	2.2%	1.4%
Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.7%	0.3%
Used `club drugs` such as ecstasy	1.4%	1.0%	1.6%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	27.4%	30.1%	32.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.3%	5.9%	11.8%
Rode with someone who was drinking alcohol	9.9%	17.0%	20.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	12.0%	16.2%	18.6%
Posted something online or sent a text that might embarrass or hurt another student	13.0%	15.7%	15.1%
Made fun of other people	35.6%	47.2%	49.6%
Hit, shoved or pushed another student and was not just fooling around	6.2%	12.4%	12.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	20.3%	26.2%	34.0%
Was in a physical fight	12.5%	15.9%	16.9%
Been threatened or injured with a weapon on school property	3.8%	6.7%	7.3%
Seriously considered suicide	4.8%	11.1%	11.8%
Planned suicide	4.0%	8.6%	10.3%
Attempted suicide	1.9%	4.9%	1.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.9%	25.3%	23.1%
Was grouchy or irritable, or in a bad mood	38.0%	33.4%	28.6%
Felt hopeless about the future	13.1%	15.5%	13.0%
Felt like not eating or eating more than usual	21.2%	21.1%	17.0%
Felt like sleeping a lot more or a lot less than usual	33.2%	32.6%	31.0%
Had difficulty concentrating on school work	29.4%	32.1%	29.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.2%	91.8%	88.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.4%	93.4%	86.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.9%	92.5%	85.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.8%	96.2%	86.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.1%	87.7%	81.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	82.3%	84.9%	75.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.4%	75.6%	67.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.8%	94.5%	86.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	42.0%	39.5%	50.6%
'Very' or 'sort of easy' to get alcohol	47.4%	52.3%	52.4%
'Very' or 'sort of easy' to get marijuana	35.2%	38.0%	46.7%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.2%	21.1%	29.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.8%	10.1%	10.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.7%	26.3%	20.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.4%	27.5%	31.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	21.7%	25.9%	31.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	38.7%	33.2%	44.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.3%	18.9%	24.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	42.6%	46.5%	35.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	28.5%	35.1%	39.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.8%	24.2%	25.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	43.5%	39.2%	44.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.7%	9.6%	9.5%
'No' or 'slight risk' if they use synthetic drugs	11.1%	13.2%	14.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.5%	23.4%	21.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.2%	14.2%	15.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Phelps County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	1516	*	1033
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	26.6%	12.9%	23.5%
Grade level. 7th Grade	12.4%	11.5%	0.1%
Grade level. 8th Grade	15.2%	11.8%	11.7%
Grade level. 9th Grade	18.9%	13.6%	13.7%
Grade level. 10th Grade	9.1%	17.4%	27.6%
Grade level. 11th Grade	11.6%	17.8%	11.1%
Grade level. 12th Grade	6.1%	15.0%	12.3%
Male	51.8%	50.5%	50.9%
Hispanic or Latino	1.9%	1.5%	1.7%
Race: Black or African American	2.6%	13.3%	2.8%
Race: White	91.2%	79.5%	91.5%
Race: Multiracial	3.5%	5.3%	3.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	6.2%	5.3%	8.6%
Used electronic cigarettes	13.1%	15.5%	17.4%
Used hookahs or water pipes	2.1%	1.9%	1.3%
Used alcohol	11.4%	17.0%	16.9%
Used marijuana	5.9%	8.9%	6.5%
Used inhalants	1.3%	1.0%	1.7%
Used Rx not prescribed for you by a doctor	7.0%	6.3%	7.2%
Used `OTC` to get high	2.1%	2.0%	2.2%
Used synthetic drugs	0.2%	0.5%	0.2%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.9%	1.2%	1.0%
Used heroin or `smack`	0.2%	0.3%	0.6%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.5%	2.2%	1.8%
Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.7%	0.5%
Used `club drugs` such as ecstasy	1.1%	1.0%	1.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.6%	30.1%	25.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.3%	5.9%	4.4%
Rode with someone who was drinking alcohol	14.3%	17.0%	13.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.1%	16.2%	19.9%
Posted something online or sent a text that might embarrass or hurt another student	13.7%	15.7%	14.4%
Made fun of other people	39.3%	47.2%	47.1%
Hit, shoved or pushed another student and was not just fooling around	14.5%	12.4%	13.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.0%	26.2%	32.0%
Was in a physical fight	20.2%	15.9%	19.4%
Been threatened or injured with a weapon on school property	9.3%	6.7%	6.7%
Seriously considered suicide	14.9%	11.1%	17.0%
Planned suicide	11.4%	8.6%	12.0%
Attempted suicide	7.9%	4.9%	6.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.5%	25.3%	26.9%
Was grouchy or irritable, or in a bad mood	34.6%	33.4%	32.2%
Felt hopeless about the future	18.7%	15.5%	14.8%
Felt like not eating or eating more than usual	26.5%	21.1%	22.3%
Felt like sleeping a lot more or a lot less than usual	34.2%	32.6%	32.0%
Had difficulty concentrating on school work	34.5%	32.1%	30.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.2%	91.8%	94.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.0%	93.4%	94.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.3%	92.5%	94.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.5%	96.2%	97.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.3%	87.7%	80.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	81.5%	84.9%	75.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.8%	75.6%	74.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.4%	94.5%	90.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	34.8%	39.5%	44.9%
'Very' or 'sort of easy' to get alcohol	41.3%	52.3%	49.3%
'Very' or 'sort of easy' to get marijuana	27.0%	38.0%	34.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.7%	21.1%	24.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.1%	10.1%	7.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.7%	26.3%	19.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.7%	27.5%	21.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.5%	25.9%	18.3%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	29.0%	33.2%	40.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	17.1%	18.9%	13.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.7%	46.5%	40.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	30.2%	35.1%	31.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.5%	24.2%	21.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	28.5%	39.2%	39.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.4%	9.6%	5.9%
'No' or 'slight risk' if they use synthetic drugs	14.8%	13.2%	9.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.9%	23.4%	18.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.3%	14.2%	9.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Pike County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	678	*	1015
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	6.1%	12.9%	14.4%
Grade level. 7th Grade	16.7%	11.5%	13.8%
Grade level. 8th Grade	19.3%	11.8%	14.7%
Grade level. 9th Grade	18.6%	13.6%	16.0%
Grade level. 10th Grade	17.0%	17.4%	17.8%
Grade level. 11th Grade	9.5%	17.8%	14.1%
Grade level. 12th Grade	12.9%	15.0%	9.2%
Male	55.3%	50.5%	54.3%
Hispanic or Latino	1.5%	1.5%	1.6%
Race: Black or African American	8.4%	13.3%	6.5%
Race: White	89.0%	79.5%	90.2%
Race: Multiracial	1.9%	5.3%	2.2%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	12.6%	5.3%	13.3%
Used electronic cigarettes	24.7%	15.5%	10.2%
Used hookahs or water pipes	2.3%	1.9%	2.8%
Used alcohol	26.5%	17.0%	21.7%
Used marijuana	8.4%	8.9%	6.8%
Used inhalants	1.1%	1.0%	1.2%
Used Rx not prescribed for you by a doctor	11.5%	6.3%	9.7%
Used `OTC` to get high	2.7%	2.0%	2.5%
Used synthetic drugs	0.8%	0.5%	0.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.9%	1.2%	1.3%
Used heroin or `smack`	0.4%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	3.1%	2.2%	0.9%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.7%	0.3%
Used `club drugs` such as ecstasy	1.9%	1.0%	1.3%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.4%	30.1%	28.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.1%	5.9%	4.9%
Rode with someone who was drinking alcohol	25.9%	17.0%	24.8%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	18.3%	16.2%	21.1%
Posted something online or sent a text that might embarrass or hurt another student	14.4%	15.7%	16.9%
Made fun of other people	50.8%	47.2%	52.3%
Hit, shoved or pushed another student and was not just fooling around	17.1%	12.4%	15.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	24.3%	26.2%	25.8%
Was in a physical fight	20.8%	15.9%	20.9%
Been threatened or injured with a weapon on school property	8.7%	6.7%	6.7%
Seriously considered suicide	11.1%	11.1%	12.7%
Planned suicide	8.9%	8.6%	9.1%
Attempted suicide	5.0%	4.9%	6.2%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	29.3%	25.3%	24.3%
Was grouchy or irritable, or in a bad mood	38.9%	33.4%	37.6%
Felt hopeless about the future	17.2%	15.5%	13.9%
Felt like not eating or eating more than usual	24.0%	21.1%	17.9%
Felt like sleeping a lot more or a lot less than usual	38.4%	32.6%	31.6%
Had difficulty concentrating on school work	33.7%	32.1%	28.8%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	88.7%	91.8%	92.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	88.8%	93.4%	90.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.2%	92.5%	92.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.7%	96.2%	95.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	73.3%	87.7%	76.9%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	64.8%	84.9%	70.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	66.3%	75.6%	71.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.1%	94.5%	86.4%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	49.4%	39.5%	50.0%
'Very' or 'sort of easy' to get alcohol	60.5%	52.3%	57.3%
'Very' or 'sort of easy' to get marijuana	40.3%	38.0%	39.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.9%	21.1%	27.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	16.0%	10.1%	11.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	34.9%	26.3%	19.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	38.3%	27.5%	30.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	29.1%	25.9%	25.8%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	32.4%	33.2%	41.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.3%	18.9%	17.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.1%	46.5%	43.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	40.7%	35.1%	40.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	29.8%	24.2%	30.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	37.4%	39.2%	36.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.0%	9.6%	8.6%
'No' or 'slight risk' if they use synthetic drugs	11.9%	13.2%	13.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.6%	23.4%	23.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.1%	14.2%	13.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Platte County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	5478	*	6403
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	14.7%	12.9%	15.7%
Grade level. 7th Grade	14.5%	11.5%	14.4%
Grade level. 8th Grade	12.7%	11.8%	14.5%
Grade level. 9th Grade	18.5%	13.6%	16.4%
Grade level. 10th Grade	15.2%	17.4%	16.8%
Grade level. 11th Grade	14.2%	17.8%	9.3%
Grade level. 12th Grade	10.2%	15.0%	12.9%
Male	49.2%	50.5%	49.3%
Hispanic or Latino	4.2%	1.5%	4.3%
Race: Black or African American	6.9%	13.3%	6.9%
Race: White	86.4%	79.5%	87.5%
Race: Multiracial	3.5%	5.3%	3.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	2.0%	5.3%	3.7%
Used electronic cigarettes	8.5%	15.5%	11.8%
Used hookahs or water pipes	0.9%	1.9%	1.4%
Used alcohol	8.9%	17.0%	11.0%
Used marijuana	5.3%	8.9%	6.6%
Used inhalants	0.7%	1.0%	0.9%
Used Rx not prescribed for you by a doctor	5.6%	6.3%	7.3%
Used `OTC` to get high	1.6%	2.0%	1.5%
Used synthetic drugs	0.8%	0.5%	0.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.6%	1.2%	0.6%
Used heroin or `smack`	0.1%	0.3%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.4%	2.2%	1.3%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.7%	0.1%
Used `club drugs` such as ecstasy	0.8%	1.0%	0.6%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	27.6%	30.1%	27.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.6%	5.9%	8.0%
Rode with someone who was drinking alcohol	13.1%	17.0%	14.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	12.7%	16.2%	18.2%
Posted something online or sent a text that might embarrass or hurt another student	9.5%	15.7%	12.8%
Made fun of other people	35.2%	47.2%	40.2%
Hit, shoved or pushed another student and was not just fooling around	7.5%	12.4%	7.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	13.9%	26.2%	19.8%
Was in a physical fight	10.3%	15.9%	11.7%
Been threatened or injured with a weapon on school property	5.3%	6.7%	5.4%
Seriously considered suicide	9.3%	11.1%	13.4%
Planned suicide	6.9%	8.6%	9.2%
Attempted suicide	3.6%	4.9%	5.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.8%	25.3%	23.5%
Was grouchy or irritable, or in a bad mood	29.2%	33.4%	30.3%
Felt hopeless about the future	13.8%	15.5%	13.7%
Felt like not eating or eating more than usual	21.2%	21.1%	21.2%
Felt like sleeping a lot more or a lot less than usual	28.8%	32.6%	31.7%
Had difficulty concentrating on school work	30.7%	32.1%	29.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.2%	91.8%	96.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.6%	93.4%	96.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.1%	92.5%	94.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.1%	96.2%	96.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.7%	87.7%	85.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	84.1%	84.9%	80.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	74.1%	75.6%	72.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.2%	94.5%	87.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	32.0%	39.5%	37.1%
'Very' or 'sort of easy' to get alcohol	45.8%	52.3%	49.4%
'Very' or 'sort of easy' to get marijuana	32.5%	38.0%	34.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.3%	21.1%	25.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.3%	10.1%	7.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.3%	26.3%	24.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.8%	27.5%	22.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	21.8%	25.9%	24.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	25.6%	33.2%	35.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	14.6%	18.9%	14.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.9%	46.5%	36.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	24.8%	35.1%	25.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	17.4%	24.2%	18.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.5%	39.2%	34.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.2%	9.6%	9.2%
'No' or 'slight risk' if they use synthetic drugs	15.4%	13.2%	12.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.7%	23.4%	21.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.8%	14.2%	12.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Polk County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	409	*	630
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	16.4%	12.9%	10.0%
Grade level. 7th Grade	18.9%	11.5%	15.9%
Grade level. 8th Grade	16.9%	11.8%	10.2%
Grade level. 9th Grade	13.4%	13.6%	21.6%
Grade level. 10th Grade	12.4%	17.4%	15.9%
Grade level. 11th Grade	10.6%	17.8%	16.2%
Grade level. 12th Grade	11.4%	15.0%	10.1%
Male	47.5%	50.5%	47.6%
Hispanic or Latino	1.6%	1.5%	1.5%
Race: Black or African American	1.0%	13.3%	0.8%
Race: White	95.7%	79.5%	96.2%
Race: Multiracial	2.3%	5.3%	2.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	10.1%	5.3%	11.7%
Used electronic cigarettes	12.2%	15.5%	14.0%
Used hookahs or water pipes	1.8%	1.9%	2.1%
Used alcohol	11.5%	17.0%	14.2%
Used marijuana	5.9%	8.9%	6.9%
Used inhalants	1.3%	1.0%	0.7%
Used Rx not prescribed for you by a doctor	7.3%	6.3%	9.7%
Used `OTC` to get high	0.8%	2.0%	1.4%
Used synthetic drugs	0.0%	0.5%	0.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.1%	1.2%	1.7%
Used heroin or `smack`	0.0%	0.3%	0.7%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.5%	2.2%	1.7%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.4%
Used `club drugs` such as ecstasy	0.8%	1.0%	1.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	27.9%	30.1%	26.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.0%	5.9%	7.8%
Rode with someone who was drinking alcohol	11.7%	17.0%	11.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	14.2%	16.2%	19.5%
Posted something online or sent a text that might embarrass or hurt another student	8.4%	15.7%	12.7%
Made fun of other people	45.4%	47.2%	54.0%
Hit, shoved or pushed another student and was not just fooling around	12.8%	12.4%	11.9%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.7%	26.2%	35.5%
Was in a physical fight	17.6%	15.9%	17.2%
Been threatened or injured with a weapon on school property	5.8%	6.7%	8.9%
Seriously considered suicide	9.4%	11.1%	15.2%
Planned suicide	10.0%	8.6%	10.9%
Attempted suicide	6.1%	4.9%	5.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.3%	25.3%	24.9%
Was grouchy or irritable, or in a bad mood	34.9%	33.4%	33.8%
Felt hopeless about the future	13.8%	15.5%	16.1%
Felt like not eating or eating more than usual	22.8%	21.1%	24.1%
Felt like sleeping a lot more or a lot less than usual	30.5%	32.6%	33.5%
Had difficulty concentrating on school work	31.4%	32.1%	31.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.7%	91.8%	95.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.1%	93.4%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	90.0%	92.5%	92.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.2%	96.2%	96.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	79.7%	87.7%	77.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.4%	84.9%	72.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.6%	75.6%	72.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.3%	94.5%	90.3%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	39.5%	39.5%	47.3%
'Very' or 'sort of easy' to get alcohol	44.0%	52.3%	48.0%
'Very' or 'sort of easy' to get marijuana	29.9%	38.0%	35.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.5%	21.1%	25.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.3%	10.1%	11.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.8%	26.3%	22.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	20.9%	27.5%	27.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	20.6%	25.9%	23.8%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	34.3%	33.2%	42.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	20.1%	18.9%	16.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	33.0%	46.5%	33.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.3%	35.1%	34.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	24.2%	24.2%	24.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	34.6%	39.2%	35.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.4%	9.6%	8.6%
'No' or 'slight risk' if they use synthetic drugs	14.1%	13.2%	12.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.7%	23.4%	21.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.3%	14.2%	13.2%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Pulaski County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	222	*	
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	0.6%	12.9%	
Grade level. 7th Grade	0.0%	11.5%	
Grade level. 8th Grade	0.0%	11.8%	
Grade level. 9th Grade	95.0%	13.6%	
Grade level. 10th Grade	3.5%	17.4%	
Grade level. 11th Grade	0.9%	17.8%	
Grade level. 12th Grade	0.0%	15.0%	
Male	60.7%	50.5%	
Hispanic or Latino	7.6%	1.5%	
Race: Black or African American	12.4%	13.3%	
Race: White	76.7%	79.5%	
Race: Multiracial	6.1%	5.3%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	2.7%	5.3%
Used electronic cigarettes	4.3%	15.5%
Used hookahs or water pipes	1.2%	1.9%
Used alcohol	4.1%	17.0%
Used marijuana	3.5%	8.9%
Used inhalants	1.0%	1.0%
Used Rx not prescribed for you by a doctor	7.4%	6.3%
Used `OTC` to get high	3.0%	2.0%
Used synthetic drugs	0.0%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.2%	
Used heroin or `smack`	0.0%	0.3%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.1%	2.2%	
Used methamphetamine (meth, crank, crystal, ice)	0.1%	0.7%	
Used `club drugs` such as ecstasy	1.1%	1.0%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	17.3%	30.1%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.6%	5.9%	
Rode with someone who was drinking alcohol	6.2%	17.0%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	7.3%	16.2%	
Posted something online or sent a text that might embarrass or hurt another student	8.3%	15.7%	
Made fun of other people	43.8%	47.2%	
Hit, shoved or pushed another student and was not just fooling around	8.1%	12.4%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	15.7%	26.2%	
Was in a physical fight	11.7%	15.9%	
Been threatened or injured with a weapon on school property	4.6%	6.7%	
Seriously considered suicide	12.4%	11.1%	
Planned suicide	7.8%	8.6%	
Attempted suicide	5.2%	4.9%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	29.6%	25.3%	
Was grouchy or irritable, or in a bad mood	37.9%	33.4%	
Felt hopeless about the future	21.7%	15.5%	
Felt like not eating or eating more than usual	25.0%	21.1%	
Felt like sleeping a lot more or a lot less than usual	46.2%	32.6%	
Had difficulty concentrating on school work	47.4%	32.1%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.4%	91.8%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.8%	93.4%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.0%	92.5%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.4%	96.2%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.2%	87.7%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	82.4%	84.9%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.1%	75.6%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.4%	94.5%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	32.0%	39.5%	
'Very' or 'sort of easy' to get alcohol	45.8%	52.3%	
'Very' or 'sort of easy' to get marijuana	26.6%	38.0%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.2%	21.1%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.1%	10.1%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.6%	26.3%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.7%	27.5%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.3%	25.9%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	25.1%	33.2%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	10.9%	18.9%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	33.3%	46.5%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	21.0%	35.1%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	13.1%	24.2%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.0%	39.2%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	4.1%	9.6%	
'No' or 'slight risk' if they use synthetic drugs	7.9%	13.2%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.7%	23.4%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.6%	14.2%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Putnam County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	194	*	127
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	18.5%	12.9%	25.4%
Grade level. 7th Grade	7.7%	11.5%	52.1%
Grade level. 8th Grade	16.9%	11.8%	22.5%
Grade level. 9th Grade	21.5%	13.6%	0.0%
Grade level. 10th Grade	10.8%	17.4%	0.0%
Grade level. 11th Grade	10.8%	17.8%	0.0%
Grade level. 12th Grade	13.8%	15.0%	0.0%
Male	50.0%	50.5%	62.0%
Hispanic or Latino	0.0%	1.5%	0.0%
Race: Black or African American	0.0%	13.3%	4.3%
Race: White	98.4%	79.5%	94.3%
Race: Multiracial	1.6%	5.3%	1.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.3%	5.3%	1.8%
Used electronic cigarettes	11.5%	15.5%	3.6%
Used hookahs or water pipes	1.6%	1.9%	1.8%
Used alcohol	15.0%	17.0%	1.8%
Used marijuana	5.0%	8.9%	0.0%
Used inhalants	3.3%	1.0%	0.0%
Used Rx not prescribed for you by a doctor	6.9%	6.3%	7.4%
Used `OTC` to get high	1.8%	2.0%	0.0%
Used synthetic drugs	0.0%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.8%	1.2%	0.0%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	3.6%	2.2%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.0%
Used `club drugs` such as ecstasy	1.8%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	33.8%	30.1%	45.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.6%	5.9%	2.9%
Rode with someone who was drinking alcohol	20.3%	17.0%	14.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	18.5%	16.2%	25.7%
Posted something online or sent a text that might embarrass or hurt another student	14.1%	15.7%	18.6%
Made fun of other people	41.5%	47.2%	35.7%
Hit, shoved or pushed another student and was not just fooling around	12.5%	12.4%	48.6%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.8%	26.2%	25.7%
Was in a physical fight	24.6%	15.9%	31.9%
Been threatened or injured with a weapon on school property	9.2%	6.7%	10.1%
Seriously considered suicide	12.3%	11.1%	12.1%
Planned suicide	10.8%	8.6%	3.0%
Attempted suicide	6.2%	4.9%	4.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.7%	25.3%	14.9%
Was grouchy or irritable, or in a bad mood	32.3%	33.4%	22.7%
Felt hopeless about the future	18.5%	15.5%	6.0%
Felt like not eating or eating more than usual	24.6%	21.1%	11.9%
Felt like sleeping a lot more or a lot less than usual	31.3%	32.6%	22.7%
Had difficulty concentrating on school work	30.8%	32.1%	19.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.3%	91.8%	96.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	90.6%	93.4%	98.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.2%	92.5%	100.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.1%	96.2%	98.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	79.7%	87.7%	88.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	70.3%	84.9%	85.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	82.8%	75.6%	91.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.2%	94.5%	85.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	53.1%	39.5%	20.0%
'Very' or 'sort of easy' to get alcohol	57.8%	52.3%	23.3%
'Very' or 'sort of easy' to get marijuana	33.3%	38.0%	5.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	29.2%	21.1%	10.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.3%	10.1%	5.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	15.4%	26.3%	3.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.1%	27.5%	5.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	12.5%	25.9%	3.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	27.0%	33.2%	49.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	17.5%	18.9%	13.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	30.2%	46.5%	25.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	41.3%	35.1%	55.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.2%	24.2%	50.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	22.2%	39.2%	40.7%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.3%	9.6%	8.8%
'No' or 'slight risk' if they use synthetic drugs	14.5%	13.2%	12.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.6%	23.4%	17.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.5%	14.2%	12.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Ralls County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	263	*	
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	20.9%	12.9%	
Grade level. 7th Grade	20.3%	11.5%	
Grade level. 8th Grade	0.0%	11.8%	
Grade level. 9th Grade	23.0%	13.6%	
Grade level. 10th Grade	23.0%	17.4%	
Grade level. 11th Grade	12.2%	17.8%	
Grade level. 12th Grade	0.7%	15.0%	
Male	49.0%	50.5%	
Hispanic or Latino	0.7%	1.5%	
Race: Black or African American	1.4%	13.3%	
Race: White	97.3%	79.5%	
Race: Multiracial	1.4%	5.3%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	3.4%	5.3%
Used electronic cigarettes	10.3%	15.5%
Used hookahs or water pipes	0.7%	1.9%
Used alcohol	6.2%	17.0%
Used marijuana	3.4%	8.9%
Used inhalants	2.1%	1.0%
Used Rx not prescribed for you by a doctor	6.3%	6.3%
Used `OTC` to get high	2.1%	2.0%
Used synthetic drugs	0.7%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.7%	1.2%	
Used heroin or `smack`	0.0%	0.3%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.7%	2.2%	
Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.7%	
Used `club drugs` such as ecstasy	0.7%	1.0%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.0%	30.1%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.5%	5.9%	
Rode with someone who was drinking alcohol	14.4%	17.0%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.9%	16.2%	
Posted something online or sent a text that might embarrass or hurt another student	12.8%	15.7%	
Made fun of other people	42.5%	47.2%	
Hit, shoved or pushed another student and was not just fooling around	10.1%	12.4%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	23.6%	26.2%	
Was in a physical fight	18.2%	15.9%	
Been threatened or injured with a weapon on school property	5.4%	6.7%	
Seriously considered suicide	8.2%	11.1%	
Planned suicide	4.1%	8.6%	
Attempted suicide	4.8%	4.9%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.3%	25.3%	
Was grouchy or irritable, or in a bad mood	27.2%	33.4%	
Felt hopeless about the future	14.2%	15.5%	
Felt like not eating or eating more than usual	21.9%	21.1%	
Felt like sleeping a lot more or a lot less than usual	28.4%	32.6%	
Had difficulty concentrating on school work	25.0%	32.1%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.4%	91.8%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.7%	93.4%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	97.2%	92.5%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.9%	96.2%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	88.5%	87.7%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	85.1%	84.9%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	87.8%	75.6%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.6%	94.5%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	28.1%	39.5%	
'Very' or 'sort of easy' to get alcohol	35.4%	52.3%	
'Very' or 'sort of easy' to get marijuana	19.7%	38.0%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	16.9%	21.1%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.4%	10.1%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	13.5%	26.3%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	13.5%	27.5%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	12.1%	25.9%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	33.8%	33.2%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	22.1%	18.9%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	41.1%	46.5%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	39.5%	35.1%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.6%	24.2%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	25.5%	39.2%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.8%	9.6%	
'No' or 'slight risk' if they use synthetic drugs	17.0%	13.2%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	24.5%	23.4%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.6%	14.2%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Randolph County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	167	*	167
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	15.3%	12.9%	12.5%
Grade level. 7th Grade	20.0%	11.5%	11.8%
Grade level. 8th Grade	12.4%	11.8%	17.6%
Grade level. 9th Grade	18.2%	13.6%	18.5%
Grade level. 10th Grade	14.5%	17.4%	23.0%
Grade level. 11th Grade	8.7%	17.8%	12.9%
Grade level. 12th Grade	10.9%	15.0%	3.7%
Male	51.1%	50.5%	54.9%
Hispanic or Latino	1.9%	1.5%	1.5%
Race: Black or African American	5.8%	13.3%	5.6%
Race: White	90.6%	79.5%	90.1%
Race: Multiracial	2.9%	5.3%	1.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	6.8%	5.3%	10.1%
Used electronic cigarettes	9.1%	15.5%	10.2%
Used hookahs or water pipes	0.4%	1.9%	0.4%
Used alcohol	11.9%	17.0%	20.3%
Used marijuana	0.8%	8.9%	0.9%
Used inhalants	0.0%	1.0%	0.0%
Used Rx not prescribed for you by a doctor	3.5%	6.3%	8.2%
Used `OTC` to get high	2.3%	2.0%	0.0%
Used synthetic drugs	0.4%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	1.1%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.5%
Used `club drugs` such as ecstasy	0.0%	1.0%	0.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.5%	30.1%	27.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.4%	5.9%	3.3%
Rode with someone who was drinking alcohol	4.6%	17.0%	17.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.1%	16.2%	21.9%
Posted something online or sent a text that might embarrass or hurt another student	10.8%	15.7%	17.2%
Made fun of other people	42.8%	47.2%	43.0%
Hit, shoved or pushed another student and was not just fooling around	7.2%	12.4%	10.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	24.2%	26.2%	32.8%
Was in a physical fight	15.5%	15.9%	16.3%
Been threatened or injured with a weapon on school property	4.0%	6.7%	4.5%
Seriously considered suicide	9.0%	11.1%	11.8%
Planned suicide	5.4%	8.6%	12.7%
Attempted suicide	5.1%	4.9%	6.2%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.6%	25.3%	28.8%
Was grouchy or irritable, or in a bad mood	30.7%	33.4%	38.4%
Felt hopeless about the future	14.6%	15.5%	17.2%
Felt like not eating or eating more than usual	21.5%	21.1%	26.6%
Felt like sleeping a lot more or a lot less than usual	29.2%	32.6%	34.8%
Had difficulty concentrating on school work	31.8%	32.1%	26.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.9%	91.8%	92.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.3%	93.4%	91.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.3%	92.5%	93.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.4%	96.2%	96.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	86.8%	87.7%	78.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.1%	84.9%	76.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	84.7%	75.6%	81.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.5%	94.5%	89.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	37.5%	39.5%	42.0%
'Very' or 'sort of easy' to get alcohol	41.1%	52.3%	53.9%
'Very' or 'sort of easy' to get marijuana	18.7%	38.0%	26.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	7.4%	21.1%	22.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.0%	10.1%	9.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.1%	26.3%	20.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.8%	27.5%	24.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.5%	25.9%	14.5%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	24.5%	33.2%	36.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	12.2%	18.9%	17.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	42.0%	46.5%	40.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	27.5%	35.1%	34.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.9%	24.2%	23.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	23.0%	39.2%	29.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.6%	9.6%	8.2%
'No' or 'slight risk' if they use synthetic drugs	5.2%	13.2%	8.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.1%	23.4%	16.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	4.1%	14.2%	10.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Ray County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	633	*	982
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	10.6%	12.9%	16.8%
Grade level. 7th Grade	11.0%	11.5%	15.0%
Grade level. 8th Grade	7.8%	11.8%	14.8%
Grade level. 9th Grade	26.9%	13.6%	16.8%
Grade level. 10th Grade	14.3%	17.4%	17.6%
Grade level. 11th Grade	17.0%	17.8%	13.6%
Grade level. 12th Grade	12.4%	15.0%	5.5%
Male	49.4%	50.5%	49.3%
Hispanic or Latino	1.6%	1.5%	1.6%
Race: Black or African American	1.8%	13.3%	1.4%
Race: White	96.1%	79.5%	95.8%
Race: Multiracial	1.8%	5.3%	2.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	11.2%	5.3%	8.5%
Used electronic cigarettes	22.0%	15.5%	15.2%
Used hookahs or water pipes	2.3%	1.9%	2.6%
Used alcohol	21.6%	17.0%	12.6%
Used marijuana	10.6%	8.9%	5.7%
Used inhalants	1.6%	1.0%	1.0%
Used Rx not prescribed for you by a doctor	8.5%	6.3%	8.7%
Used `OTC` to get high	2.4%	2.0%	1.6%
Used synthetic drugs	1.7%	0.5%	0.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.9%	1.2%	0.6%
Used heroin or `smack`	0.2%	0.3%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.9%	2.2%	1.3%
Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.7%	0.4%
Used `club drugs` such as ecstasy	1.2%	1.0%	0.6%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.5%	30.1%	28.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	3.9%	5.9%	6.9%
Rode with someone who was drinking alcohol	24.0%	17.0%	15.6%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.0%	16.2%	20.5%
Posted something online or sent a text that might embarrass or hurt another student	18.7%	15.7%	16.4%
Made fun of other people	48.5%	47.2%	48.9%
Hit, shoved or pushed another student and was not just fooling around	12.6%	12.4%	13.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	30.3%	26.2%	34.9%
Was in a physical fight	18.4%	15.9%	19.1%
Been threatened or injured with a weapon on school property	10.1%	6.7%	7.7%
Seriously considered suicide	15.0%	11.1%	13.6%
Planned suicide	13.5%	8.6%	10.5%
Attempted suicide	6.7%	4.9%	5.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	33.0%	25.3%	24.9%
Was grouchy or irritable, or in a bad mood	39.9%	33.4%	36.2%
Felt hopeless about the future	19.3%	15.5%	14.7%
Felt like not eating or eating more than usual	27.7%	21.1%	21.6%
Felt like sleeping a lot more or a lot less than usual	36.5%	32.6%	31.1%
Had difficulty concentrating on school work	37.2%	32.1%	29.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.2%	91.8%	94.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.1%	93.4%	95.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.1%	92.5%	94.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.5%	96.2%	94.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	77.3%	87.7%	82.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	71.8%	84.9%	79.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	67.5%	75.6%	80.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.2%	94.5%	90.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	51.2%	39.5%	45.7%
'Very' or 'sort of easy' to get alcohol	62.8%	52.3%	53.3%
'Very' or 'sort of easy' to get marijuana	43.6%	38.0%	32.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	31.9%	21.1%	29.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.2%	10.1%	8.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	32.5%	26.3%	25.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	35.3%	27.5%	23.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	28.9%	25.9%	19.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	36.7%	33.2%	38.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	20.1%	18.9%	14.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	44.0%	46.5%	33.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	34.8%	35.1%	32.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	27.1%	24.2%	22.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	34.6%	39.2%	27.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.2%	9.6%	7.6%
'No' or 'slight risk' if they use synthetic drugs	15.3%	13.2%	10.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.3%	23.4%	20.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.2%	14.2%	11.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Reynolds County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	171	*	202
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	10.7%	12.9%	5.2%
Grade level. 7th Grade	21.3%	11.5%	20.0%
Grade level. 8th Grade	20.0%	11.8%	19.1%
Grade level. 9th Grade	6.7%	13.6%	14.8%
Grade level. 10th Grade	16.0%	17.4%	18.3%
Grade level. 11th Grade	13.3%	17.8%	13.9%
Grade level. 12th Grade	12.0%	15.0%	8.7%
Male	51.4%	50.5%	52.6%
Hispanic or Latino	1.3%	1.5%	0.9%
Race: Black or African American	2.7%	13.3%	1.7%
Race: White	94.7%	79.5%	96.6%
Race: Multiracial	1.3%	5.3%	1.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	15.3%	5.3%	23.9%
Used electronic cigarettes	16.4%	15.5%	18.2%
Used hookahs or water pipes	0.0%	1.9%	3.6%
Used alcohol	19.4%	17.0%	24.5%
Used marijuana	5.6%	8.9%	8.3%
Used inhalants	1.4%	1.0%	2.7%
Used Rx not prescribed for you by a doctor	8.5%	6.3%	12.0%
Used `OTC` to get high	4.3%	2.0%	5.6%
Used synthetic drugs	0.0%	0.5%	1.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.4%	1.2%	2.9%
Used heroin or `smack`	0.0%	0.3%	1.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.4%	2.2%	3.8%
Used methamphetamine (meth, crank, crystal, ice)	1.4%	0.7%	2.9%
Used `club drugs` such as ecstasy	1.4%	1.0%	2.9%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	37.0%	30.1%	31.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.8%	5.9%	7.8%
Rode with someone who was drinking alcohol	17.8%	17.0%	20.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.3%	16.2%	22.2%
Posted something online or sent a text that might embarrass or hurt another student	16.0%	15.7%	17.1%
Made fun of other people	40.5%	47.2%	54.3%
Hit, shoved or pushed another student and was not just fooling around	14.9%	12.4%	20.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	21.6%	26.2%	42.7%
Was in a physical fight	24.0%	15.9%	32.5%
Been threatened or injured with a weapon on school property	5.3%	6.7%	9.4%
Seriously considered suicide	12.3%	11.1%	19.0%
Planned suicide	14.9%	8.6%	11.3%
Attempted suicide	6.8%	4.9%	10.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	30.7%	25.3%	26.1%
Was grouchy or irritable, or in a bad mood	36.5%	33.4%	43.9%
Felt hopeless about the future	12.0%	15.5%	16.7%
Felt like not eating or eating more than usual	22.7%	21.1%	25.2%
Felt like sleeping a lot more or a lot less than usual	27.0%	32.6%	30.4%
Had difficulty concentrating on school work	20.0%	32.1%	33.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.9%	91.8%	87.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.0%	93.4%	92.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.6%	92.5%	88.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.6%	96.2%	92.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	77.3%	87.7%	68.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.3%	84.9%	68.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.7%	75.6%	70.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.5%	94.5%	86.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	54.1%	39.5%	64.0%
'Very' or 'sort of easy' to get alcohol	53.4%	52.3%	55.9%
'Very' or 'sort of easy' to get marijuana	35.1%	38.0%	47.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.6%	21.1%	33.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.0%	10.1%	17.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.7%	26.3%	30.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	21.3%	27.5%	25.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	12.2%	25.9%	24.8%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	37.8%	33.2%	48.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	28.0%	18.9%	19.8%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.5%	46.5%	36.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	47.3%	35.1%	38.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	33.8%	24.2%	26.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	32.4%	39.2%	32.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	13.5%	9.6%	10.0%
'No' or 'slight risk' if they use synthetic drugs	17.8%	13.2%	12.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.0%	23.4%	24.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	17.6%	14.2%	15.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Ripley County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	465	*	
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	23.6%	12.9%	
Grade level. 7th Grade	20.6%	11.5%	
Grade level. 8th Grade	1.2%	11.8%	
Grade level. 9th Grade	20.6%	13.6%	
Grade level. 10th Grade	9.1%	17.4%	
Grade level. 11th Grade	17.0%	17.8%	
Grade level. 12th Grade	7.9%	15.0%	
Male	49.1%	50.5%	
Hispanic or Latino	0.6%	1.5%	
Race: Black or African American	0.6%	13.3%	
Race: White	96.4%	79.5%	
Race: Multiracial	1.8%	5.3%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.0%	5.3%
Used electronic cigarettes	20.6%	15.5%
Used hookahs or water pipes	3.2%	1.9%
Used alcohol	15.2%	17.0%
Used marijuana	4.0%	8.9%
Used inhalants	1.3%	1.0%
Used Rx not prescribed for you by a doctor	9.5%	6.3%
Used `OTC` to get high	2.8%	2.0%
Used synthetic drugs	1.4%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.4%	1.2%	
Used heroin or `smack`	0.7%	0.3%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.4%	2.2%	
Used methamphetamine (meth, crank, crystal, ice)	0.7%	0.7%	
Used `club drugs` such as ecstasy	1.4%	1.0%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	37.2%	30.1%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.2%	5.9%	
Rode with someone who was drinking alcohol	14.5%	17.0%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.4%	16.2%	
Posted something online or sent a text that might embarrass or hurt another student	13.9%	15.7%	
Made fun of other people	41.5%	47.2%	
Hit, shoved or pushed another student and was not just fooling around	17.6%	12.4%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	33.9%	26.2%	
Was in a physical fight	24.8%	15.9%	
Been threatened or injured with a weapon on school property	11.0%	6.7%	
Seriously considered suicide	14.1%	11.1%	
Planned suicide	11.0%	8.6%	
Attempted suicide	7.9%	4.9%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	29.9%	25.3%	
Was grouchy or irritable, or in a bad mood	37.4%	33.4%	
Felt hopeless about the future	15.9%	15.5%	
Felt like not eating or eating more than usual	24.4%	21.1%	
Felt like sleeping a lot more or a lot less than usual	34.1%	32.6%	
Had difficulty concentrating on school work	32.7%	32.1%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.1%	91.8%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.7%	93.4%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	91.9%	92.5%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.1%	96.2%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	71.3%	87.7%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	66.9%	84.9%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	68.1%	75.6%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	81.0%	94.5%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	45.5%	39.5%	
'Very' or 'sort of easy' to get alcohol	48.8%	52.3%	
'Very' or 'sort of easy' to get marijuana	32.1%	38.0%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.9%	21.1%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	14.8%	10.1%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	30.1%	26.3%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	29.6%	27.5%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.2%	25.9%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	39.2%	33.2%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	24.5%	18.9%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	43.0%	46.5%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	39.2%	35.1%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.9%	24.2%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	34.6%	39.2%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.9%	9.6%	
'No' or 'slight risk' if they use synthetic drugs	15.2%	13.2%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	27.8%	23.4%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.8%	14.2%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Saline County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	65	*	30
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	22.7%	12.9%	33.8%
Grade level. 7th Grade	15.9%	11.5%	37.2%
Grade level. 8th Grade	29.5%	11.8%	29.0%
Grade level. 9th Grade	9.1%	13.6%	0.0%
Grade level. 10th Grade	4.5%	17.4%	0.0%
Grade level. 11th Grade	6.8%	17.8%	0.0%
Grade level. 12th Grade	11.4%	15.0%	0.0%
Male	46.5%	50.5%	48.8%
Hispanic or Latino	9.5%	1.5%	8.0%
Race: Black or African American	0.0%	13.3%	0.0%
Race: White	86.0%	79.5%	90.3%
Race: Multiracial	9.3%	5.3%	2.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	9.5%	5.3%	0.0%
Used electronic cigarettes	9.5%	15.5%	0.0%
Used hookahs or water pipes	2.4%	1.9%	0.0%
Used alcohol	16.7%	17.0%	2.4%
Used marijuana	7.1%	8.9%	0.0%
Used inhalants	0.0%	1.0%	0.0%
Used Rx not prescribed for you by a doctor	7.1%	6.3%	0.0%
Used `OTC` to get high	0.0%	2.0%	0.0%
Used synthetic drugs	2.4%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	2.5%	1.2%	0.0%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.4%	2.2%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	2.4%	0.7%	0.0%
Used `club drugs` such as ecstasy	2.4%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	44.2%	30.1%	13.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	9.3%	5.9%	2.9%
Rode with someone who was drinking alcohol	9.5%	17.0%	9.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.3%	16.2%	0.0%
Posted something online or sent a text that might embarrass or hurt another student	11.6%	15.7%	0.0%
Made fun of other people	42.9%	47.2%	27.1%
Hit, shoved or pushed another student and was not just fooling around	2.3%	12.4%	6.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	14.0%	26.2%	17.4%
Was in a physical fight	9.5%	15.9%	6.8%
Been threatened or injured with a weapon on school property	9.3%	6.7%	0.0%
Seriously considered suicide	19.0%	11.1%	6.0%
Planned suicide	19.0%	8.6%	3.1%
Attempted suicide	4.8%	4.9%	0.0%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.6%	25.3%	5.8%
Was grouchy or irritable, or in a bad mood	33.3%	33.4%	8.5%
Felt hopeless about the future	14.3%	15.5%	3.9%
Felt like not eating or eating more than usual	27.9%	21.1%	11.6%
Felt like sleeping a lot more or a lot less than usual	37.2%	32.6%	9.2%
Had difficulty concentrating on school work	33.3%	32.1%	12.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.7%	91.8%	96.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.1%	93.4%	96.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.1%	92.5%	96.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	100.0%	96.2%	96.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	88.4%	87.7%	96.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.1%	84.9%	96.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	85.7%	75.6%	96.1%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.2%	94.5%	96.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	16.7%	39.5%	17.9%
'Very' or 'sort of easy' to get alcohol	33.3%	52.3%	23.7%
'Very' or 'sort of easy' to get marijuana	21.4%	38.0%	3.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	9.5%	21.1%	10.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	0.0%	10.1%	3.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	7.1%	26.3%	3.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	7.0%	27.5%	3.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	4.7%	25.9%	3.9%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	23.8%	33.2%	25.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	16.7%	18.9%	10.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	23.8%	46.5%	31.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	26.2%	35.1%	33.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.8%	24.2%	26.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.2%	39.2%	13.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.1%	9.6%	10.1%
'No' or 'slight risk' if they use synthetic drugs	9.5%	13.2%	14.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.8%	23.4%	16.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.6%	14.2%	13.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Scott County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	264	*	453
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	10.9%	12.9%	5.8%
Grade level. 7th Grade	10.1%	11.5%	14.7%
Grade level. 8th Grade	11.6%	11.8%	14.1%
Grade level. 9th Grade	15.5%	13.6%	18.4%
Grade level. 10th Grade	14.7%	17.4%	17.6%
Grade level. 11th Grade	21.7%	17.8%	14.9%
Grade level. 12th Grade	15.5%	15.0%	14.5%
Male	49.2%	50.5%	47.8%
Hispanic or Latino	2.4%	1.5%	1.1%
Race: Black or African American	11.6%	13.3%	11.5%
Race: White	85.3%	79.5%	86.4%
Race: Multiracial	2.3%	5.3%	1.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	9.4%	5.3%	14.7%
Used electronic cigarettes	22.8%	15.5%	15.9%
Used hookahs or water pipes	0.0%	1.9%	2.9%
Used alcohol	20.8%	17.0%	22.9%
Used marijuana	7.1%	8.9%	4.2%
Used inhalants	2.4%	1.0%	1.0%
Used Rx not prescribed for you by a doctor	8.8%	6.3%	10.1%
Used `OTC` to get high	1.6%	2.0%	3.7%
Used synthetic drugs	1.6%	0.5%	0.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.8%	1.2%	0.7%
Used heroin or `smack`	0.8%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.7%	2.2%	0.3%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.0%
Used `club drugs` such as ecstasy	0.8%	1.0%	0.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.4%	30.1%	25.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	11.6%	5.9%	8.5%
Rode with someone who was drinking alcohol	26.4%	17.0%	18.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.2%	16.2%	24.0%
Posted something online or sent a text that might embarrass or hurt another student	23.3%	15.7%	17.1%
Made fun of other people	54.6%	47.2%	51.2%
Hit, shoved or pushed another student and was not just fooling around	18.6%	12.4%	16.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	27.9%	26.2%	29.9%
Was in a physical fight	22.5%	15.9%	19.9%
Been threatened or injured with a weapon on school property	8.5%	6.7%	4.9%
Seriously considered suicide	11.7%	11.1%	12.6%
Planned suicide	9.4%	8.6%	7.2%
Attempted suicide	4.7%	4.9%	4.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.6%	25.3%	31.2%
Was grouchy or irritable, or in a bad mood	36.4%	33.4%	43.6%
Felt hopeless about the future	15.6%	15.5%	13.7%
Felt like not eating or eating more than usual	26.0%	21.1%	24.4%
Felt like sleeping a lot more or a lot less than usual	34.1%	32.6%	34.0%
Had difficulty concentrating on school work	27.9%	32.1%	28.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.8%	91.8%	90.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	89.4%	93.4%	90.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.1%	92.5%	93.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.1%	96.2%	95.8%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	75.2%	87.7%	78.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	66.4%	84.9%	74.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	70.5%	75.6%	79.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	84.5%	94.5%	88.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	50.8%	39.5%	45.7%
'Very' or 'sort of easy' to get alcohol	57.8%	52.3%	47.5%
'Very' or 'sort of easy' to get marijuana	36.7%	38.0%	31.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.9%	21.1%	24.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	13.3%	10.1%	19.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	30.5%	26.3%	25.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	37.5%	27.5%	29.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	27.3%	25.9%	25.0%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	29.1%	33.2%	47.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	14.2%	18.9%	17.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.1%	46.5%	36.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.4%	35.1%	36.0%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.4%	24.2%	23.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	28.3%	39.2%	26.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	6.3%	9.6%	7.4%
'No' or 'slight risk' if they use synthetic drugs	9.4%	13.2%	10.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.4%	23.4%	19.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	8.7%	14.2%	9.6%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Shannon County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	137	*	250
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	21.9%	12.9%	13.3%
Grade level. 7th Grade	20.3%	11.5%	11.2%
Grade level. 8th Grade	18.8%	11.8%	14.0%
Grade level. 9th Grade	14.1%	13.6%	12.6%
Grade level. 10th Grade	9.4%	17.4%	21.7%
Grade level. 11th Grade	7.8%	17.8%	12.6%
Grade level. 12th Grade	7.8%	15.0%	14.7%
Male	49.2%	50.5%	46.8%
Hispanic or Latino	1.6%	1.5%	1.4%
Race: Black or African American	0.0%	13.3%	0.0%
Race: White	95.4%	79.5%	96.5%
Race: Multiracial	3.1%	5.3%	2.8%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	19.0%	5.3%	16.9%
Used electronic cigarettes	22.6%	15.5%	10.5%
Used hookahs or water pipes	3.2%	1.9%	2.1%
Used alcohol	16.4%	17.0%	26.2%
Used marijuana	6.5%	8.9%	5.6%
Used inhalants	1.6%	1.0%	1.4%
Used Rx not prescribed for you by a doctor	11.5%	6.3%	7.8%
Used `OTC` to get high	3.3%	2.0%	0.7%
Used synthetic drugs	0.0%	0.5%	0.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.7%	1.2%	0.7%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.7%	2.2%	0.7%
Used methamphetamine (meth, crank, crystal, ice)	1.7%	0.7%	0.0%
Used `club drugs` such as ecstasy	1.7%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	39.1%	30.1%	40.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.3%	5.9%	5.0%
Rode with someone who was drinking alcohol	16.4%	17.0%	20.4%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.2%	16.2%	18.2%
Posted something online or sent a text that might embarrass or hurt another student	18.5%	15.7%	15.5%
Made fun of other people	53.1%	47.2%	49.3%
Hit, shoved or pushed another student and was not just fooling around	17.2%	12.4%	16.9%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	26.2%	26.2%	21.7%
Was in a physical fight	20.6%	15.9%	22.4%
Been threatened or injured with a weapon on school property	6.3%	6.7%	7.7%
Seriously considered suicide	12.5%	11.1%	17.7%
Planned suicide	12.5%	8.6%	9.2%
Attempted suicide	7.7%	4.9%	3.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.1%	25.3%	22.4%
Was grouchy or irritable, or in a bad mood	32.8%	33.4%	37.1%
Felt hopeless about the future	17.5%	15.5%	13.3%
Felt like not eating or eating more than usual	18.8%	21.1%	22.4%
Felt like sleeping a lot more or a lot less than usual	30.2%	32.6%	36.4%
Had difficulty concentrating on school work	21.9%	32.1%	24.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.7%	91.8%	93.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.4%	93.4%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.7%	92.5%	92.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.7%	96.2%	93.5%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	73.0%	87.7%	72.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	69.8%	84.9%	63.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.8%	75.6%	73.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.9%	94.5%	90.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	50.8%	39.5%	58.9%
'Very' or 'sort of easy' to get alcohol	52.4%	52.3%	61.7%
'Very' or 'sort of easy' to get marijuana	35.5%	38.0%	37.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.2%	21.1%	28.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	17.5%	10.1%	13.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	29.7%	26.3%	21.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	28.1%	27.5%	29.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	24.6%	25.9%	22.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	32.3%	33.2%	45.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	23.4%	18.9%	22.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.5%	46.5%	41.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	46.9%	35.1%	42.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	31.7%	24.2%	34.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	36.5%	39.2%	34.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.5%	9.6%	5.6%
'No' or 'slight risk' if they use synthetic drugs	11.3%	13.2%	7.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.8%	23.4%	18.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.9%	14.2%	12.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Shelby County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	98	*	230
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	52.2%	12.9%	16.7%
Grade level. 7th Grade	0.0%	11.5%	8.8%
Grade level. 8th Grade	15.4%	11.8%	18.4%
Grade level. 9th Grade	24.3%	13.6%	16.7%
Grade level. 10th Grade	0.0%	17.4%	14.9%
Grade level. 11th Grade	0.0%	17.8%	15.8%
Grade level. 12th Grade	8.1%	15.0%	8.8%
Male	48.6%	50.5%	48.7%
Hispanic or Latino	0.0%	1.5%	1.7%
Race: Black or African American	0.0%	13.3%	1.7%
Race: White	98.8%	79.5%	97.4%
Race: Multiracial	1.2%	5.3%	0.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	2.5%	5.3%	7.0%
Used electronic cigarettes	3.7%	15.5%	7.0%
Used hookahs or water pipes	0.0%	1.9%	0.0%
Used alcohol	3.7%	17.0%	11.4%
Used marijuana	0.0%	8.9%	0.9%
Used inhalants	1.2%	1.0%	0.9%
Used Rx not prescribed for you by a doctor	4.9%	6.3%	7.1%
Used `OTC` to get high	3.7%	2.0%	0.9%
Used synthetic drugs	1.2%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.0%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.0%
Used `club drugs` such as ecstasy	0.0%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	25.0%	30.1%	17.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.8%	5.9%	4.3%
Rode with someone who was drinking alcohol	10.7%	17.0%	14.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	22.6%	16.2%	22.6%
Posted something online or sent a text that might embarrass or hurt another student	14.2%	15.7%	13.9%
Made fun of other people	47.8%	47.2%	53.4%
Hit, shoved or pushed another student and was not just fooling around	6.1%	12.4%	7.8%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	28.3%	26.2%	25.2%
Was in a physical fight	12.1%	15.9%	13.9%
Been threatened or injured with a weapon on school property	6.9%	6.7%	2.6%
Seriously considered suicide	8.3%	11.1%	10.5%
Planned suicide	5.8%	8.6%	8.7%
Attempted suicide	2.4%	4.9%	4.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.1%	25.3%	20.7%
Was grouchy or irritable, or in a bad mood	21.4%	33.4%	26.1%
Felt hopeless about the future	6.2%	15.5%	7.8%
Felt like not eating or eating more than usual	23.4%	21.1%	16.5%
Felt like sleeping a lot more or a lot less than usual	27.0%	32.6%	25.2%
Had difficulty concentrating on school work	23.5%	32.1%	20.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.3%	91.8%	96.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.9%	93.4%	95.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.3%	92.5%	96.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.9%	96.2%	96.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.5%	87.7%	85.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	85.5%	84.9%	80.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	93.9%	75.6%	88.7%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.2%	94.5%	94.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	24.9%	39.5%	40.9%
'Very' or 'sort of easy' to get alcohol	35.5%	52.3%	48.2%
'Very' or 'sort of easy' to get marijuana	9.4%	38.0%	18.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.2%	21.1%	21.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	4.8%	10.1%	5.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	10.5%	26.3%	10.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	11.3%	27.5%	13.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	4.5%	25.9%	6.1%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	25.6%	33.2%	28.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	16.3%	18.9%	12.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	44.1%	46.5%	35.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.5%	35.1%	36.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.6%	24.2%	23.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	16.1%	39.2%	20.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.2%	9.6%	3.6%
'No' or 'slight risk' if they use synthetic drugs	13.6%	13.2%	8.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	18.0%	23.4%	14.2%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.7%	14.2%	8.8%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey St. Charles County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	6093	*	8692
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	15.3%	12.9%	11.4%
Grade level. 7th Grade	32.0%	11.5%	26.5%
Grade level. 8th Grade	13.8%	11.8%	4.3%
Grade level. 9th Grade	17.2%	13.6%	22.5%
Grade level. 10th Grade	5.3%	17.4%	10.7%
Grade level. 11th Grade	12.6%	17.8%	19.0%
Grade level. 12th Grade	3.8%	15.0%	5.5%
Male	49.3%	50.5%	48.9%
Hispanic or Latino	2.2%	1.5%	2.2%
Race: Black or African American	4.4%	13.3%	4.4%
Race: White	90.7%	79.5%	91.0%
Race: Multiracial	2.5%	5.3%	2.6%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	2.2%	5.3%	3.4%
Used electronic cigarettes	12.1%	15.5%	20.9%
Used hookahs or water pipes	1.1%	1.9%	1.6%
Used alcohol	11.4%	17.0%	14.1%
Used marijuana	7.7%	8.9%	7.9%
Used inhalants	1.3%	1.0%	0.9%
Used Rx not prescribed for you by a doctor	7.0%	6.3%	7.1%
Used `OTC` to get high	1.7%	2.0%	1.2%
Used synthetic drugs	0.5%	0.5%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.2%	0.7%
Used heroin or `smack`	0.2%	0.3%	0.1%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.8%	2.2%	2.0%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.7%	0.2%
Used `club drugs` such as ecstasy	0.7%	1.0%	0.6%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.6%	30.1%	28.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.7%	5.9%	10.1%
Rode with someone who was drinking alcohol	18.1%	17.0%	17.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.5%	16.2%	20.5%
Posted something online or sent a text that might embarrass or hurt another student	15.3%	15.7%	15.4%
Made fun of other people	45.4%	47.2%	48.4%
Hit, shoved or pushed another student and was not just fooling around	11.9%	12.4%	10.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	23.8%	26.2%	27.0%
Was in a physical fight	15.7%	15.9%	14.1%
Been threatened or injured with a weapon on school property	6.3%	6.7%	6.0%
Seriously considered suicide	11.1%	11.1%	12.5%
Planned suicide	8.5%	8.6%	8.6%
Attempted suicide	4.7%	4.9%	4.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.1%	25.3%	23.0%
Was grouchy or irritable, or in a bad mood	30.4%	33.4%	30.1%
Felt hopeless about the future	14.6%	15.5%	14.1%
Felt like not eating or eating more than usual	21.3%	21.1%	19.2%
Felt like sleeping a lot more or a lot less than usual	30.7%	32.6%	29.5%
Had difficulty concentrating on school work	33.6%	32.1%	29.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.6%	91.8%	96.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.9%	93.4%	96.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.7%	92.5%	94.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.1%	96.2%	97.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.7%	87.7%	86.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	83.7%	84.9%	80.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	75.5%	75.6%	70.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.4%	94.5%	89.4%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	30.7%	39.5%	43.6%
'Very' or 'sort of easy' to get alcohol	48.7%	52.3%	57.3%
'Very' or 'sort of easy' to get marijuana	30.1%	38.0%	39.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.2%	21.1%	30.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.5%	10.1%	10.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.1%	26.3%	38.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.0%	27.5%	31.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.7%	25.9%	32.2%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	27.9%	33.2%	42.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	13.9%	18.9%	11.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.8%	46.5%	38.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	28.1%	35.1%	26.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	18.4%	24.2%	18.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.3%	39.2%	33.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.6%	9.6%	7.2%
'No' or 'slight risk' if they use synthetic drugs	14.5%	13.2%	11.7%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.1%	23.4%	19.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.2%	14.2%	10.8%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey St. Francois County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	192	*	1740
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	16.0%	12.9%	16.7%
Grade level. 7th Grade	17.4%	11.5%	15.0%
Grade level. 8th Grade	17.4%	11.8%	14.2%
Grade level. 9th Grade	16.9%	13.6%	16.4%
Grade level. 10th Grade	16.4%	17.4%	16.9%
Grade level. 11th Grade	6.4%	17.8%	11.6%
Grade level. 12th Grade	9.6%	15.0%	9.3%
Male	54.9%	50.5%	53.0%
Hispanic or Latino	1.4%	1.5%	1.1%
Race: Black or African American	5.1%	13.3%	4.8%
Race: White	92.6%	79.5%	93.4%
Race: Multiracial	1.4%	5.3%	1.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	9.5%	5.3%	12.4%
Used electronic cigarettes	23.3%	15.5%	22.9%
Used hookahs or water pipes	0.9%	1.9%	2.4%
Used alcohol	11.8%	17.0%	15.0%
Used marijuana	7.7%	8.9%	7.1%
Used inhalants	0.5%	1.0%	1.2%
Used Rx not prescribed for you by a doctor	6.7%	6.3%	8.3%
Used `OTC` to get high	1.9%	2.0%	1.5%
Used synthetic drugs	0.0%	0.5%	0.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.5%	1.2%	0.8%
Used heroin or `smack`	0.0%	0.3%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.0%	2.2%	1.3%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.7%	0.4%
Used `club drugs` such as ecstasy	1.0%	1.0%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	50.0%	30.1%	34.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	14.9%	5.9%	9.1%
Rode with someone who was drinking alcohol	13.9%	17.0%	13.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.2%	16.2%	18.7%
Posted something online or sent a text that might embarrass or hurt another student	12.0%	15.7%	16.1%
Made fun of other people	43.1%	47.2%	44.7%
Hit, shoved or pushed another student and was not just fooling around	12.9%	12.4%	15.9%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.9%	26.2%	29.3%
Was in a physical fight	15.3%	15.9%	21.1%
Been threatened or injured with a weapon on school property	13.0%	6.7%	8.4%
Seriously considered suicide	19.3%	11.1%	13.6%
Planned suicide	16.4%	8.6%	9.6%
Attempted suicide	11.7%	4.9%	5.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	35.6%	25.3%	26.2%
Was grouchy or irritable, or in a bad mood	37.2%	33.4%	35.5%
Felt hopeless about the future	24.3%	15.5%	15.0%
Felt like not eating or eating more than usual	32.9%	21.1%	21.6%
Felt like sleeping a lot more or a lot less than usual	34.3%	32.6%	33.2%
Had difficulty concentrating on school work	37.1%	32.1%	29.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	88.9%	91.8%	91.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	88.4%	93.4%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	89.4%	92.5%	91.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.5%	96.2%	94.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	79.7%	87.7%	73.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.8%	84.9%	72.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	68.9%	75.6%	71.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	86.9%	94.5%	87.4%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	44.1%	39.5%	48.3%
'Very' or 'sort of easy' to get alcohol	45.1%	52.3%	52.0%
'Very' or 'sort of easy' to get marijuana	38.0%	38.0%	37.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.6%	21.1%	27.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.1%	10.1%	12.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.4%	26.3%	33.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	18.5%	27.5%	27.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.8%	25.9%	23.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	33.5%	33.2%	46.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	21.7%	18.9%	18.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	34.9%	46.5%	36.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.8%	35.1%	34.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	29.4%	24.2%	23.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	40.6%	39.2%	34.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.6%	9.6%	9.2%
'No' or 'slight risk' if they use synthetic drugs	15.6%	13.2%	12.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.3%	23.4%	20.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.4%	14.2%	11.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey St. Louis County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	14041	*	17408
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	9.7%	12.9%	11.2%
Grade level. 7th Grade	12.9%	11.5%	13.6%
Grade level. 8th Grade	15.5%	11.8%	18.2%
Grade level. 9th Grade	20.2%	13.6%	18.4%
Grade level. 10th Grade	18.3%	17.4%	18.4%
Grade level. 11th Grade	12.9%	17.8%	10.0%
Grade level. 12th Grade	10.6%	15.0%	10.2%
Male	49.4%	50.5%	47.7%
Hispanic or Latino	8.1%	1.5%	1.9%
Race: Black or African American	12.0%	13.3%	23.2%
Race: White	66.3%	79.5%	70.3%
Race: Multiracial	9.1%	5.3%	2.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	2.1%	5.3%	3.2%
Used electronic cigarettes	13.2%	15.5%	18.7%
Used hookahs or water pipes	1.5%	1.9%	2.3%
Used alcohol	15.4%	17.0%	15.2%
Used marijuana	9.5%	8.9%	9.9%
Used inhalants	1.1%	1.0%	1.1%
Used Rx not prescribed for you by a doctor	6.3%	6.3%	7.9%
Used `OTC` to get high	1.9%	2.0%	2.1%
Used synthetic drugs	0.6%	0.5%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.7%	1.2%	0.9%
Used heroin or `smack`	0.2%	0.3%	0.1%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.0%	2.2%	1.4%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.7%	0.3%
Used `club drugs` such as ecstasy	0.8%	1.0%	0.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	30.1%	30.1%	26.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.0%	5.9%	7.2%
Rode with someone who was drinking alcohol	17.6%	17.0%	18.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.3%	16.2%	23.3%
Posted something online or sent a text that might embarrass or hurt another student	15.5%	15.7%	17.8%
Made fun of other people	49.1%	47.2%	53.9%
Hit, shoved or pushed another student and was not just fooling around	11.3%	12.4%	12.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	22.6%	26.2%	25.9%
Was in a physical fight	14.6%	15.9%	16.5%
Been threatened or injured with a weapon on school property	6.6%	6.7%	6.4%
Seriously considered suicide	12.3%	11.1%	13.8%
Planned suicide	9.1%	8.6%	8.9%
Attempted suicide	5.5%	4.9%	5.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.4%	25.3%	22.4%
Was grouchy or irritable, or in a bad mood	30.7%	33.4%	30.4%
Felt hopeless about the future	15.7%	15.5%	13.2%
Felt like not eating or eating more than usual	21.9%	21.1%	19.1%
Felt like sleeping a lot more or a lot less than usual	31.0%	32.6%	28.9%
Had difficulty concentrating on school work	33.5%	32.1%	28.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.9%	91.8%	96.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.5%	93.4%	96.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.9%	92.5%	94.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.6%	96.2%	96.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.6%	87.7%	85.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	81.2%	84.9%	81.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	68.3%	75.6%	66.2%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.8%	94.5%	87.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	36.0%	39.5%	40.2%
'Very' or 'sort of easy' to get alcohol	55.8%	52.3%	56.2%
'Very' or 'sort of easy' to get marijuana	39.9%	38.0%	42.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.7%	21.1%	26.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.4%	10.1%	8.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.8%	26.3%	35.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	25.9%	27.5%	31.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	26.6%	25.9%	32.9%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	25.6%	33.2%	37.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	11.7%	18.9%	12.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.4%	46.5%	36.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	21.5%	35.1%	21.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	14.8%	24.2%	16.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	34.2%	39.2%	36.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.6%	9.6%	9.1%
'No' or 'slight risk' if they use synthetic drugs	12.0%	13.2%	12.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.5%	23.4%	19.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.0%	14.2%	12.1%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Stoddard County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	823	*	1218
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	8.3%	12.9%	14.8%
Grade level. 7th Grade	17.1%	11.5%	13.1%
Grade level. 8th Grade	12.8%	11.8%	14.4%
Grade level. 9th Grade	20.9%	13.6%	16.7%
Grade level. 10th Grade	19.0%	17.4%	14.0%
Grade level. 11th Grade	9.4%	17.8%	15.7%
Grade level. 12th Grade	12.6%	15.0%	11.2%
Male	48.3%	50.5%	49.1%
Hispanic or Latino	1.1%	1.5%	1.2%
Race: Black or African American	1.1%	13.3%	1.5%
Race: White	97.6%	79.5%	97.3%
Race: Multiracial	0.9%	5.3%	0.8%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.6%	5.3%	13.3%
Used electronic cigarettes	16.6%	15.5%	13.7%
Used hookahs or water pipes	2.2%	1.9%	1.9%
Used alcohol	13.4%	17.0%	16.9%
Used marijuana	5.0%	8.9%	3.7%
Used inhalants	0.9%	1.0%	1.6%
Used Rx not prescribed for you by a doctor	8.4%	6.3%	9.4%
Used `OTC` to get high	2.2%	2.0%	2.0%
Used synthetic drugs	0.7%	0.5%	0.8%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.4%	1.2%	0.8%
Used heroin or `smack`	0.0%	0.3%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.2%	2.2%	0.8%
Used methamphetamine (meth, crank, crystal, ice)	0.2%	0.7%	0.6%
Used `club drugs` such as ecstasy	1.3%	1.0%	1.2%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	35.0%	30.1%	26.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.0%	5.9%	4.2%
Rode with someone who was drinking alcohol	13.4%	17.0%	17.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.9%	16.2%	21.9%
Posted something online or sent a text that might embarrass or hurt another student	14.5%	15.7%	16.2%
Made fun of other people	49.8%	47.2%	51.5%
Hit, shoved or pushed another student and was not just fooling around	17.9%	12.4%	15.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	29.5%	26.2%	30.3%
Was in a physical fight	20.2%	15.9%	19.8%
Been threatened or injured with a weapon on school property	5.1%	6.7%	6.9%
Seriously considered suicide	11.7%	11.1%	11.3%
Planned suicide	9.9%	8.6%	8.7%
Attempted suicide	4.7%	4.9%	5.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	29.3%	25.3%	23.1%
Was grouchy or irritable, or in a bad mood	36.3%	33.4%	34.7%
Felt hopeless about the future	16.1%	15.5%	11.6%
Felt like not eating or eating more than usual	24.6%	21.1%	18.5%
Felt like sleeping a lot more or a lot less than usual	34.9%	32.6%	29.6%
Had difficulty concentrating on school work	32.2%	32.1%	27.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.2%	91.8%	92.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.8%	93.4%	92.7%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.7%	92.5%	95.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.2%	96.2%	94.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	80.3%	87.7%	73.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.6%	84.9%	72.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.4%	75.6%	77.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.7%	94.5%	88.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	40.9%	39.5%	50.1%
'Very' or 'sort of easy' to get alcohol	49.1%	52.3%	49.6%
'Very' or 'sort of easy' to get marijuana	27.2%	38.0%	31.9%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.1%	21.1%	28.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.5%	10.1%	13.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.8%	26.3%	22.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	27.3%	27.5%	29.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.0%	25.9%	21.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	34.5%	33.2%	46.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	19.7%	18.9%	16.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.2%	46.5%	41.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.1%	35.1%	39.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	22.7%	24.2%	30.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.6%	39.2%	32.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.0%	9.6%	8.7%
'No' or 'slight risk' if they use synthetic drugs	11.7%	13.2%	10.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.1%	23.4%	21.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.6%	14.2%	14.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Stone County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	378	*	669
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	39.6%	12.9%	16.3%
Grade level. 7th Grade	26.4%	11.5%	16.3%
Grade level. 8th Grade	34.0%	11.8%	15.9%
Grade level. 9th Grade	0.0%	13.6%	10.7%
Grade level. 10th Grade	0.0%	17.4%	26.3%
Grade level. 11th Grade	0.0%	17.8%	13.1%
Grade level. 12th Grade	0.0%	15.0%	1.3%
Male	49.1%	50.5%	49.3%
Hispanic or Latino	1.9%	1.5%	1.3%
Race: Black or African American	0.0%	13.3%	0.2%
Race: White	98.1%	79.5%	97.0%
Race: Multiracial	1.9%	5.3%	2.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	3.8%	5.3%	8.7%
Used electronic cigarettes	5.8%	15.5%	15.2%
Used hookahs or water pipes	0.0%	1.9%	1.5%
Used alcohol	7.8%	17.0%	12.0%
Used marijuana	1.9%	8.9%	4.6%
Used inhalants	0.0%	1.0%	0.9%
Used Rx not prescribed for you by a doctor	3.9%	6.3%	6.3%
Used `OTC` to get high	2.0%	2.0%	1.6%
Used synthetic drugs	0.0%	0.5%	0.2%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.8%
Used heroin or `smack`	0.0%	0.3%	0.8%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.0%	2.2%	1.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.6%
Used `club drugs` such as ecstasy	0.0%	1.0%	0.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	35.2%	30.1%	28.3%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.7%	5.9%	5.9%
Rode with someone who was drinking alcohol	15.4%	17.0%	12.8%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.4%	16.2%	19.3%
Posted something online or sent a text that might embarrass or hurt another student	11.1%	15.7%	15.7%
Made fun of other people	40.7%	47.2%	50.0%
Hit, shoved or pushed another student and was not just fooling around	14.8%	12.4%	13.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	34.0%	26.2%	34.0%
Was in a physical fight	20.8%	15.9%	17.3%
Been threatened or injured with a weapon on school property	7.4%	6.7%	6.5%
Seriously considered suicide	11.5%	11.1%	14.4%
Planned suicide	11.5%	8.6%	9.6%
Attempted suicide	7.4%	4.9%	6.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.5%	25.3%	27.4%
Was grouchy or irritable, or in a bad mood	32.1%	33.4%	30.6%
Felt hopeless about the future	17.0%	15.5%	14.6%
Felt like not eating or eating more than usual	22.6%	21.1%	24.5%
Felt like sleeping a lot more or a lot less than usual	30.2%	32.6%	30.5%
Had difficulty concentrating on school work	29.6%	32.1%	28.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.0%	91.8%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	98.0%	93.4%	95.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.0%	92.5%	94.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.0%	96.2%	96.8%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	86.8%	87.7%	81.9%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	85.2%	84.9%	77.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	86.8%	75.6%	79.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	92.5%	94.5%	90.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	21.2%	39.5%	41.8%
'Very' or 'sort of easy' to get alcohol	30.8%	52.3%	45.2%
'Very' or 'sort of easy' to get marijuana	13.5%	38.0%	28.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	13.5%	21.1%	23.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.5%	10.1%	9.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	15.1%	26.3%	25.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	13.2%	27.5%	24.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	9.4%	25.9%	18.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	22.6%	33.2%	42.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	17.0%	18.9%	14.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.6%	46.5%	37.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.8%	35.1%	32.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.1%	24.2%	24.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	19.2%	39.2%	33.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.6%	9.6%	8.4%
'No' or 'slight risk' if they use synthetic drugs	17.3%	13.2%	9.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.1%	23.4%	18.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.5%	14.2%	11.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Sullivan County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	364	*	203
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	14.0%	12.9%	9.4%
Grade level. 7th Grade	22.5%	11.5%	19.7%
Grade level. 8th Grade	15.2%	11.8%	18.9%
Grade level. 9th Grade	14.9%	13.6%	15.7%
Grade level. 10th Grade	12.4%	17.4%	10.2%
Grade level. 11th Grade	12.0%	17.8%	11.8%
Grade level. 12th Grade	9.0%	15.0%	14.2%
Male	46.9%	50.5%	47.2%
Hispanic or Latino	9.0%	1.5%	14.2%
Race: Black or African American	2.8%	13.3%	0.8%
Race: White	93.8%	79.5%	93.3%
Race: Multiracial	0.9%	5.3%	2.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	6.6%	5.3%	8.8%
Used electronic cigarettes	7.1%	15.5%	4.8%
Used hookahs or water pipes	0.9%	1.9%	1.6%
Used alcohol	14.1%	17.0%	12.1%
Used marijuana	3.3%	8.9%	0.8%
Used inhalants	0.9%	1.0%	0.8%
Used Rx not prescribed for you by a doctor	7.5%	6.3%	10.4%
Used `OTC` to get high	2.9%	2.0%	2.4%
Used synthetic drugs	0.5%	0.5%	1.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.2%	1.2%	0.0%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.8%	2.2%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.9%	0.7%	0.0%
Used `club drugs` such as ecstasy	1.2%	1.0%	0.8%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.3%	30.1%	22.8%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.0%	5.9%	4.8%
Rode with someone who was drinking alcohol	15.7%	17.0%	11.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	21.9%	16.2%	26.2%
Posted something online or sent a text that might embarrass or hurt another student	15.1%	15.7%	16.5%
Made fun of other people	47.2%	47.2%	55.6%
Hit, shoved or pushed another student and was not just fooling around	14.2%	12.4%	16.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	29.7%	26.2%	39.7%
Was in a physical fight	22.8%	15.9%	14.2%
Been threatened or injured with a weapon on school property	5.6%	6.7%	3.9%
Seriously considered suicide	8.9%	11.1%	12.8%
Planned suicide	6.7%	8.6%	8.7%
Attempted suicide	4.8%	4.9%	7.9%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.6%	25.3%	20.6%
Was grouchy or irritable, or in a bad mood	34.1%	33.4%	32.0%
Felt hopeless about the future	15.4%	15.5%	8.7%
Felt like not eating or eating more than usual	20.2%	21.1%	21.3%
Felt like sleeping a lot more or a lot less than usual	32.4%	32.6%	30.2%
Had difficulty concentrating on school work	27.7%	32.1%	29.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.5%	91.8%	94.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.7%	93.4%	93.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.0%	92.5%	96.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.2%	96.2%	93.5%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	82.7%	87.7%	83.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	77.2%	84.9%	79.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	86.7%	75.6%	86.6%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.4%	94.5%	91.3%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	36.8%	39.5%	43.3%
'Very' or 'sort of easy' to get alcohol	45.5%	52.3%	52.0%
'Very' or 'sort of easy' to get marijuana	18.9%	38.0%	20.5%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.7%	21.1%	24.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.6%	10.1%	5.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	15.6%	26.3%	10.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.8%	27.5%	19.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.9%	25.9%	5.5%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	26.7%	33.2%	33.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	19.2%	18.9%	16.5%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.6%	46.5%	32.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.2%	35.1%	36.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	29.3%	24.2%	28.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	24.9%	39.2%	24.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	14.0%	9.6%	8.7%
'No' or 'slight risk' if they use synthetic drugs	16.3%	13.2%	15.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.7%	23.4%	18.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.4%	14.2%	11.1%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Daviess County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	82	*	269
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	11.9%	12.9%	11.9%
Grade level. 7th Grade	11.3%	11.5%	16.4%
Grade level. 8th Grade	11.3%	11.8%	16.9%
Grade level. 9th Grade	20.2%	13.6%	13.6%
Grade level. 10th Grade	17.9%	17.4%	12.4%
Grade level. 11th Grade	16.7%	17.8%	11.9%
Grade level. 12th Grade	10.7%	15.0%	16.9%
Male	51.2%	50.5%	49.7%
Hispanic or Latino	0.6%	1.5%	1.1%
Race: Black or African American	1.2%	13.3%	1.1%
Race: White	97.0%	79.5%	97.2%
Race: Multiracial	1.2%	5.3%	1.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	8.3%	5.3%	15.3%
Used electronic cigarettes	20.7%	15.5%	11.9%
Used hookahs or water pipes	1.8%	1.9%	2.3%
Used alcohol	16.6%	17.0%	13.2%
Used marijuana	3.0%	8.9%	4.0%
Used inhalants	1.2%	1.0%	1.7%
Used Rx not prescribed for you by a doctor	5.3%	6.3%	5.7%
Used `OTC` to get high	2.4%	2.0%	2.3%
Used synthetic drugs	0.0%	0.5%	0.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	4.1%	1.2%	1.7%
Used heroin or `smack`	0.0%	0.3%	0.6%
Used hallucinogens such as LSD, PCP, or magic mushrooms	4.1%	2.2%	1.2%
Used methamphetamine (meth, crank, crystal, ice)	1.2%	0.7%	1.7%
Used `club drugs` such as ecstasy	1.2%	1.0%	1.1%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	17.6%	30.1%	28.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.2%	5.9%	4.0%
Rode with someone who was drinking alcohol	17.3%	17.0%	17.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	29.8%	16.2%	17.6%
Posted something online or sent a text that might embarrass or hurt another student	20.1%	15.7%	14.7%
Made fun of other people	59.5%	47.2%	46.9%
Hit, shoved or pushed another student and was not just fooling around	7.1%	12.4%	10.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	25.0%	26.2%	34.1%
Was in a physical fight	16.7%	15.9%	16.9%
Been threatened or injured with a weapon on school property	3.0%	6.7%	4.0%
Seriously considered suicide	5.5%	11.1%	11.5%
Planned suicide	9.5%	8.6%	8.1%
Attempted suicide	1.2%	4.9%	5.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	22.3%	25.3%	18.2%
Was grouchy or irritable, or in a bad mood	33.7%	33.4%	31.1%
Felt hopeless about the future	9.0%	15.5%	10.9%
Felt like not eating or eating more than usual	22.0%	21.1%	19.3%
Felt like sleeping a lot more or a lot less than usual	32.7%	32.6%	29.1%
Had difficulty concentrating on school work	31.0%	32.1%	26.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	97.0%	91.8%	92.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.9%	93.4%	94.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	97.0%	92.5%	95.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	98.8%	96.2%	97.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	73.5%	87.7%	79.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.4%	84.9%	77.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.8%	75.6%	82.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	91.6%	94.5%	90.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	52.1%	39.5%	43.1%
'Very' or 'sort of easy' to get alcohol	55.4%	52.3%	43.1%
'Very' or 'sort of easy' to get marijuana	25.0%	38.0%	26.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	23.8%	21.1%	24.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.4%	10.1%	8.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	13.9%	26.3%	15.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	20.1%	27.5%	24.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.5%	25.9%	14.8%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	34.5%	33.2%	33.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	12.5%	18.9%	11.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.3%	46.5%	36.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	46.1%	35.1%	32.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.1%	24.2%	26.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	34.5%	39.2%	29.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	1.2%	9.6%	7.5%
'No' or 'slight risk' if they use synthetic drugs	4.8%	13.2%	10.3%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.2%	23.4%	17.8%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.1%	14.2%	11.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey DeKalb County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	53	*	261
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	0.0%	12.9%	22.2%
Grade level. 7th Grade	28.3%	11.5%	16.7%
Grade level. 8th Grade	11.3%	11.8%	13.9%
Grade level. 9th Grade	11.3%	13.6%	16.7%
Grade level. 10th Grade	17.0%	17.4%	11.6%
Grade level. 11th Grade	13.2%	17.8%	12.5%
Grade level. 12th Grade	18.9%	15.0%	6.5%
Male	41.5%	50.5%	67.8%
Hispanic or Latino	1.9%	1.5%	6.2%
Race: Black or African American	0.0%	13.3%	11.6%
Race: White	94.2%	79.5%	83.3%
Race: Multiracial	3.8%	5.3%	2.8%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	4.0%	5.3%	13.6%
Used electronic cigarettes	10.2%	15.5%	10.2%
Used hookahs or water pipes	0.0%	1.9%	0.5%
Used alcohol	14.6%	17.0%	10.7%
Used marijuana	6.4%	8.9%	7.4%
Used inhalants	0.0%	1.0%	5.6%
Used Rx not prescribed for you by a doctor	10.6%	6.3%	10.4%
Used `OTC` to get high	2.1%	2.0%	2.8%
Used synthetic drugs	2.1%	0.5%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.5%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.2%	2.2%	6.2%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.0%
Used `club drugs` such as ecstasy	2.1%	1.0%	1.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	11.5%	30.1%	28.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	1.9%	5.9%	12.3%
Rode with someone who was drinking alcohol	27.7%	17.0%	14.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.2%	16.2%	32.2%
Posted something online or sent a text that might embarrass or hurt another student	22.6%	15.7%	18.7%
Made fun of other people	66.0%	47.2%	53.5%
Hit, shoved or pushed another student and was not just fooling around	9.4%	12.4%	19.5%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	24.5%	26.2%	28.0%
Was in a physical fight	20.8%	15.9%	34.3%
Been threatened or injured with a weapon on school property	3.8%	6.7%	8.9%
Seriously considered suicide	23.1%	11.1%	20.1%
Planned suicide	15.1%	8.6%	18.2%
Attempted suicide	7.5%	4.9%	10.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	35.8%	25.3%	26.2%
Was grouchy or irritable, or in a bad mood	41.5%	33.4%	37.4%
Felt hopeless about the future	17.0%	15.5%	13.6%
Felt like not eating or eating more than usual	32.1%	21.1%	21.6%
Felt like sleeping a lot more or a lot less than usual	41.5%	32.6%	25.5%
Had difficulty concentrating on school work	37.7%	32.1%	29.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.1%	91.8%	93.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	88.9%	93.4%	91.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.3%	92.5%	91.5%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.6%	96.2%	92.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	84.9%	87.7%	83.6%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.2%	84.9%	71.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	83.0%	75.6%	78.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.5%	94.5%	90.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	52.8%	39.5%	46.3%
'Very' or 'sort of easy' to get alcohol	56.6%	52.3%	45.3%
'Very' or 'sort of easy' to get marijuana	28.3%	38.0%	25.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	32.1%	21.1%	27.4%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.5%	10.1%	6.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.2%	26.3%	20.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	19.2%	27.5%	23.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.3%	25.9%	14.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	33.3%	33.2%	51.4%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	17.3%	18.9%	35.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	40.4%	46.5%	50.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	30.8%	35.1%	44.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.9%	24.2%	30.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	23.1%	39.2%	30.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.7%	9.6%	12.7%
'No' or 'slight risk' if they use synthetic drugs	11.8%	13.2%	15.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	17.3%	23.4%	26.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.6%	14.2%	17.8%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Dent County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	99	*	265
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	0.0%	12.9%	15.6%
Grade level. 7th Grade	16.3%	11.5%	11.0%
Grade level. 8th Grade	25.6%	11.8%	19.5%
Grade level. 9th Grade	19.2%	13.6%	14.0%
Grade level. 10th Grade	3.4%	17.4%	14.6%
Grade level. 11th Grade	21.2%	17.8%	14.0%
Grade level. 12th Grade	14.3%	15.0%	11.4%
Male	47.8%	50.5%	49.3%
Hispanic or Latino	0.0%	1.5%	1.3%
Race: Black or African American	0.0%	13.3%	0.0%
Race: White	96.1%	79.5%	97.4%
Race: Multiracial	2.4%	5.3%	2.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	13.3%	5.3%	21.5%
Used electronic cigarettes	22.3%	15.5%	16.5%
Used hookahs or water pipes	2.6%	1.9%	4.3%
Used alcohol	20.9%	17.0%	19.6%
Used marijuana	12.6%	8.9%	9.0%
Used inhalants	0.0%	1.0%	2.0%
Used Rx not prescribed for you by a doctor	7.5%	6.3%	8.1%
Used `OTC` to get high	1.1%	2.0%	3.0%
Used synthetic drugs	2.2%	0.5%	0.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	1.4%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.3%	2.2%	1.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.7%
Used `club drugs` such as ecstasy	1.1%	1.0%	0.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	31.4%	30.1%	28.1%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.4%	5.9%	5.5%
Rode with someone who was drinking alcohol	22.3%	17.0%	15.9%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.5%	16.2%	26.9%
Posted something online or sent a text that might embarrass or hurt another student	20.2%	15.7%	15.3%
Made fun of other people	64.9%	47.2%	53.7%
Hit, shoved or pushed another student and was not just fooling around	15.8%	12.4%	20.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	25.4%	26.2%	24.8%
Was in a physical fight	12.7%	15.9%	20.1%
Been threatened or injured with a weapon on school property	10.8%	6.7%	8.1%
Seriously considered suicide	14.8%	11.1%	14.7%
Planned suicide	12.2%	8.6%	9.1%
Attempted suicide	7.8%	4.9%	5.9%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.3%	25.3%	28.8%
Was grouchy or irritable, or in a bad mood	41.4%	33.4%	34.5%
Felt hopeless about the future	20.0%	15.5%	16.2%
Felt like not eating or eating more than usual	27.3%	21.1%	26.1%
Felt like sleeping a lot more or a lot less than usual	40.9%	32.6%	35.3%
Had difficulty concentrating on school work	38.5%	32.1%	29.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.4%	91.8%	85.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	89.3%	93.4%	86.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.7%	92.5%	89.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.0%	96.2%	93.5%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	69.5%	87.7%	65.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	57.1%	84.9%	67.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	66.0%	75.6%	68.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	84.2%	94.5%	87.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	53.7%	39.5%	46.2%
'Very' or 'sort of easy' to get alcohol	63.2%	52.3%	48.4%
'Very' or 'sort of easy' to get marijuana	35.1%	38.0%	34.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	27.4%	21.1%	26.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	14.5%	10.1%	18.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	30.5%	26.3%	23.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	32.8%	27.5%	29.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	25.3%	25.9%	24.2%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	37.5%	33.2%	51.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	30.1%	18.9%	25.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	52.0%	46.5%	48.4%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	50.0%	35.1%	46.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	33.9%	24.2%	42.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	44.4%	39.2%	41.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	14.8%	9.6%	12.7%
'No' or 'slight risk' if they use synthetic drugs	12.7%	13.2%	12.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	26.4%	23.4%	22.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.8%	14.2%	14.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Dunklin County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	784	*	1726
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	8.1%	12.9%	14.4%
Grade level. 7th Grade	13.8%	11.5%	16.8%
Grade level. 8th Grade	10.2%	11.8%	15.0%
Grade level. 9th Grade	27.1%	13.6%	15.3%
Grade level. 10th Grade	11.5%	17.4%	11.9%
Grade level. 11th Grade	21.1%	17.8%	13.3%
Grade level. 12th Grade	8.2%	15.0%	13.4%
Male	47.4%	50.5%	48.1%
Hispanic or Latino	2.7%	1.5%	3.7%
Race: Black or African American	9.9%	13.3%	9.9%
Race: White	86.7%	79.5%	86.4%
Race: Multiracial	1.9%	5.3%	2.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	9.6%	5.3%	10.8%
Used electronic cigarettes	17.0%	15.5%	12.6%
Used hookahs or water pipes	1.5%	1.9%	2.0%
Used alcohol	12.8%	17.0%	14.9%
Used marijuana	5.5%	8.9%	7.5%
Used inhalants	0.8%	1.0%	1.0%
Used Rx not prescribed for you by a doctor	9.9%	6.3%	11.7%
Used `OTC` to get high	2.5%	2.0%	3.7%
Used synthetic drugs	0.5%	0.5%	0.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.7%	1.2%	1.2%
Used heroin or `smack`	0.2%	0.3%	0.4%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.5%	2.2%	1.6%
Used methamphetamine (meth, crank, crystal, ice)	0.9%	0.7%	0.7%
Used `club drugs` such as ecstasy	0.5%	1.0%	0.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	34.3%	30.1%	30.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.8%	5.9%	7.0%
Rode with someone who was drinking alcohol	14.6%	17.0%	14.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.9%	16.2%	20.7%
Posted something online or sent a text that might embarrass or hurt another student	13.9%	15.7%	17.9%
Made fun of other people	44.0%	47.2%	53.8%
Hit, shoved or pushed another student and was not just fooling around	13.6%	12.4%	17.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	33.2%	26.2%	34.0%
Was in a physical fight	24.8%	15.9%	22.1%
Been threatened or injured with a weapon on school property	8.5%	6.7%	6.8%
Seriously considered suicide	14.0%	11.1%	15.6%
Planned suicide	10.9%	8.6%	11.7%
Attempted suicide	6.0%	4.9%	6.6%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	33.5%	25.3%	25.6%
Was grouchy or irritable, or in a bad mood	39.0%	33.4%	35.5%
Felt hopeless about the future	21.3%	15.5%	17.4%
Felt like not eating or eating more than usual	28.9%	21.1%	26.1%
Felt like sleeping a lot more or a lot less than usual	38.3%	32.6%	33.4%
Had difficulty concentrating on school work	34.5%	32.1%	30.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	91.9%	91.8%	91.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.0%	93.4%	93.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.6%	92.5%	91.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.0%	96.2%	92.2%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	75.9%	87.7%	76.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	72.4%	84.9%	73.3%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	69.1%	75.6%	71.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	85.3%	94.5%	87.1%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	42.7%	39.5%	47.3%
'Very' or 'sort of easy' to get alcohol	44.1%	52.3%	45.9%
'Very' or 'sort of easy' to get marijuana	33.9%	38.0%	36.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	28.9%	21.1%	29.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.1%	10.1%	10.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	26.4%	26.3%	20.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	24.3%	27.5%	23.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.6%	25.9%	23.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	33.6%	33.2%	46.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	22.1%	18.9%	21.7%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.2%	46.5%	37.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.7%	35.1%	38.6%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.5%	24.2%	26.8%
'No' or 'slight risk' if they smoke marijuana once or twice a week	37.1%	39.2%	38.0%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	11.4%	9.6%	10.8%
'No' or 'slight risk' if they use synthetic drugs	14.4%	13.2%	12.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.8%	23.4%	23.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.8%	14.2%	16.8%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Franklin County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	1577	*	3296
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	32.9%	12.9%	19.5%
Grade level. 7th Grade	4.5%	11.5%	12.2%
Grade level. 8th Grade	21.4%	11.8%	18.3%
Grade level. 9th Grade	6.4%	13.6%	8.3%
Grade level. 10th Grade	20.7%	17.4%	22.9%
Grade level. 11th Grade	6.8%	17.8%	6.1%
Grade level. 12th Grade	7.4%	15.0%	12.7%
Male	49.3%	50.5%	49.0%
Hispanic or Latino	1.1%	1.5%	1.1%
Race: Black or African American	0.6%	13.3%	0.9%
Race: White	96.6%	79.5%	96.7%
Race: Multiracial	1.8%	5.3%	1.6%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	7.1%	5.3%	8.4%
Used electronic cigarettes	13.6%	15.5%	22.6%
Used hookahs or water pipes	1.2%	1.9%	2.5%
Used alcohol	13.9%	17.0%	18.6%
Used marijuana	6.6%	8.9%	8.3%
Used inhalants	1.0%	1.0%	1.4%
Used Rx not prescribed for you by a doctor	5.4%	6.3%	8.5%
Used `OTC` to get high	1.7%	2.0%	2.3%
Used synthetic drugs	0.5%	0.5%	0.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.9%	1.2%	0.7%
Used heroin or `smack`	0.3%	0.3%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.5%	2.2%	1.7%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.7%	0.3%
Used `club drugs` such as ecstasy	0.8%	1.0%	1.2%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	27.5%	30.1%	28.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.7%	5.9%	9.7%
Rode with someone who was drinking alcohol	21.3%	17.0%	19.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.9%	16.2%	22.1%
Posted something online or sent a text that might embarrass or hurt another student	14.3%	15.7%	16.9%
Made fun of other people	46.6%	47.2%	51.9%
Hit, shoved or pushed another student and was not just fooling around	13.6%	12.4%	14.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	28.1%	26.2%	32.0%
Was in a physical fight	18.8%	15.9%	18.9%
Been threatened or injured with a weapon on school property	8.2%	6.7%	8.7%
Seriously considered suicide	12.2%	11.1%	15.7%
Planned suicide	10.3%	8.6%	11.7%
Attempted suicide	4.9%	4.9%	6.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	28.1%	25.3%	28.0%
Was grouchy or irritable, or in a bad mood	34.1%	33.4%	34.2%
Felt hopeless about the future	18.6%	15.5%	17.5%
Felt like not eating or eating more than usual	24.2%	21.1%	23.7%
Felt like sleeping a lot more or a lot less than usual	32.9%	32.6%	32.2%
Had difficulty concentrating on school work	32.8%	32.1%	33.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.7%	91.8%	93.7%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.0%	93.4%	94.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.2%	92.5%	92.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.6%	96.2%	95.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	84.4%	87.7%	79.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.4%	84.9%	72.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	77.0%	75.6%	71.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.6%	94.5%	88.2%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	36.1%	39.5%	48.1%
'Very' or 'sort of easy' to get alcohol	51.5%	52.3%	55.4%
'Very' or 'sort of easy' to get marijuana	30.0%	38.0%	38.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.7%	21.1%	28.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.9%	10.1%	11.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	21.4%	26.3%	34.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.7%	27.5%	31.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	19.5%	25.9%	27.5%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	25.7%	33.2%	45.1%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	14.0%	18.9%	15.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.9%	46.5%	42.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	31.8%	35.1%	33.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.7%	24.2%	24.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.0%	39.2%	35.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	7.7%	9.6%	8.3%
'No' or 'slight risk' if they use synthetic drugs	13.8%	13.2%	11.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.1%	23.4%	20.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	10.9%	14.2%	12.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Greene County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	7044	*	7376
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	17.2%	12.9%	12.7%
Grade level. 7th Grade	18.6%	11.5%	15.2%
Grade level. 8th Grade	17.1%	11.8%	14.7%
Grade level. 9th Grade	18.1%	13.6%	17.2%
Grade level. 10th Grade	15.2%	17.4%	16.0%
Grade level. 11th Grade	8.1%	17.8%	15.8%
Grade level. 12th Grade	5.7%	15.0%	8.5%
Male	49.0%	50.5%	49.3%
Hispanic or Latino	2.0%	1.5%	2.0%
Race: Black or African American	3.3%	13.3%	3.1%
Race: White	91.2%	79.5%	91.7%
Race: Multiracial	3.2%	5.3%	2.9%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	3.9%	5.3%	5.4%
Used electronic cigarettes	11.2%	15.5%	14.1%
Used hookahs or water pipes	1.5%	1.9%	2.1%
Used alcohol	9.0%	17.0%	10.5%
Used marijuana	7.3%	8.9%	7.8%
Used inhalants	1.3%	1.0%	0.9%
Used Rx not prescribed for you by a doctor	8.2%	6.3%	7.4%
Used `OTC` to get high	1.9%	2.0%	1.7%
Used synthetic drugs	0.5%	0.5%	0.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.8%	1.2%	1.2%
Used heroin or `smack`	0.2%	0.3%	0.3%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.2%	2.2%	2.1%
Used methamphetamine (meth, crank, crystal, ice)	0.3%	0.7%	0.3%
Used `club drugs` such as ecstasy	0.9%	1.0%	1.1%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	33.2%	30.1%	29.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.0%	5.9%	8.5%
Rode with someone who was drinking alcohol	11.3%	17.0%	12.2%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	18.1%	16.2%	19.0%
Posted something online or sent a text that might embarrass or hurt another student	13.4%	15.7%	13.6%
Made fun of other people	46.0%	47.2%	47.6%
Hit, shoved or pushed another student and was not just fooling around	14.4%	12.4%	11.2%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.9%	26.2%	32.8%
Was in a physical fight	18.4%	15.9%	16.2%
Been threatened or injured with a weapon on school property	9.6%	6.7%	8.8%
Seriously considered suicide	14.7%	11.1%	18.2%
Planned suicide	11.1%	8.6%	12.5%
Attempted suicide	6.3%	4.9%	6.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	31.9%	25.3%	29.8%
Was grouchy or irritable, or in a bad mood	37.6%	33.4%	36.6%
Felt hopeless about the future	19.4%	15.5%	18.5%
Felt like not eating or eating more than usual	26.7%	21.1%	24.4%
Felt like sleeping a lot more or a lot less than usual	35.3%	32.6%	34.5%
Had difficulty concentrating on school work	39.5%	32.1%	34.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.6%	91.8%	95.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	96.3%	93.4%	96.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.1%	92.5%	91.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.3%	96.2%	96.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	86.2%	87.7%	82.9%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.8%	84.9%	79.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.1%	75.6%	69.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.3%	94.5%	87.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	34.4%	39.5%	43.4%
'Very' or 'sort of easy' to get alcohol	44.1%	52.3%	47.4%
'Very' or 'sort of easy' to get marijuana	33.4%	38.0%	39.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.2%	21.1%	27.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.2%	10.1%	9.5%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.6%	26.3%	26.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.4%	27.5%	23.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	26.5%	25.9%	28.2%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	27.7%	33.2%	39.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	14.4%	18.9%	13.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	33.7%	46.5%	32.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	26.0%	35.1%	25.8%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	17.4%	24.2%	17.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	33.5%	39.2%	38.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.0%	9.6%	8.3%
'No' or 'slight risk' if they use synthetic drugs	12.9%	13.2%	9.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	22.5%	23.4%	19.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.6%	14.2%	11.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Montgomery County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	259	*	483
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	36.8%	12.9%	15.7%
Grade level. 7th Grade	30.3%	11.5%	14.8%
Grade level. 8th Grade	32.9%	11.8%	15.2%
Grade level. 9th Grade	0.0%	13.6%	14.8%
Grade level. 10th Grade	0.0%	17.4%	12.9%
Grade level. 11th Grade	0.0%	17.8%	15.7%
Grade level. 12th Grade	0.0%	15.0%	11.0%
Male	48.6%	50.5%	50.2%
Hispanic or Latino	1.4%	1.5%	1.4%
Race: Black or African American	1.3%	13.3%	1.0%
Race: White	96.0%	79.5%	96.7%
Race: Multiracial	2.7%	5.3%	1.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	5.5%	5.3%	11.5%
Used electronic cigarettes	13.7%	15.5%	10.4%
Used hookahs or water pipes	0.0%	1.9%	2.6%
Used alcohol	18.1%	17.0%	23.7%
Used marijuana	2.7%	8.9%	9.0%
Used inhalants	0.0%	1.0%	1.6%
Used Rx not prescribed for you by a doctor	9.6%	6.3%	10.0%
Used `OTC` to get high	2.7%	2.0%	2.1%
Used synthetic drugs	1.4%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	1.1%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	1.6%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.0%
Used `club drugs` such as ecstasy	0.0%	1.0%	1.1%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	23.7%	30.1%	30.0%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.4%	5.9%	4.8%
Rode with someone who was drinking alcohol	22.2%	17.0%	19.6%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.3%	16.2%	20.5%
Posted something online or sent a text that might embarrass or hurt another student	11.8%	15.7%	12.7%
Made fun of other people	44.0%	47.2%	49.5%
Hit, shoved or pushed another student and was not just fooling around	18.7%	12.4%	14.1%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	32.0%	26.2%	29.8%
Was in a physical fight	27.6%	15.9%	20.1%
Been threatened or injured with a weapon on school property	9.3%	6.7%	6.4%
Seriously considered suicide	16.2%	11.1%	13.3%
Planned suicide	13.5%	8.6%	9.7%
Attempted suicide	6.8%	4.9%	6.6%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	29.3%	25.3%	27.0%
Was grouchy or irritable, or in a bad mood	34.7%	33.4%	34.8%
Felt hopeless about the future	14.7%	15.5%	15.4%
Felt like not eating or eating more than usual	24.0%	21.1%	22.4%
Felt like sleeping a lot more or a lot less than usual	37.3%	32.6%	33.8%
Had difficulty concentrating on school work	27.6%	32.1%	32.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	95.8%	91.8%	92.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.8%	93.4%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	97.2%	92.5%	91.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.8%	96.2%	96.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	84.0%	87.7%	78.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.7%	84.9%	73.2%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	84.0%	75.6%	71.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.7%	94.5%	87.6%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	28.9%	39.5%	46.4%
'Very' or 'sort of easy' to get alcohol	41.3%	52.3%	54.1%
'Very' or 'sort of easy' to get marijuana	16.0%	38.0%	36.7%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.6%	21.1%	26.7%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.9%	10.1%	8.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	22.7%	26.3%	18.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.1%	27.5%	26.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.5%	25.9%	25.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	31.1%	33.2%	45.8%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	20.3%	18.9%	19.9%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	45.9%	46.5%	44.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	44.0%	35.1%	41.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	33.8%	24.2%	31.1%
'No' or 'slight risk' if they smoke marijuana once or twice a week	24.0%	39.2%	39.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	12.2%	9.6%	11.9%
'No' or 'slight risk' if they use synthetic drugs	20.3%	13.2%	17.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	27.4%	23.4%	24.5%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.9%	14.2%	15.0%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Morgan County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	517	*	402
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	18.0%	12.9%	15.5%
Grade level. 7th Grade	25.9%	11.5%	20.4%
Grade level. 8th Grade	21.5%	11.8%	16.1%
Grade level. 9th Grade	12.2%	13.6%	20.9%
Grade level. 10th Grade	7.8%	17.4%	11.3%
Grade level. 11th Grade	8.3%	17.8%	5.1%
Grade level. 12th Grade	6.3%	15.0%	10.7%
Male	48.3%	50.5%	47.6%
Hispanic or Latino	1.5%	1.5%	0.8%
Race: Black or African American	1.0%	13.3%	0.8%
Race: White	95.6%	79.5%	96.8%
Race: Multiracial	2.0%	5.3%	1.6%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.0%	5.3%	9.7%
Used electronic cigarettes	11.6%	15.5%	10.6%
Used hookahs or water pipes	2.0%	1.9%	1.2%
Used alcohol	11.2%	17.0%	13.1%
Used marijuana	5.0%	8.9%	5.1%
Used inhalants	2.5%	1.0%	2.1%
Used Rx not prescribed for you by a doctor	9.2%	6.3%	10.2%
Used `OTC` to get high	2.1%	2.0%	3.6%
Used synthetic drugs	0.5%	0.5%	0.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.2%	1.2%
Used heroin or `smack`	0.0%	0.3%	0.6%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.6%	2.2%	0.9%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.7%	0.6%
Used `club drugs` such as ecstasy	1.0%	1.0%	0.9%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.6%	30.1%	33.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.4%	5.9%	12.7%
Rode with someone who was drinking alcohol	15.6%	17.0%	22.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.2%	16.2%	24.7%
Posted something online or sent a text that might embarrass or hurt another student	13.7%	15.7%	17.3%
Made fun of other people	37.1%	47.2%	47.5%
Hit, shoved or pushed another student and was not just fooling around	12.7%	12.4%	15.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	33.2%	26.2%	40.8%
Was in a physical fight	20.0%	15.9%	21.0%
Been threatened or injured with a weapon on school property	8.8%	6.7%	10.4%
Seriously considered suicide	10.1%	11.1%	16.4%
Planned suicide	9.0%	8.6%	10.5%
Attempted suicide	5.9%	4.9%	8.8%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	27.9%	25.3%	26.3%
Was grouchy or irritable, or in a bad mood	33.8%	33.4%	39.1%
Felt hopeless about the future	15.7%	15.5%	17.6%
Felt like not eating or eating more than usual	26.5%	21.1%	24.5%
Felt like sleeping a lot more or a lot less than usual	35.8%	32.6%	31.8%
Had difficulty concentrating on school work	32.2%	32.1%	26.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.6%	91.8%	91.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	92.6%	93.4%	95.0%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.1%	92.5%	93.1%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.7%	96.2%	95.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	84.2%	87.7%	77.0%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.2%	84.9%	72.5%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	78.7%	75.6%	76.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.6%	94.5%	88.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	36.8%	39.5%	41.5%
'Very' or 'sort of easy' to get alcohol	38.8%	52.3%	47.1%
'Very' or 'sort of easy' to get marijuana	23.9%	38.0%	29.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	20.6%	21.1%	22.8%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.3%	10.1%	9.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.7%	26.3%	19.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	18.7%	27.5%	22.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.3%	25.9%	16.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	26.0%	33.2%	37.0%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	15.4%	18.9%	15.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.7%	46.5%	30.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.3%	35.1%	24.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	20.5%	24.2%	21.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.9%	39.2%	25.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.1%	9.6%	8.8%
'No' or 'slight risk' if they use synthetic drugs	13.7%	13.2%	13.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.7%	23.4%	17.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.6%	14.2%	12.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey New Madrid County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	407	*	396
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	15.1%	12.9%	14.7%
Grade level. 7th Grade	15.5%	11.5%	15.8%
Grade level. 8th Grade	17.6%	11.8%	14.9%
Grade level. 9th Grade	12.1%	13.6%	17.9%
Grade level. 10th Grade	14.6%	17.4%	12.5%
Grade level. 11th Grade	12.1%	17.8%	13.0%
Grade level. 12th Grade	13.0%	15.0%	11.1%
Male	46.9%	50.5%	47.1%
Hispanic or Latino	1.3%	1.5%	0.6%
Race: Black or African American	15.5%	13.3%	15.8%
Race: White	82.0%	79.5%	81.7%
Race: Multiracial	1.3%	5.3%	2.2%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	8.2%	5.3%	11.7%
Used electronic cigarettes	12.4%	15.5%	9.2%
Used hookahs or water pipes	0.4%	1.9%	1.4%
Used alcohol	12.9%	17.0%	12.5%
Used marijuana	0.4%	8.9%	3.2%
Used inhalants	1.3%	1.0%	1.4%
Used Rx not prescribed for you by a doctor	10.2%	6.3%	12.6%
Used `OTC` to get high	2.7%	2.0%	3.6%
Used synthetic drugs	0.9%	0.5%	0.0%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.2%	0.6%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.5%	2.2%	0.6%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.7%	0.6%
Used `club drugs` such as ecstasy	0.5%	1.0%	0.9%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	41.3%	30.1%	30.8%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.6%	5.9%	7.6%
Rode with someone who was drinking alcohol	15.6%	17.0%	16.8%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	18.8%	16.2%	19.8%
Posted something online or sent a text that might embarrass or hurt another student	18.9%	15.7%	16.0%
Made fun of other people	50.0%	47.2%	42.4%
Hit, shoved or pushed another student and was not just fooling around	18.1%	12.4%	13.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	25.8%	26.2%	27.4%
Was in a physical fight	22.5%	15.9%	20.4%
Been threatened or injured with a weapon on school property	7.5%	6.7%	7.6%
Seriously considered suicide	9.7%	11.1%	15.0%
Planned suicide	9.7%	8.6%	11.4%
Attempted suicide	7.9%	4.9%	8.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	32.9%	25.3%	24.9%
Was grouchy or irritable, or in a bad mood	38.8%	33.4%	39.6%
Felt hopeless about the future	17.6%	15.5%	14.9%
Felt like not eating or eating more than usual	31.5%	21.1%	24.2%
Felt like sleeping a lot more or a lot less than usual	36.4%	32.6%	36.2%
Had difficulty concentrating on school work	28.9%	32.1%	28.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	90.8%	91.8%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	91.7%	93.4%	93.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.8%	92.5%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.9%	96.2%	93.6%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	80.0%	87.7%	71.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	75.0%	84.9%	73.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	83.7%	75.6%	76.0%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.1%	94.5%	83.4%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	36.4%	39.5%	46.0%
'Very' or 'sort of easy' to get alcohol	38.5%	52.3%	45.1%
'Very' or 'sort of easy' to get marijuana	20.1%	38.0%	31.3%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	18.6%	21.1%	30.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	11.3%	10.1%	13.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	20.6%	26.3%	20.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	22.4%	27.5%	19.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	13.9%	25.9%	19.3%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	33.5%	33.2%	38.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.7%	18.9%	19.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	39.1%	46.5%	35.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.3%	35.1%	39.7%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.5%	24.2%	30.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	26.1%	39.2%	29.4%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.0%	9.6%	10.6%
'No' or 'slight risk' if they use synthetic drugs	14.0%	13.2%	12.8%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.8%	23.4%	22.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.6%	14.2%	15.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Newton County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	1078	*	823
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	12.7%	12.9%	20.9%
Grade level. 7th Grade	35.9%	11.5%	10.1%
Grade level. 8th Grade	32.9%	11.8%	19.1%
Grade level. 9th Grade	6.1%	13.6%	19.3%
Grade level. 10th Grade	8.0%	17.4%	17.3%
Grade level. 11th Grade	4.3%	17.8%	10.9%
Grade level. 12th Grade	0.2%	15.0%	2.3%
Male	48.9%	50.5%	49.6%
Hispanic or Latino	2.8%	1.5%	3.2%
Race: Black or African American	0.8%	13.3%	1.0%
Race: White	92.4%	79.5%	91.1%
Race: Multiracial	3.2%	5.3%	4.0%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	5.3%	5.3%	9.1%
Used electronic cigarettes	8.8%	15.5%	16.0%
Used hookahs or water pipes	1.2%	1.9%	3.4%
Used alcohol	7.0%	17.0%	13.3%
Used marijuana	3.0%	8.9%	9.0%
Used inhalants	1.2%	1.0%	2.8%
Used Rx not prescribed for you by a doctor	9.0%	6.3%	10.0%
Used `OTC` to get high	3.3%	2.0%	2.9%
Used synthetic drugs	1.0%	0.5%	0.2%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.3%	1.2%	1.0%
Used heroin or `smack`	0.0%	0.3%	0.6%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.9%	2.2%	2.2%
Used methamphetamine (meth, crank, crystal, ice)	0.5%	0.7%	0.1%
Used `club drugs` such as ecstasy	0.5%	1.0%	1.1%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	36.1%	30.1%	36.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.7%	5.9%	10.4%
Rode with someone who was drinking alcohol	12.7%	17.0%	15.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	18.5%	16.2%	20.9%
Posted something online or sent a text that might embarrass or hurt another student	13.4%	15.7%	15.0%
Made fun of other people	44.4%	47.2%	43.8%
Hit, shoved or pushed another student and was not just fooling around	18.0%	12.4%	15.6%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.4%	26.2%	32.2%
Was in a physical fight	19.9%	15.9%	22.2%
Been threatened or injured with a weapon on school property	9.4%	6.7%	9.8%
Seriously considered suicide	12.5%	11.1%	17.9%
Planned suicide	9.6%	8.6%	15.0%
Attempted suicide	6.6%	4.9%	7.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	31.1%	25.3%	28.5%
Was grouchy or irritable, or in a bad mood	36.9%	33.4%	36.0%
Felt hopeless about the future	17.0%	15.5%	17.6%
Felt like not eating or eating more than usual	29.3%	21.1%	26.3%
Felt like sleeping a lot more or a lot less than usual	35.2%	32.6%	33.5%
Had difficulty concentrating on school work	34.8%	32.1%	33.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	94.7%	91.8%	93.6%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.2%	93.4%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	95.9%	92.5%	92.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.4%	96.2%	93.9%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.0%	87.7%	81.1%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	81.8%	84.9%	76.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.8%	75.6%	73.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.2%	94.5%	86.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	29.9%	39.5%	46.4%
'Very' or 'sort of easy' to get alcohol	36.6%	52.3%	48.2%
'Very' or 'sort of easy' to get marijuana	19.6%	38.0%	35.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	16.8%	21.1%	28.0%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	10.6%	10.1%	11.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.0%	26.3%	22.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	17.6%	27.5%	22.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.8%	25.9%	24.5%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	29.9%	33.2%	41.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	17.3%	18.9%	17.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	35.1%	46.5%	36.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	33.7%	35.1%	36.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.0%	24.2%	24.2%
'No' or 'slight risk' if they smoke marijuana once or twice a week	28.2%	39.2%	36.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.5%	9.6%	10.8%
'No' or 'slight risk' if they use synthetic drugs	17.1%	13.2%	13.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.1%	23.4%	22.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.9%	14.2%	13.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Nodaway County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	661	*	676
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	16.7%	12.9%	9.6%
Grade level. 7th Grade	14.6%	11.5%	8.2%
Grade level. 8th Grade	20.2%	11.8%	7.3%
Grade level. 9th Grade	12.6%	13.6%	14.4%
Grade level. 10th Grade	10.6%	17.4%	22.8%
Grade level. 11th Grade	16.2%	17.8%	24.0%
Grade level. 12th Grade	9.1%	15.0%	13.7%
Male	49.2%	50.5%	50.6%
Hispanic or Latino	1.5%	1.5%	1.4%
Race: Black or African American	2.6%	13.3%	2.0%
Race: White	94.4%	79.5%	95.7%
Race: Multiracial	2.0%	5.3%	1.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	4.8%	5.3%	6.8%
Used electronic cigarettes	11.7%	15.5%	16.0%
Used hookahs or water pipes	1.6%	1.9%	2.3%
Used alcohol	12.3%	17.0%	22.5%
Used marijuana	4.3%	8.9%	5.0%
Used inhalants	0.5%	1.0%	1.4%
Used Rx not prescribed for you by a doctor	7.6%	6.3%	7.7%
Used `OTC` to get high	2.7%	2.0%	0.7%
Used synthetic drugs	0.5%	0.5%	0.2%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.6%	1.2%	0.2%
Used heroin or `smack`	0.6%	0.3%	0.6%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.1%	2.2%	0.6%
Used methamphetamine (meth, crank, crystal, ice)	0.6%	0.7%	0.4%
Used `club drugs` such as ecstasy	1.1%	1.0%	0.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	25.8%	30.1%	18.2%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.1%	5.9%	5.9%
Rode with someone who was drinking alcohol	14.6%	17.0%	17.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	16.8%	16.2%	29.3%
Posted something online or sent a text that might embarrass or hurt another student	17.7%	15.7%	21.2%
Made fun of other people	49.0%	47.2%	57.3%
Hit, shoved or pushed another student and was not just fooling around	12.8%	12.4%	12.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.0%	26.2%	31.4%
Was in a physical fight	16.7%	15.9%	14.3%
Been threatened or injured with a weapon on school property	7.6%	6.7%	6.2%
Seriously considered suicide	10.7%	11.1%	9.9%
Planned suicide	8.2%	8.6%	7.1%
Attempted suicide	4.1%	4.9%	3.2%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.4%	25.3%	15.4%
Was grouchy or irritable, or in a bad mood	34.0%	33.4%	30.1%
Felt hopeless about the future	14.3%	15.5%	10.7%
Felt like not eating or eating more than usual	21.8%	21.1%	17.7%
Felt like sleeping a lot more or a lot less than usual	28.9%	32.6%	26.1%
Had difficulty concentrating on school work	33.5%	32.1%	25.8%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.8%	91.8%	95.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.9%	93.4%	95.6%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	94.9%	92.5%	96.7%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.6%	96.2%	96.7%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	86.2%	87.7%	82.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	79.7%	84.9%	75.6%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	82.2%	75.6%	81.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	90.9%	94.5%	93.5%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	30.5%	39.5%	47.7%
'Very' or 'sort of easy' to get alcohol	43.1%	52.3%	62.2%
'Very' or 'sort of easy' to get marijuana	20.4%	38.0%	30.4%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.9%	21.1%	26.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.6%	10.1%	6.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	18.9%	26.3%	18.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.6%	27.5%	32.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.9%	25.9%	14.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	27.8%	33.2%	41.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	16.6%	18.9%	15.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	47.4%	46.5%	44.1%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	36.6%	35.1%	32.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	25.1%	24.2%	22.7%
'No' or 'slight risk' if they smoke marijuana once or twice a week	30.6%	39.2%	26.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.4%	9.6%	9.1%
'No' or 'slight risk' if they use synthetic drugs	16.6%	13.2%	10.6%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.3%	23.4%	17.9%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.0%	14.2%	11.3%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Oregon County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	125	*	150
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	0.0%	12.9%	27.7%
Grade level. 7th Grade	37.1%	11.5%	8.9%
Grade level. 8th Grade	30.9%	11.8%	16.4%
Grade level. 9th Grade	9.3%	13.6%	15.0%
Grade level. 10th Grade	6.2%	17.4%	17.8%
Grade level. 11th Grade	7.2%	17.8%	8.9%
Grade level. 12th Grade	9.3%	15.0%	5.2%
Male	49.0%	50.5%	48.4%
Hispanic or Latino	2.1%	1.5%	1.0%
Race: Black or African American	0.0%	13.3%	0.0%
Race: White	94.8%	79.5%	96.7%
Race: Multiracial	3.1%	5.3%	1.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	1.0%	5.3%	3.9%
Used electronic cigarettes	8.3%	15.5%	9.6%
Used hookahs or water pipes	0.0%	1.9%	0.0%
Used alcohol	2.1%	17.0%	6.7%
Used marijuana	0.0%	8.9%	2.4%
Used inhalants	0.0%	1.0%	0.5%
Used Rx not prescribed for you by a doctor	5.4%	6.3%	9.9%
Used `OTC` to get high	0.0%	2.0%	1.0%
Used synthetic drugs	0.0%	0.5%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.0%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	1.0%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	0.0%
Used `club drugs` such as ecstasy	0.0%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.4%	30.1%	32.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.2%	5.9%	7.6%
Rode with someone who was drinking alcohol	9.4%	17.0%	7.8%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	11.3%	16.2%	21.1%
Posted something online or sent a text that might embarrass or hurt another student	7.3%	15.7%	9.8%
Made fun of other people	32.3%	47.2%	38.3%
Hit, shoved or pushed another student and was not just fooling around	10.4%	12.4%	11.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	25.8%	26.2%	38.7%
Was in a physical fight	21.6%	15.9%	17.8%
Been threatened or injured with a weapon on school property	5.2%	6.7%	2.3%
Seriously considered suicide	12.5%	11.1%	12.1%
Planned suicide	9.4%	8.6%	8.9%
Attempted suicide	5.2%	4.9%	5.6%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.8%	25.3%	27.1%
Was grouchy or irritable, or in a bad mood	24.7%	33.4%	29.2%
Felt hopeless about the future	17.5%	15.5%	15.1%
Felt like not eating or eating more than usual	20.6%	21.1%	21.6%
Felt like sleeping a lot more or a lot less than usual	26.8%	32.6%	26.8%
Had difficulty concentrating on school work	27.1%	32.1%	21.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	97.9%	91.8%	95.5%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	98.9%	93.4%	95.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	97.8%	92.5%	98.0%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.7%	96.2%	100.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.6%	87.7%	81.3%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.2%	84.9%	80.8%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	82.3%	75.6%	80.8%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.5%	94.5%	86.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	24.2%	39.5%	33.0%
'Very' or 'sort of easy' to get alcohol	34.7%	52.3%	36.5%
'Very' or 'sort of easy' to get marijuana	19.8%	38.0%	27.1%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	17.9%	21.1%	24.9%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	7.4%	10.1%	7.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	17.7%	26.3%	17.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	16.7%	27.5%	15.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	14.6%	25.9%	12.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	29.5%	33.2%	36.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	15.6%	18.9%	13.4%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	30.5%	46.5%	33.7%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	39.6%	35.1%	32.4%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.2%	24.2%	23.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	21.3%	39.2%	29.2%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.5%	9.6%	9.1%
'No' or 'slight risk' if they use synthetic drugs	14.7%	13.2%	11.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.8%	23.4%	21.7%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	15.8%	14.2%	14.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Osage County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	239	*	111
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	4.0%	12.9%	0.0%
Grade level. 7th Grade	15.2%	11.5%	13.0%
Grade level. 8th Grade	20.5%	11.8%	18.8%
Grade level. 9th Grade	24.1%	13.6%	31.0%
Grade level. 10th Grade	4.0%	17.4%	15.9%
Grade level. 11th Grade	25.4%	17.8%	20.6%
Grade level. 12th Grade	6.7%	15.0%	0.7%
Male	50.2%	50.5%	50.9%
Hispanic or Latino	0.9%	1.5%	0.7%
Race: Black or African American	0.5%	13.3%	0.7%
Race: White	98.2%	79.5%	97.8%
Race: Multiracial	1.4%	5.3%	0.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.6%	5.3%	7.2%
Used electronic cigarettes	24.3%	15.5%	14.1%
Used hookahs or water pipes	2.7%	1.9%	0.0%
Used alcohol	23.1%	17.0%	27.4%
Used marijuana	7.8%	8.9%	2.6%
Used inhalants	1.4%	1.0%	0.0%
Used Rx not prescribed for you by a doctor	9.2%	6.3%	7.0%
Used `OTC` to get high	2.8%	2.0%	0.0%
Used synthetic drugs	0.5%	0.5%	1.8%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.9%	1.2%	0.0%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.9%	2.2%	0.0%
Used methamphetamine (meth, crank, crystal, ice)	0.9%	0.7%	0.0%
Used `club drugs` such as ecstasy	1.4%	1.0%	0.0%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	23.3%	30.1%	18.5%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.3%	5.9%	0.0%
Rode with someone who was drinking alcohol	20.7%	17.0%	26.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.7%	16.2%	25.0%
Posted something online or sent a text that might embarrass or hurt another student	24.7%	15.7%	19.6%
Made fun of other people	57.0%	47.2%	62.1%
Hit, shoved or pushed another student and was not just fooling around	12.6%	12.4%	8.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	34.7%	26.2%	20.7%
Was in a physical fight	21.6%	15.9%	18.4%
Been threatened or injured with a weapon on school property	12.6%	6.7%	5.8%
Seriously considered suicide	21.6%	11.1%	9.4%
Planned suicide	19.4%	8.6%	9.2%
Attempted suicide	9.1%	4.9%	2.5%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	34.7%	25.3%	19.1%
Was grouchy or irritable, or in a bad mood	40.1%	33.4%	30.2%
Felt hopeless about the future	22.1%	15.5%	12.5%
Felt like not eating or eating more than usual	33.3%	21.1%	22.4%
Felt like sleeping a lot more or a lot less than usual	38.6%	32.6%	24.9%
Had difficulty concentrating on school work	42.2%	32.1%	22.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.5%	91.8%	95.9%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	89.1%	93.4%	91.8%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.9%	92.5%	95.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.8%	96.2%	95.5%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	72.9%	87.7%	78.7%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	69.7%	84.9%	67.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	67.9%	75.6%	78.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	79.7%	94.5%	93.8%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	53.6%	39.5%	54.7%
'Very' or 'sort of easy' to get alcohol	65.9%	52.3%	66.4%
'Very' or 'sort of easy' to get marijuana	36.8%	38.0%	28.2%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	34.5%	21.1%	23.5%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.6%	10.1%	14.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	26.9%	26.3%	25.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	30.0%	27.5%	41.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	18.3%	25.9%	17.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	37.6%	33.2%	38.2%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	20.0%	18.9%	11.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	50.0%	46.5%	42.6%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	38.1%	35.1%	30.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	28.6%	24.2%	21.5%
'No' or 'slight risk' if they smoke marijuana once or twice a week	36.2%	39.2%	30.1%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	8.7%	9.6%	1.8%
'No' or 'slight risk' if they use synthetic drugs	10.6%	13.2%	6.2%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.5%	23.4%	10.1%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.3%	14.2%	5.4%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Ozark County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	125	*	205
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	0.0%	12.9%	20.0%
Grade level. 7th Grade	34.9%	11.5%	19.3%
Grade level. 8th Grade	31.7%	11.8%	8.3%
Grade level. 9th Grade	7.9%	13.6%	18.6%
Grade level. 10th Grade	17.5%	17.4%	15.9%
Grade level. 11th Grade	4.8%	17.8%	9.7%
Grade level. 12th Grade	3.2%	15.0%	8.3%
Male	49.2%	50.5%	52.4%
Hispanic or Latino	1.6%	1.5%	1.4%
Race: Black or African American	0.0%	13.3%	0.0%
Race: White	98.4%	79.5%	96.5%
Race: Multiracial	1.6%	5.3%	2.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	9.5%	5.3%	15.9%
Used electronic cigarettes	10.9%	15.5%	14.5%
Used hookahs or water pipes	0.0%	1.9%	1.4%
Used alcohol	9.5%	17.0%	14.6%
Used marijuana	1.6%	8.9%	5.6%
Used inhalants	1.6%	1.0%	2.8%
Used Rx not prescribed for you by a doctor	6.5%	6.3%	9.7%
Used `OTC` to get high	1.6%	2.0%	2.1%
Used synthetic drugs	0.0%	0.5%	0.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	0.7%
Used heroin or `smack`	0.0%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.6%	2.2%	2.1%
Used methamphetamine (meth, crank, crystal, ice)	1.6%	0.7%	1.4%
Used `club drugs` such as ecstasy	0.0%	1.0%	1.4%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	35.9%	30.1%	31.9%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.3%	5.9%	6.9%
Rode with someone who was drinking alcohol	22.6%	17.0%	9.7%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	23.1%	16.2%	23.4%
Posted something online or sent a text that might embarrass or hurt another student	12.5%	15.7%	9.7%
Made fun of other people	50.8%	47.2%	49.3%
Hit, shoved or pushed another student and was not just fooling around	23.4%	12.4%	12.4%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	31.3%	26.2%	34.3%
Was in a physical fight	20.3%	15.9%	24.8%
Been threatened or injured with a weapon on school property	4.6%	6.7%	6.2%
Seriously considered suicide	11.1%	11.1%	14.1%
Planned suicide	6.3%	8.6%	12.1%
Attempted suicide	7.8%	4.9%	5.6%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	26.6%	25.3%	29.7%
Was grouchy or irritable, or in a bad mood	32.8%	33.4%	43.1%
Felt hopeless about the future	13.8%	15.5%	20.0%
Felt like not eating or eating more than usual	21.9%	21.1%	24.8%
Felt like sleeping a lot more or a lot less than usual	30.8%	32.6%	31.3%
Had difficulty concentrating on school work	32.8%	32.1%	27.6%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.4%	91.8%	93.1%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	98.4%	93.4%	96.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.7%	92.5%	92.3%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	96.7%	96.2%	95.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	79.7%	87.7%	80.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.1%	84.9%	72.0%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	76.6%	75.6%	78.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.2%	94.5%	89.4%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	34.4%	39.5%	46.2%
'Very' or 'sort of easy' to get alcohol	43.8%	52.3%	41.7%
'Very' or 'sort of easy' to get marijuana	20.3%	38.0%	23.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	19.0%	21.1%	18.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.3%	10.1%	7.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	15.6%	26.3%	16.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	14.1%	27.5%	16.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	11.1%	25.9%	11.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	25.0%	33.2%	42.3%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	20.6%	18.9%	19.6%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	34.4%	46.5%	38.2%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	37.5%	35.1%	46.1%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	26.6%	24.2%	32.9%
'No' or 'slight risk' if they smoke marijuana once or twice a week	29.7%	39.2%	36.8%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.5%	9.6%	12.6%
'No' or 'slight risk' if they use synthetic drugs	15.9%	13.2%	21.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	20.6%	23.4%	19.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.1%	14.2%	13.2%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Taney County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	2244	*	2032
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	14.6%	12.9%	14.1%
Grade level. 7th Grade	16.8%	11.5%	14.4%
Grade level. 8th Grade	17.5%	11.8%	15.9%
Grade level. 9th Grade	16.4%	13.6%	20.3%
Grade level. 10th Grade	15.7%	17.4%	29.8%
Grade level. 11th Grade	9.1%	17.8%	1.1%
Grade level. 12th Grade	9.9%	15.0%	4.4%
Male	47.8%	50.5%	46.2%
Hispanic or Latino	3.3%	1.5%	3.4%
Race: Black or African American	1.1%	13.3%	0.6%
Race: White	93.7%	79.5%	94.9%
Race: Multiracial	3.3%	5.3%	2.5%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	4.9%	5.3%	6.8%
Used electronic cigarettes	12.9%	15.5%	11.3%
Used hookahs or water pipes	2.3%	1.9%	2.1%
Used alcohol	11.6%	17.0%	11.2%
Used marijuana	7.3%	8.9%	6.0%
Used inhalants	1.6%	1.0%	0.8%
Used Rx not prescribed for you by a doctor	7.5%	6.3%	8.0%
Used `OTC` to get high	2.4%	2.0%	2.2%
Used synthetic drugs	0.8%	0.5%	1.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.8%	1.2%	0.9%
Used heroin or `smack`	0.0%	0.3%	0.2%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.0%	2.2%	1.7%
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.7%	0.2%
Used `club drugs` such as ecstasy	1.2%	1.0%	0.6%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	31.3%	30.1%	24.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.0%	5.9%	5.3%
Rode with someone who was drinking alcohol	13.5%	17.0%	12.3%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	20.9%	16.2%	24.6%
Posted something online or sent a text that might embarrass or hurt another student	13.6%	15.7%	16.8%
Made fun of other people	48.3%	47.2%	48.8%
Hit, shoved or pushed another student and was not just fooling around	15.1%	12.4%	12.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	33.6%	26.2%	35.3%
Was in a physical fight	20.1%	15.9%	20.7%
Been threatened or injured with a weapon on school property	8.1%	6.7%	9.8%
Seriously considered suicide	14.8%	11.1%	19.8%
Planned suicide	11.1%	8.6%	14.7%
Attempted suicide	7.0%	4.9%	9.2%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	34.4%	25.3%	32.0%
Was grouchy or irritable, or in a bad mood	38.1%	33.4%	35.9%
Felt hopeless about the future	20.9%	15.5%	17.9%
Felt like not eating or eating more than usual	29.7%	21.1%	27.8%
Felt like sleeping a lot more or a lot less than usual	38.5%	32.6%	37.2%
Had difficulty concentrating on school work	39.1%	32.1%	33.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.9%	91.8%	95.8%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.0%	93.4%	95.9%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	92.1%	92.5%	93.9%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	95.0%	96.2%	95.4%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	84.6%	87.7%	85.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	78.8%	84.9%	79.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	73.4%	75.6%	75.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.8%	94.5%	89.4%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	35.1%	39.5%	39.7%
'Very' or 'sort of easy' to get alcohol	44.4%	52.3%	42.8%
'Very' or 'sort of easy' to get marijuana	31.4%	38.0%	31.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	22.7%	21.1%	25.1%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	8.8%	10.1%	10.2%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	25.4%	26.3%	21.9%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	23.9%	27.5%	23.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	23.2%	25.9%	23.8%

	2020 County Data	2020 MO Data	2018 County Data
Perception of Harm (% reflects slight risk + no risk at all)			
'No' or 'slight risk' if they smoke e-cigarettes	28.1%	33.2%	37.6%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	15.4%	18.9%	14.0%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	37.5%	46.5%	34.9%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	30.7%	35.1%	30.5%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.0%	24.2%	21.6%
'No' or 'slight risk' if they smoke marijuana once or twice a week	31.0%	39.2%	31.9%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.4%	9.6%	7.8%
'No' or 'slight risk' if they use synthetic drugs	15.8%	13.2%	11.0%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	23.3%	23.4%	18.6%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	13.2%	14.2%	11.5%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Texas County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	200	*	669
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	4.1%	12.9%	19.0%
Grade level. 7th Grade	28.6%	11.5%	13.4%
Grade level. 8th Grade	30.0%	11.8%	12.8%
Grade level. 9th Grade	14.5%	13.6%	15.4%
Grade level. 10th Grade	7.3%	17.4%	14.9%
Grade level. 11th Grade	8.2%	17.8%	11.9%
Grade level. 12th Grade	7.3%	15.0%	12.6%
Male	51.1%	50.5%	50.0%
Hispanic or Latino	3.2%	1.5%	1.7%
Race: Black or African American	1.4%	13.3%	1.7%
Race: White	93.7%	79.5%	93.4%
Race: Multiracial	4.1%	5.3%	3.4%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	13.6%	5.3%	14.5%
Used electronic cigarettes	14.4%	15.5%	11.4%
Used hookahs or water pipes	1.4%	1.9%	1.3%
Used alcohol	15.2%	17.0%	14.0%
Used marijuana	3.8%	8.9%	4.4%
Used inhalants	2.8%	1.0%	0.2%
Used Rx not prescribed for you by a doctor	13.3%	6.3%	8.8%
Used `OTC` to get high	1.9%	2.0%	1.1%
Used synthetic drugs	0.5%	0.5%	0.7%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.5%	1.2%	0.9%
Used heroin or `smack`	0.5%	0.3%	0.7%
Used hallucinogens such as LSD, PCP, or magic mushrooms	2.0%	2.2%	0.9%
Used methamphetamine (meth, crank, crystal, ice)	1.0%	0.7%	0.5%
Used `club drugs` such as ecstasy	1.0%	1.0%	0.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	37.7%	30.1%	30.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	7.3%	5.9%	5.5%
Rode with someone who was drinking alcohol	20.7%	17.0%	15.1%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	28.4%	16.2%	23.4%
Posted something online or sent a text that might embarrass or hurt another student	14.9%	15.7%	14.5%
Made fun of other people	57.3%	47.2%	50.4%
Hit, shoved or pushed another student and was not just fooling around	26.8%	12.4%	20.3%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	35.7%	26.2%	39.1%
Was in a physical fight	22.7%	15.9%	24.8%
Been threatened or injured with a weapon on school property	9.0%	6.7%	8.8%
Seriously considered suicide	18.2%	11.1%	15.1%
Planned suicide	11.3%	8.6%	11.0%
Attempted suicide	8.6%	4.9%	7.3%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	33.0%	25.3%	25.1%
Was grouchy or irritable, or in a bad mood	42.5%	33.4%	36.5%
Felt hopeless about the future	19.9%	15.5%	17.4%
Felt like not eating or eating more than usual	28.1%	21.1%	24.6%
Felt like sleeping a lot more or a lot less than usual	37.7%	32.6%	31.4%
Had difficulty concentrating on school work	35.7%	32.1%	29.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.7%	91.8%	89.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	94.3%	93.4%	90.5%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	97.6%	92.5%	92.8%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.7%	96.2%	94.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	77.5%	87.7%	75.8%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	69.1%	84.9%	72.4%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	79.5%	75.6%	81.3%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	84.6%	94.5%	88.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	43.9%	39.5%	51.8%
'Very' or 'sort of easy' to get alcohol	47.1%	52.3%	52.2%
'Very' or 'sort of easy' to get marijuana	21.2%	38.0%	27.8%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.7%	21.1%	26.2%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	13.6%	10.1%	11.7%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	24.7%	26.3%	17.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	26.0%	27.5%	23.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	17.4%	25.9%	13.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	27.2%	33.2%	40.7%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	17.1%	18.9%	22.2%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	42.4%	46.5%	35.0%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	42.2%	35.1%	38.9%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	30.3%	24.2%	33.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	22.1%	39.2%	33.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	6.5%	9.6%	12.0%
'No' or 'slight risk' if they use synthetic drugs	16.2%	13.2%	15.9%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	25.9%	23.4%	24.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	12.5%	14.2%	15.7%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Vernon County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	527	*	552
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	14.7%	12.9%	15.4%
Grade level. 7th Grade	22.3%	11.5%	14.4%
Grade level. 8th Grade	19.1%	11.8%	15.4%
Grade level. 9th Grade	35.1%	13.6%	19.9%
Grade level. 10th Grade	5.4%	17.4%	14.0%
Grade level. 11th Grade	2.5%	17.8%	18.8%
Grade level. 12th Grade	0.8%	15.0%	2.1%
Male	46.9%	50.5%	50.1%
Hispanic or Latino	1.4%	1.5%	1.3%
Race: Black or African American	0.8%	13.3%	0.8%
Race: White	96.4%	79.5%	96.6%
Race: Multiracial	1.6%	5.3%	1.7%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	8.3%	5.3%	15.9%
Used electronic cigarettes	14.9%	15.5%	14.6%
Used hookahs or water pipes	0.8%	1.9%	2.3%
Used alcohol	7.5%	17.0%	14.3%
Used marijuana	1.9%	8.9%	4.9%
Used inhalants	1.9%	1.0%	2.7%
Used Rx not prescribed for you by a doctor	8.6%	6.3%	10.2%
Used `OTC` to get high	1.9%	2.0%	1.1%
Used synthetic drugs	0.6%	0.5%	0.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.3%	1.2%	1.9%
Used heroin or `smack`	0.0%	0.3%	0.6%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.8%	2.2%	3.2%
Used methamphetamine (meth, crank, crystal, ice)	0.8%	0.7%	0.9%
Used `club drugs` such as ecstasy	1.7%	1.0%	0.9%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	29.9%	30.1%	30.6%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	4.7%	5.9%	7.0%
Rode with someone who was drinking alcohol	15.9%	17.0%	17.4%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.7%	16.2%	19.7%
Posted something online or sent a text that might embarrass or hurt another student	10.3%	15.7%	13.9%
Made fun of other people	44.0%	47.2%	45.1%
Hit, shoved or pushed another student and was not just fooling around	13.9%	12.4%	13.9%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	24.5%	26.2%	31.6%
Was in a physical fight	19.2%	15.9%	19.2%
Been threatened or injured with a weapon on school property	8.4%	6.7%	8.9%
Seriously considered suicide	10.1%	11.1%	15.0%
Planned suicide	7.4%	8.6%	11.9%
Attempted suicide	3.8%	4.9%	6.4%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	25.7%	25.3%	27.1%
Was grouchy or irritable, or in a bad mood	34.7%	33.4%	33.4%
Felt hopeless about the future	15.4%	15.5%	14.4%
Felt like not eating or eating more than usual	25.3%	21.1%	21.8%
Felt like sleeping a lot more or a lot less than usual	30.4%	32.6%	28.3%
Had difficulty concentrating on school work	31.5%	32.1%	28.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	96.1%	91.8%	90.3%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	97.2%	93.4%	92.2%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	96.6%	92.5%	93.6%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.5%	96.2%	95.0%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.4%	87.7%	78.2%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	83.9%	84.9%	73.7%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	85.8%	75.6%	78.5%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.5%	94.5%	89.7%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	30.1%	39.5%	46.8%
'Very' or 'sort of easy' to get alcohol	37.2%	52.3%	48.1%
'Very' or 'sort of easy' to get marijuana	19.1%	38.0%	32.0%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	14.9%	21.1%	27.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	9.0%	10.1%	10.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	19.5%	26.3%	24.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	16.4%	27.5%	25.8%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	16.7%	25.9%	19.2%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	26.2%	33.2%	38.5%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	13.9%	18.9%	17.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	33.6%	46.5%	36.3%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	35.2%	35.1%	38.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.7%	24.2%	28.0%
'No' or 'slight risk' if they smoke marijuana once or twice a week	22.1%	39.2%	32.3%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.7%	9.6%	7.4%
'No' or 'slight risk' if they use synthetic drugs	9.8%	13.2%	11.5%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	17.8%	23.4%	21.0%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	9.3%	14.2%	10.8%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Warren County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	862	*	797
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	24.5%	12.9%	27.8%
Grade level. 7th Grade	23.7%	11.5%	18.5%
Grade level. 8th Grade	20.7%	11.8%	5.4%
Grade level. 9th Grade	15.4%	13.6%	0.0%
Grade level. 10th Grade	7.1%	17.4%	18.0%
Grade level. 11th Grade	3.3%	17.8%	16.8%
Grade level. 12th Grade	5.4%	15.0%	13.5%
Male	48.8%	50.5%	48.5%
Hispanic or Latino	2.1%	1.5%	2.3%
Race: Black or African American	1.7%	13.3%	1.9%
Race: White	94.6%	79.5%	94.9%
Race: Multiracial	2.5%	5.3%	2.1%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	5.7%	5.3%	8.7%
Used electronic cigarettes	16.7%	15.5%	23.7%
Used hookahs or water pipes	1.3%	1.9%	2.7%
Used alcohol	15.7%	17.0%	19.8%
Used marijuana	5.4%	8.9%	8.3%
Used inhalants	1.4%	1.0%	1.3%
Used Rx not prescribed for you by a doctor	7.3%	6.3%	8.8%
Used `OTC` to get high	2.3%	2.0%	2.0%
Used synthetic drugs	0.9%	0.5%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.4%	1.2%	1.5%
Used heroin or `smack`	0.5%	0.3%	0.0%
Used hallucinogens such as LSD, PCP, or magic mushrooms	1.4%	2.2%	2.6%
Used methamphetamine (meth, crank, crystal, ice)	1.0%	0.7%	0.5%
Used `club drugs` such as ecstasy	0.5%	1.0%	0.7%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	28.5%	30.1%	32.4%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	8.8%	5.9%	6.6%
Rode with someone who was drinking alcohol	17.4%	17.0%	17.5%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	17.4%	16.2%	21.0%
Posted something online or sent a text that might embarrass or hurt another student	13.6%	15.7%	16.1%
Made fun of other people	45.6%	47.2%	49.1%
Hit, shoved or pushed another student and was not just fooling around	17.4%	12.4%	17.0%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	28.5%	26.2%	31.5%
Was in a physical fight	21.5%	15.9%	21.4%
Been threatened or injured with a weapon on school property	9.5%	6.7%	6.9%
Seriously considered suicide	14.2%	11.1%	13.5%
Planned suicide	11.4%	8.6%	11.1%
Attempted suicide	8.8%	4.9%	6.9%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	29.5%	25.3%	25.9%
Was grouchy or irritable, or in a bad mood	37.1%	33.4%	35.6%
Felt hopeless about the future	19.5%	15.5%	17.1%
Felt like not eating or eating more than usual	26.8%	21.1%	25.8%
Felt like sleeping a lot more or a lot less than usual	37.2%	32.6%	32.3%
Had difficulty concentrating on school work	39.2%	32.1%	33.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	92.2%	91.8%	93.2%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.6%	93.4%	92.4%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.5%	92.5%	91.4%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	94.1%	96.2%	95.1%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	85.5%	87.7%	79.5%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	74.0%	84.9%	70.9%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	72.7%	75.6%	70.9%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	87.2%	94.5%	87.0%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	38.0%	39.5%	50.6%
'Very' or 'sort of easy' to get alcohol	46.8%	52.3%	55.9%
'Very' or 'sort of easy' to get marijuana	30.4%	38.0%	41.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	24.7%	21.1%	26.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	12.1%	10.1%	10.4%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	25.5%	26.3%	35.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	25.1%	27.5%	29.6%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	26.8%	25.9%	31.3%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	29.6%	33.2%	50.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	15.9%	18.9%	20.3%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	38.6%	46.5%	42.8%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	32.3%	35.1%	38.2%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	23.3%	24.2%	28.4%
'No' or 'slight risk' if they smoke marijuana once or twice a week	28.6%	39.2%	40.5%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	9.1%	9.6%	11.5%
'No' or 'slight risk' if they use synthetic drugs	15.3%	13.2%	17.4%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	21.6%	23.4%	23.3%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.3%	14.2%	16.2%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey data are not available for this county due to small sample size and / or it only being a single district.

Please encourage your schools to participate in the 2022 survey!

2020 Missouri Student Survey Webster County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	54	*	
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	27.8%	12.9%	
Grade level. 7th Grade	0.0%	11.5%	
Grade level. 8th Grade	0.0%	11.8%	
Grade level. 9th Grade	33.3%	13.6%	
Grade level. 10th Grade	0.0%	17.4%	
Grade level. 11th Grade	38.9%	17.8%	
Grade level. 12th Grade	0.0%	15.0%	
Male	45.0%	50.5%	
Hispanic or Latino	0.0%	1.5%	
Race: Black or African American	0.0%	13.3%	
Race: White	100.0%	79.5%	
Race: Multiracial		5.3%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	11.1%	5.3%
Used electronic cigarettes	11.1%	15.5%
Used hookahs or water pipes	0.0%	1.9%
Used alcohol	15.8%	17.0%
Used marijuana	11.1%	8.9%
Used inhalants	0.0%	1.0%
Used Rx not prescribed for you by a doctor	6.3%	6.3%
Used `OTC` to get high	5.9%	2.0%
Used synthetic drugs	0.0%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	
Used heroin or `smack`	0.0%	0.3%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	
Used `club drugs` such as ecstasy	0.0%	1.0%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	26.3%	30.1%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	5.0%	5.9%	
Rode with someone who was drinking alcohol	22.2%	17.0%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	15.0%	16.2%	
Posted something online or sent a text that might embarrass or hurt another student	5.0%	15.7%	
Made fun of other people	26.3%	47.2%	
Hit, shoved or pushed another student and was not just fooling around	10.0%	12.4%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	35.0%	26.2%	
Was in a physical fight	20.0%	15.9%	
Been threatened or injured with a weapon on school property	15.0%	6.7%	
Seriously considered suicide	15.0%	11.1%	
Planned suicide	10.0%	8.6%	
Attempted suicide	5.0%	4.9%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	30.0%	25.3%	
Was grouchy or irritable, or in a bad mood	35.0%	33.4%	
Felt hopeless about the future	25.0%	15.5%	
Felt like not eating or eating more than usual	35.0%	21.1%	
Felt like sleeping a lot more or a lot less than usual	40.0%	32.6%	
Had difficulty concentrating on school work	45.0%	32.1%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	93.8%	91.8%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	93.8%	93.4%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	88.2%	92.5%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	88.2%	96.2%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	100.0%	87.7%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	100.0%	84.9%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	100.0%	75.6%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	100.0%	94.5%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	35.0%	39.5%	
'Very' or 'sort of easy' to get alcohol	40.0%	52.3%	
'Very' or 'sort of easy' to get marijuana	26.3%	38.0%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	31.6%	21.1%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	15.0%	10.1%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	31.6%	26.3%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	26.3%	27.5%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	31.6%	25.9%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	26.3%	33.2%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	21.1%	18.9%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	31.6%	46.5%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	26.3%	35.1%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	21.1%	24.2%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	33.3%	39.2%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	5.6%	9.6%	
'No' or 'slight risk' if they use synthetic drugs	5.6%	13.2%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	16.7%	23.4%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	11.8%	14.2%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Worth County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	119	*	
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	14.8%	12.9%	
Grade level. 7th Grade	13.8%	11.5%	
Grade level. 8th Grade	12.5%	11.8%	
Grade level. 9th Grade	19.1%	13.6%	
Grade level. 10th Grade	13.2%	17.4%	
Grade level. 11th Grade	16.4%	17.8%	
Grade level. 12th Grade	10.2%	15.0%	
Male	47.2%	50.5%	
Hispanic or Latino	0.7%	1.5%	
Race: Black or African American	0.0%	13.3%	
Race: White	97.7%	79.5%	
Race: Multiracial	1.3%	5.3%	

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

Substances: Past 30 Days (% reflects "1+" answer)

Used tobacco (cigarettes or chew)	14.9%	5.3%
Used electronic cigarettes	18.0%	15.5%
Used hookahs or water pipes	1.7%	1.9%
Used alcohol	23.6%	17.0%
Used marijuana	3.4%	8.9%
Used inhalants	0.7%	1.0%
Used Rx not prescribed for you by a doctor	5.9%	6.3%
Used `OTC` to get high	5.9%	2.0%
Used synthetic drugs	0.0%	0.5%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	1.0%	1.2%	
Used heroin or `smack`	0.0%	0.3%	
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	
Used methamphetamine (meth, crank, crystal, ice)	0.4%	0.7%	
Used `club drugs` such as ecstasy	0.3%	1.0%	
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	25.4%	30.1%	
Did not go to school because you felt you would be unsafe at school or on your way to or from school	6.3%	5.9%	
Rode with someone who was drinking alcohol	23.3%	17.0%	
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.2%	16.2%	
Posted something online or sent a text that might embarrass or hurt another student	19.0%	15.7%	
Made fun of other people	61.5%	47.2%	
Hit, shoved or pushed another student and was not just fooling around	15.8%	12.4%	
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	30.8%	26.2%	
Was in a physical fight	20.5%	15.9%	
Been threatened or injured with a weapon on school property	6.7%	6.7%	
Seriously considered suicide	12.9%	11.1%	
Planned suicide	8.7%	8.6%	
Attempted suicide	5.0%	4.9%	
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	23.5%	25.3%	
Was grouchy or irritable, or in a bad mood	38.9%	33.4%	
Felt hopeless about the future	11.0%	15.5%	
Felt like not eating or eating more than usual	22.5%	21.1%	
Felt like sleeping a lot more or a lot less than usual	27.1%	32.6%	
Had difficulty concentrating on school work	27.4%	32.1%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	86.0%	91.8%	
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	88.8%	93.4%	
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	93.5%	92.5%	
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	93.8%	96.2%	
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	80.0%	87.7%	
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	80.0%	84.9%	
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	75.0%	75.6%	
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.5%	94.5%	
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	50.8%	39.5%	
'Very' or 'sort of easy' to get alcohol	63.3%	52.3%	
'Very' or 'sort of easy' to get marijuana	32.6%	38.0%	
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	21.6%	21.1%	
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	5.3%	10.1%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	16.9%	26.3%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	21.7%	27.5%	
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	11.9%	25.9%	

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	32.8%	33.2%	
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	18.2%	18.9%	
'No' or 'slight risk' if they drink alcohol (no dosage specified)	51.2%	46.5%	
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	40.7%	35.1%	
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	34.5%	24.2%	
'No' or 'slight risk' if they smoke marijuana once or twice a week	21.8%	39.2%	
'No' or 'slight risk' if they use any other illegal drugs or club drugs	10.7%	9.6%	
'No' or 'slight risk' if they use synthetic drugs	17.3%	13.2%	
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	19.4%	23.4%	
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	14.1%	14.2%	

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!

2020 Missouri Student Survey Wright County



	2020 County Data	2020 MO Data	2018 County Data
Approximate Sample Size	60	*	272
<u>Demographics (% reflects "yes" answer)</u>			
Grade level. 6th Grade	23.6%	12.9%	14.8%
Grade level. 7th Grade	46.6%	11.5%	17.2%
Grade level. 8th Grade	27.9%	11.8%	13.0%
Grade level. 9th Grade	0.0%	13.6%	14.1%
Grade level. 10th Grade	0.0%	17.4%	16.9%
Grade level. 11th Grade	0.0%	17.8%	18.0%
Grade level. 12th Grade	1.9%	15.0%	6.0%
Male	53.0%	50.5%	47.0%
Hispanic or Latino	1.0%	1.5%	1.0%
Race: Black or African American	0.4%	13.3%	0.8%
Race: White	96.8%	79.5%	96.9%
Race: Multiracial	1.8%	5.3%	1.3%

Note: Small sample sizes at the school level can make comparisons difficult.

Take careful note of the demographic information listed above. Large differences in the sample, especially changes in the percent per grade, can influence the rest of the data in this report. This means differences may be a result of differing samples rather than an actual population differences.

*Missouri data reflects a random sample, weighted to proportionally reflect the state student population.

<u>Substances: Past 30 Days (% reflects "1+" answer)</u>			
Used tobacco (cigarettes or chew)	8.2%	5.3%	16.1%
Used electronic cigarettes	14.5%	15.5%	10.5%
Used hookahs or water pipes	0.0%	1.9%	3.1%
Used alcohol	6.5%	17.0%	10.5%
Used marijuana	2.3%	8.9%	6.9%
Used inhalants	2.3%	1.0%	2.9%
Used Rx not prescribed for you by a doctor	10.6%	6.3%	11.1%
Used `OTC` to get high	6.8%	2.0%	0.8%
Used synthetic drugs	0.0%	0.5%	1.1%

	2020 County Data	2020 MO Data	2018 County Data
<u>Substances: Ever in your life (% reflects "1+" answer)</u>			
Used cocaine or `crack`	0.0%	1.2%	1.6%
Used heroin or `smack`	0.0%	0.3%	0.8%
Used hallucinogens such as LSD, PCP, or magic mushrooms	0.0%	2.2%	1.6%
Used methamphetamine (meth, crank, crystal, ice)	0.0%	0.7%	1.6%
Used `club drugs` such as ecstasy	0.0%	1.0%	1.6%
<u>Behavior: Last 30 Days (% reflects "1+" answer)</u>			
Missed whole day(s) of school because you skipped or cut	22.0%	30.1%	24.7%
Did not go to school because you felt you would be unsafe at school or on your way to or from school	2.2%	5.9%	3.1%
Rode with someone who was drinking alcohol	5.5%	17.0%	19.0%
<u>Behavior: Last 3 Months (% reflects "1+" answer)</u>			
Spread mean rumors or lies about other kids at school	19.2%	16.2%	26.6%
Posted something online or sent a text that might embarrass or hurt another student	8.3%	15.7%	17.9%
Made fun of other people	51.9%	47.2%	55.5%
Hit, shoved or pushed another student and was not just fooling around	11.5%	12.4%	15.7%
<u>Behavior: Last 12 Months (% reflects "1+" answer)</u>			
Been bullied on school property	37.3%	26.2%	32.0%
Was in a physical fight	28.5%	15.9%	17.7%
Been threatened or injured with a weapon on school property	6.3%	6.7%	6.0%
Seriously considered suicide	7.8%	11.1%	9.8%
Planned suicide	1.0%	8.6%	9.4%
Attempted suicide	8.1%	4.9%	4.7%
<u>Depression Scale (% often or always in Past Month)</u>			
Was very sad	24.6%	25.3%	22.5%
Was grouchy or irritable, or in a bad mood	25.6%	33.4%	27.6%
Felt hopeless about the future	11.9%	15.5%	9.4%
Felt like not eating or eating more than usual	26.5%	21.1%	19.5%
Felt like sleeping a lot more or a lot less than usual	28.8%	32.6%	24.3%
Had difficulty concentrating on school work	27.4%	32.1%	22.4%

	2020 County Data	2020 MO Data	2018 County Data
<u>Parents' perception of wrongness (% reflects wrong + very wrong)</u>			
Parents feel it would be 'wrong' or 'very wrong' to smoke tobacco	89.7%	91.8%	94.4%
Parents feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	95.5%	93.4%	94.1%
Parents feel it would be 'wrong' or 'very wrong' to smoke marijuana once or twice a week	97.8%	92.5%	94.2%
Parents feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	97.8%	96.2%	96.3%
<u>Friends' perception of wrongness (% reflects wrong + very wrong)</u>			
Friends feel it would be 'wrong' or 'very wrong' to smoke tobacco	83.2%	87.7%	76.4%
Friends feel it would be 'wrong' or 'very wrong' to take one or two drinks of an alcoholic beverage nearly every day	73.2%	84.9%	75.1%
Friends feel it would be 'wrong' or 'very wrong' to smoke marijuana	80.6%	75.6%	76.4%
Friends feel it would be 'wrong' or 'very wrong' to use Rx drugs that have not been prescribed to you	89.2%	94.5%	90.9%
<u>Perception of Availability (% very easy + sort of easy)</u>			
'Very' or 'sort of easy' to get cigarettes	18.7%	39.5%	40.1%
'Very' or 'sort of easy' to get alcohol	23.0%	52.3%	41.6%
'Very' or 'sort of easy' to get marijuana	9.7%	38.0%	29.6%
'Very' or 'sort of easy' to get Rx drugs that have not been prescribed to them	8.2%	21.1%	20.6%
<u>Friends' perception of coolness (% reflects pretty cool + very cool)</u>			
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked cigarettes	6.3%	10.1%	8.3%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they used e-cigs, mods, or vapes	10.0%	26.3%	16.1%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they drank alcohol	12.9%	27.5%	24.0%
Peers believe someone your age would be 'pretty cool' or 'very cool' if they smoked marijuana	8.5%	25.9%	16.9%

	2020 County Data	2020 MO Data	2018 County Data
<u>Perception of Harm (% reflects slight risk + no risk at all)</u>			
'No' or 'slight risk' if they smoke e-cigarettes	36.0%	33.2%	38.9%
'No' or 'slight risk' if they smoke one or more packs of cigarettes /day	27.1%	18.9%	21.1%
'No' or 'slight risk' if they drink alcohol (no dosage specified)	36.1%	46.5%	32.5%
'No' or 'slight risk' if they take one or two drinks of an alcoholic beverage nearly every day	46.3%	35.1%	42.3%
'No' or 'slight risk' if they have 5+ drinks, once or twice a week	37.9%	24.2%	30.3%
'No' or 'slight risk' if they smoke marijuana once or twice a week	27.1%	39.2%	31.6%
'No' or 'slight risk' if they use any other illegal drugs or club drugs	16.3%	9.6%	10.0%
'No' or 'slight risk' if they use synthetic drugs	21.2%	13.2%	15.1%
'No' or 'slight risk' if they use Cold/ Cough Medicines or OTC medicines to get high	28.4%	23.4%	20.4%
'No' or 'slight risk' if they use Rx drugs that have not been prescribed to them	16.6%	14.2%	12.9%

These reports contain select questions. For more information, see your full report. If you need assistance locating this report, contact Susan.Depue@mimh.edu. State and county level data will be available at <http://dmh.mo.gov/ada/mobhew> by September 2020.



Thank You!

Your Participation in the
Missouri Student Survey
is appreciated!